CABI BIOSCIENCE
EGHAM LIBRARY
- 7 JUN 1999

INDEX TO KEW BULLETIN
Volume 52

Principal references are indicated † and illustrations *

Acacia 7, 12, 13, 40, 150, 151, 707, 885, 890
—— *callistemon* Schltdl. 23
—— *grandiflora* (L'Hér.) Willd. 21
—— *houstoni sensu* Edwards 30
—— *houstonii* (L'Hér.) Willd. 27
—— *planifrons* 1007
Acalypha 477
—— *amentacea* Roxb. 522
—— *gagnepainii* Leandri 477
—— —— var. *calcicola* Leandri 477
—— *jamaicensis* Britton 477
—— *leicesterfieldiensis* Radcl.-Sm. & Govaerts †477
—— *macrophylla* Ule 478
—— *medibracteata* Radcl.-Sm. & Govaerts †477
—— —— var. *calcicola* (Leandri) Radcl.-Sm. & Govaerts †477
—— *polynesiaca* Radcl.-Sm. & Govaerts †477
—— *stokesii* F. Br. 477
—— *ulei* Radcl.-Sm. & Govaerts †478
Acanthaceae: Asystasia (Acanthaceae) in Malaysia, R. Kiew & K. Vollesen 965
Acanthaceae: Delimitation and infrageneric classification of Barleria (Acanthaceae), M.-J. Balkwill & K. Balkwill 535
Acanthaceae: Synopsis of the genus Crossandra (Acanthaceae) in Madagascar, Kaj Vollesen 379
Acanthaceae 379, 381, 405, 429, 535, 537, 539, 547, 568
Acanthocephalus chevalieri Briq. 372
—— *cylindraceus* var. *katangensis* De Wild. 372
—— *dewevrei* Briq. 372
—— —— Briq. ex De Wild. 372
—— *elskensii* Robyns & Lebrun 372
—— *oligocephalus* Baker 372
Acantholimon 928
—— *acerosum* Boiss. 926
Achatocarpus 923
Achyranthes sericea J. König ex Roxb. 522
—— *triandra* Roxb. 522
Acosmium: A morphological and biogeographic study of the Acosmium dasycarpum complex (Leguminosae: Papilionoideae: Sophoreae), S. G. M. Bridgewater & C. H. Stirton 471
Acosmium Schott 471
—— *dasycarpum* (Vogel) Yakovlev 471, †472, 474, 475
—— —— subsp. *dasycarpum* 472, 473
—— —— *glabratum* (Benth.) Yakovlev 472, 473
Acrachne sundarajii — a new grass from coastal Tamil Nadu, India, P. Umamaheswari, S. A. Muthukumar & P. Daniel 1007
Acrachne henrardiana (Bor) S. M. Phillips 1007, 1008
—— *sundarajii* Umamaheswari, Muthukumar & P. Daniel †1007, 1008, *1009
Acrocephalus Benth. 258 – 260, 263, 267, 272, 273, 297, 298
—— sect. *Acrocephalus* 259, 273
—— sect. —— subsect. *Heterochili* Briq. 260, 273
—— sect. —— subsect. *Holochili* Briq. 259, 355
—— sect. —— subsect. *Merochili* Briq. 260, 341
—— sect. —— subsect. *Odontochili* Briq. 260, 340
Acrocephalus sect. *Acrocephalus* subsect. *Schizepichili* Briq. 260, 323
—— sect. *Botridiocephalus* Briq. 259, 355
—— sect. *Malocephalus* Briq. 259, 273
—— *abyssinicus* Hochst. ex Chiov. 372, 373
—— *alboviridis* Hutch. 339
—— *angolensis* Gürke 372
—— *axillaris* Benth. 259, 265, 268, 269, 274
—— *barakaensis* De Wild. 342
—— *barbatus* Robyns & Lebrun 326, 330
—— *bequaertii* De Wild. 341
—— *blumei* Benth. 273
—— *buddleoides* S. Moore 357
—— *buettneri* Gürke 334
—— *caeruleus* Oliv. 340, 342
—— —— var. *genuinus* Briq. 341
—— —— var. *trichosoma* Briq. 341
—— *callianthus* Briq. 370, 373
—— *campicola* Briq. 341
—— *canonensis* G. Taylor 330
—— *capitatus* (Roth) Benth. 273
—— *centranthoides* Baker 341
—— *chirindensis* S. Moore 326
—— *claessensii* Robyns & Lebrun 342
—— *coriaceus* Robyns & Lebrun 366
—— *crinitus* Briq. 341
—— *cubanquensis* R. D. Good 336
—— *cyanobracteatus* De Wild. 346
—— *cylindraceus* Oliv. 370, 373
—— *debeerstii* Briq. 372
—— *degiorgii* Robyns & Lebrun 342
—— *demeusei* Briq. 341
—— *descampsii* Briq. 341
—— *dissitifolius* Baker 326
—— *divaricatus* Briq. 372
—— *doloensis* De Wild. 342
—— *elongatus* Briq. 372
—— *erectifolius* N. E. Br. 337
—— *fischeri* Gürke 372
—— *fruticosus* Dunn 260
—— *galeopsifolius* Baker 372
—— *glaucescens* Robyns & Lebrun 342
—— *goetzii* Gürke 337
—— *gracilis* Briq. 341, 342
—— *graminifolius* Robyns 322
—— *hensii* Briq. 341
—— *heudelotii* Briq. 334
—— *hirsutum* 265, 268, 269
—— *hispidus* (L.) Nicolson & Sivad. 272, 273
—— *homblei* De Wild. 359
—— *hyptoides* Baker 330
—— *indicus* (Burm. f.) Kuntze 273
—— *iododermis* Briq. 340
—— *kaessneri* S. Moore 316
—— *kambovianus* P. A. Duvign. & Plancke 308
—— *katangensis* S. Moore 346
—— *kipilaensis* Robyns 359
—— *klossii* Wernham 260, 285
—— *kundulungensis* De Wild. 350
—— *lagoensis* Baker 341

Acrocephalus

Acrocephalus lantanoides S. Moore 350
—— *laurentii* Briq. 341
—— *lescrauwaetii* Robyns & Lebrun 342
—— *lilacinoides* De Wild. 341
—— *lilacinus* Oliv. 340, 342
—— *linearifolius* De Wild. 321
—— *lippioides* Baker 357
—— *longecuspidatus* Robyns & Lebrun 342
—— *martreti* A. Chev. 341
—— *masuianus* Briq. 341
—— *mechowianus* Briq. 357
—— *mildbraedii* Perkins 342
—— *minor* Briq. 330
—— *monocephalus* Baker 341, 342
—— *morumbensis* De Wild. 354
—— *obovatifolius* Robyns & Lebrun 326
—— *palniensis* Mukerjee 273
—— *paniculatus* Briq. 259, 363
—— *picturatus* S. Moore 372
—— *poggeanus* Briq. 370
—— *polyneurus* S. Moore 319
—— *polytrichus* Baker 341
—— *porphyrophyllus* Baker 341
—— *praealtus* Briq. 356
—— *pseudosericeus* G. Taylor 342
—— *quarrei* Robyns & Lebrun 342
—— *ramosissimus* A. Chev. 372
—— *reticulatus* Briq. 357
—— *ringoetii* De Wild. 323
—— *robertii* Robyns 349
—— *rosulatis* De Wild. 364
—— *rupestris* R. E. Fr. 323
—— *sapinii* Robyns & Lebrun 342
—— *scariosus* Benth. 273
—— *schweinfurthii* Briq. 341
—— *semilignosus* P. A. Duvign. & Plancke 302
—— *seretii* De Wild. 342
—— *sericeus* Briq. 332
—— —— var. *teucroides* Hiern 326
—— *sordidus* Briq. 341
—— *speciosus* E. A. Bruce 369
—— *spicatus* C. B. Rob. 273
—— *stormsii* Briq. 372
—— *suberosus* Robyns & Lebrun 311
—— *succisifolius* Baker 361
—— *termiticola* Robyns 364
—— *timpermannii* P. A. Duvign. & Plancke 308
—— *triramosus* N. E. Br. 332
—— *upembensis* Robyns 364
—— *vandenbrandei* P. A. Duvign. & Plancke 303
—— *vanderystii* De Wild. 342
—— *venosus* Baker 336
—— *verbenaceus* Vatke 370
—— *verbenifolius* Mukerjee 273
—— *villosus* Benth. 370
—— *viridulis* Robyns 364
—— *welwitschii* Briq. 330, 332
—— *zambesiacus* Baker ex Gürke 372
—— sp. 298
Actinidaceae 114
Actinoseris: A reassessment of Actinoseris polymorpha (Less.) Cabrera (Compositae: Mutiseae) with a new combination, N. Roque 197
Actinoseris (Endl.) Cabrera 197, 199
—— *arenaria* (Baker) Roque 198, †199, *200, *201, *202
—— *polymorpha* 197 – 199, *200, *201, *202

Acyranthes

Acyranthes scandens Roxb. 522
Additions to Neotropical Dichapetalum, G. T. Prance 213
Adelia cordifolia Roxb. 480
—— *nereifolia* Roxb. 522
Adelioides Sol. ex Britten in Banks & Sol. 981, 982
—— *decumbens* (Benth.) Sol. ex Britten in Banks & Sol. 982, 985
Adeliopsis Benth. in Benth. & Hook. f. 981, 982
—— *decumbens* Benth. 985
Adenanthe Maguire, Steyerm. & Wurdack 116
Adenanthera aculeata (Roxb.) Roxb. 522, 531
Adenarake Maguire & Wurdack 116
Adenia 115
—— *digitata* Engl. 113
Adenophaedra minor Ducke 189
Adenophorus Gaudich. 738
Aedesia 576
—— *glabra* (Klatt) O. Hoffm. 576
Aedo, C. & Muñoz-Garmendia, F.: Twelve new names in Geranium L. (Geraniaceae) 725
Aegilops 94
Aerangis 743
—— *brachyceras* Summerh. 744
Aerisilvaea Radcl.-Sm. 171, 172
—— *serrata* Radcl.-Sm. 172, 173
—— *sylvestris* Radcl.-Sm. 172
Aeschynomene aspera 528
—— *paludosa* Roxb. 522
Aframomum K. Schum. 601, 602
—— group *angustifolium* 605
—— group *polyanthum* 605
—— *alboviolaceum* (Ridl.) K. Schum. 602
—— *amaniense* Loes. 602, 605, 606
—— *atewae* Lock 606
—— *citratum* (J. Pereira) K. Schum. 614
—— *cordifolium* Lock & J. B. Hall 614
—— *corrorima* (A. Braun) P. C. M. Jansen †603, 604, 608, 614
—— *geocarpum* Lock & J. B. Hall 605
—— *granum-paradisi* (Hook. f.) K. Schum. 602
—— *korarima* (J. Pereira) K. Schum. ex Engl. 603
—— *latifolium* (K. Schum.) K. Schum. 602
—— *letestuanum* Gagnep. †603
—— *limbatum* (Oliv. & Hanb.) K. Schum. 602, †605, 606
—— *luteoalbum* (K. Schum.) K. Schum. 602, 604, †605, *610
—— *makandensis* Dhetchuvi 608, 609
—— *mala* (K. Schum. ex Engl.) K. Schum. †603, 605, *610
—— *mildbraedii* 602
—— *spiroligulatum* A. D. Poulsen & Lock 602, †608, 609, *610, *611
—— *uniflorum* Lock & A. D. Poulsen 602, †606, *607, *610
—— *usambarense* Lock 603, 604
—— *verrucosum* Lock †608, 614
—— *zambesiacum* (Baker) K. Schum. †602
Africa: The Eriocaulon transvaalicum complex and some other species of Eriocaulon from Africa, Sylvia M. Phillips 51
Africa: The genus Syngonanthus (Eriocaulaceae) in eastern and southern Africa, Sylvia M. Phillips 73
Africa: New combinations in an African Erica, M. Cheek 753

Africa

Africa: A new genus Haplocoelopsis (Sapindaceae) from East and Central Africa, F. G. Davies 231
Africa: Notes on African and Madagascan Euphorbiaceae, A. Radcliffe-Smith 177
Africa: Notes relating to the genus Indigofera (Leguminosae-Papilionoideae) for Flora Zambesiaca: 1. Section Psiloceratiae (J. B. Gillett) Schrire, Brian D. Schrire 153
Africa: A revision of the genus Echinops (Compositae-Cardueae) in tropical Africa, Mesfin Tadesse 879
Africa: What is Emilia coccinea (Sims) G. Don (Compositae)? A revision of the large-headed Emilia species of Africa, C. Jeffrey 205
Agauria salicifolia 745
Agavaceae 996, 997
Agave 979
Ageratum cordifolium Roxb. 522
Aglaia: A new cassowary-dispersed species of Aglaia (Meliaceae, section Amoora) from Papua New Guinea, C. M. Pannell 715
Aglaia 715, 717
—— sect. *Amoora* 717
—— *flavida* Merr. & L. M. Perry 715, 717
—— *mackiana* C. M. Pannell †715, 717
Aidia pallens (Hiern) G. Taylor 653
Ajuga distichа Roxb. 522
—— *fruticosa* Roxb. 522
Alafia: Series of revisions of Apocynaceae XLIII. Alafia Thouars, A. J. M. Leeuwenberg 769
Alafia Thouars 769, †770, 772, 773, 826
—— ser. *Barbatae* Pichon 770
—— ser. *Conicae* Pichon 770
—— ser. *Digitiformes* Pichon 770
—— ser. *Fusiformes* Pichon 770
—— ser. *Glabrifauces* Pichon 770
—— ser. *Glabriflorae* 770
—— ser. *Grandiflorae* Pichon 770
—— ser. *Madagascarienses* Pichon 770
—— ser. *Micranthae* Pichon 770
—— ser. *Oliganthae* Pichon 770
—— ser. *Puberulae* Pichon 770
—— *alba* Pichon 774, †818, *819, 820
—— *barteri* Oliv. 769, 770, 772, †774, 775, *776, 777, 795
—— *benthamii* (Baill.) Stapf. 769, 770, 772, †777, *779, 780
—— —— var. *mediafra* Pichon 777
—— *bequaerti* De Wild. 808
—— *bequaertii* De Wild. 808, 812
—— *butayei* Stapf 781, 784
—— *calophylla* Pichon 770, 773, †820
—— *caudata* Stapf 769, 770, 772, †781, 782, *783, 784
—— —— subsp. *latiloba* Kupicha 781, 784
—— *clusioides* S. Moore 798, 799
—— *congolana* Pichon 770, 804, 807
—— *conica* Pichon 770, 781, 784
—— *cuneata* Stapf 794, 797
—— *erythrophthalma* (K. Schum.) Leeuwenb. 769, 770, 773, †785, 786, *787
—— *falcata* Leeuwenb. 769, 772, †788, *789, 790
—— *fuscata* Pichon 773, 820, †821, 822, 823
—— *giraudii* Dubard 774
—— *glabriflora* Pichon 774, 777
—— *grandis* Stapf 770, 785
—— *insularis* Pichon 825, 826

Alafia

Alafia intermedia Pichon 825, 826
—— *jasminiflora* A. Chev. 831
—— *klaineana* Pierre ex Pichon 774, 777
—— *landolphioides* (A. DC.) Benth. & Hook. f. ex K. Schum. 769, 770, 773, †790, 792, 793
—— *laxiflora* 794
—— *lucida* Stapf 769, 770, 772, †794, *796, 797
—— *madagascariensis* Poir. 826
—— *major* Stapf 794, 797
—— *malouetioides* K. Schum. 799, 804
—— *microstylis* K. Schum. 769, 772, 790, †798, *800
—— *mildbraedii* Gilg & Stapf 831
—— *mirabilis* A. Chev. 833
—— *multiflora* (Stapf) Stapf 769 – 771, 773, 790, †799, 802 – 804, 813
—— *nigrescens* Pichon 774, 821, †822, 823, 830
—— *orientalis* K. Schum. ex Engl. 769, 770, 773, †804, 805, *806
—— *parviflora* Stapf 769, 770, 772, 802, †807, *809
—— *parvifolia* Pichon 825, 826
—— *pauciflora* Radlk. 774, †823, 824
—— *perrieri* Jum. 770, 771, 773, 774, 824, †825, 826, *827
—— —— var. *parvifolia* Markgr. 825, 826
—— *reticulata* K. Schum. 794
—— *sarmentosa* Stapf 781
—— *scandens* De Wild. 790, 792
—— *schumannii* Stapf 769 – 773, 790, 804, †808, 810, *811, 813
—— *swynnertonii* S. Moore 798
—— *thouarsii* Roem. & Schult. 770, 771, 773, †826, *829, 830
—— *ugandensis* Pichon 770, 804, 807
—— *vallium* Pichon 773, 830, †831, *832
—— *velutina* Leeuwenb. 769, 771, 772, †812, 813
—— *vermuelenii* De Wild. 833
—— *verschuerenii* De Wild 774, 777
—— *whytei* Stapf 769, 770, 773, †813, *815
—— *zambesiaca* Kupicha 769, 772, 781, †814, 817
Alangium barbatum Baill. ex Kuntze 99
—— *griselloides* Capuron 99
Alantsilodendron 12
Alchemilla 453
—— *alpina* 453
Aldridgea (Fungi: Boletales) a synonym of Coniophora, Peter Roberts 505
Aldridgea Massee 505, 506
—— *gelatinosa* Massee 505, 506
Alliaceae 128
Allium 122
—— sect. *Allium* 122
—— *affine* Ledeb. 128
—— *amethystinum* Tausch 128
—— *flavum* subsp. *tauricum* var. *tauricum* Besser ex Reichb. 128
—— *glumaceum* Boiss. & Hausskn. 128
—— *sphaerocephalum* L. 128
Alloeochaete C. E. Hubb. 92, 93, 96, 97
—— *andongensis* 95, *105
—— *geniculata* 95
—— *gracillima* 95, *107
—— *oreogena* 95, *107
—— *ulugurensis* 95, *107
Allophylus pinnatus 532
Alluaudia 928
—— *procera* Drake 926
Aloaceae 122, 129

Aloe

Aloe: Further notes on the genus Aloe in Ethiopia and Eritraea, M. G. Gilbert & Demissew Sebsebe 139
Aloe 122, 140, 141, 147 – 149, 977 – 979
—— group *saponaria* 139, 141
—— sect. *Saponariae* Berger 140
—— ser. —— Berger 140
—— *abyssinica* var. *peacockii* Baker 144
—— —— var. *percrassa* (Tod.) Baker 145
—— *ankoberensis* M. G. Gilbert & Sebsebe †146, 147, 148
—— *berhana* Reynolds 145, 146, 148
—— *borziana* A. Terracc. 140
—— *calidophila* Reynolds 150
—— *camperi* 149
—— *ciliaris* Haw. var. *ciliaris* 129
—— —— var. *tidmarshii* Schönl. 129
—— *citrina* S. Carter & Brandham 143
—— *cremnophila* Reynolds 143
—— *debrana* Christian 144, 145, †146, 147, 148
—— *dichotoma* 148
—— *elegans* Tod. †144, 149
—— *eminens* 148
—— *gilbertii* Sebsebe & Brandham 150, 151
—— —— subsp. *gilbertii* 151
—— —— subsp. *megalacanthoides* M. G. Gilbert & Sebsebe †151
—— *inermis* Forssk. 122, 123, 129, 148
—— *jacksonii* Reynolds 143, 144
—— *jucunda* Reynolds 144
—— *kefaensis* M. G. Gilbert & Sebsebe †140, 141
—— *lateritia* Engl. 140
—— *luntii* Baker 123
—— *macrocarpa* Tod. †140, 141
—— —— var. *major* Berger 140
—— *magnidentata* Verd. & Christian 150
—— *megalacantha* Baker 139, †149, 151
—— —— subsp. *alticola* M. G. Gilbert & Sebsebe †150
—— —— subsp. *megalacantha* †150
—— *monticola* Reynolds 148
—— *oligospila* Baker 145
—— *percrassa* Schweinf. 142, 144, 145
—— —— *sensu* Reynolds 146
—— *percrassa* Tod. †145, 147 – 149
—— —— var. *albo-picta* Schweinf. 142
—— *pulcherrima* M. G. Gilbert & Sebsebe †147, 149
—— *rigens* P. R. O. Bally & Reynolds 143
—— —— *sensu* Cufod. 142
—— *rivae* Baker 139
—— sp. aff. *rubroviolacea* Schweinf. 129
—— *sabaea* Schweinf. 129
—— *saponaria* Haw. 140
—— *schoelleri* Schweinf. 148, †149
—— *sinkatana* Reynolds 144
—— *somaliensis* W. Watson 144
—— *steudneri* Schweinf. 146 – 149
—— *tewoldei* M. G. Gilbert & Sebsebe †143
—— *trichosantha* Berger †141, 142, 149
—— —— *sensu* Verd. & Christian 142
—— —— subsp. *longiflora* M. G. Gilbert & Sebsebe †142
—— —— subsp. *trichosantha* †142
—— *yemenica* J. R. I. Wood 129
—— sp. 712
Amaral, M. C. E. & Bittrich, V.: Flower biology of some Clusia species from Central America 617
Amaranthus frumentaceus Buch.-Ham. ex Roxb. 522

Amaranthus

Amaranthus lanceolatus Roxb. 522
Amaryllidaceae 129
Amaryllis: Chromosomal relationships between the genera Amaryllis and Hippeastrum (Amaryllidaceae), P. E. Brandham & P. S. Bhandol 973
Amaryllis 973 – 975, *976, 977, 979
—— *belladonna* L. 973 – 975, *976, *978
Amischotolype: A new species of Amischotolype (Commelinaceae) from Brunei: taxonomy and pollen morphology, Jill Cowley & Carol Furness 465
Amischotolype 468, 469
—— *glabrata* (Hassk.) Hassk. 469
—— *griffithii* (C. B. Clarke) I. M. Turner 469
—— *laxiflora* (Merr.) Faden 469
—— *marginata* (Blume) Hassk. 469
—— *mollissima* (Blume) Hassk. 469
—— *sphagnorrhiza* Cowley †465, *467, *468, 469
Ammannia nana Roxb. 522
Amomum corrorima A. Braun 603
—— *korarima* J. Pereira 603
Amorphophallus preussii (Engl.) N. E. Br. 990
Amphipogon R. Br. 91
Amphisiphon stylosus W. F. Barker 130
Amyris heptaphylla Roxb. 522
—— *nana* Roxb. 522
—— *punctata* Roxb. 522
Ancistrocladaceae 926, 928
Ancistrocladus 928
—— *korupensis* D. W. Thomas & Gereau 926
Andropogon filiformis Roxb. 522
—— *glaber* Roxb. 522
—— *iwarancusa* Roxb. 522
—— *miliaceus* Roxb. 523
—— *scandens* Roxb. 523
Anemarrhena Bunge 995, 996
—— *asphodeloides* 996
Anemarrhenaceae: Two new monocotyledon families: Anemarrhenaceae and Behniaceae (Lilianae: Asparagales), J. G. Conran, M. W. Chase & P. J. Rudall 995
Anemarrhenaceae Conran, M. W. Chase & Rudall †995
Anethum panmori Roxb. 523
—— *sowa* Roxb. 523
Aningeria pseudoracemosa J. H. Hemsl. 672
Aningueria 672
Aniseia Choisy 164
Anisopogon R. Br. 91
Anneslia Salisb. 12, 14
—— ser. *Houstonianae* Britton & Rose 14
—— ser. *Palmeranae* Britton & Rose 14
—— ser. *Wendlandianae* Britton & Rose 14
—— *acapulcensis* Britton & Rose 17
—— *alamosensis* Britton & Rose 34
—— *albanensis* Britton & Rose 23, 27
—— *albescens* Britton & Rose 24, 27
—— *anomala* (Kunth) Britton & Rose 21
—— *bella* Britton & Rose 23
—— *callistemon* (Schltdl.) Britton & Rose 23
—— *calothyrsus* (Meisn.) Donn. Sm. 17
—— *chihuahuana* Britton & Rose 23, 27
—— *colomasensis* Britton & Rose 23, 27
—— *confusa* (Sprague & L. Riley) Britton & Rose 17
—— *conzattiana* Britton & Rose 23
—— *etzatlana* Britton & Rose 35, 36
—— *falcifolia* Salisb. 14, 30
—— *grandiflora* (L'Hér.) Britton & Rose 21

Anneslia

Anneslia houstoniana (Mill.) Britton & Rose 14, 30
—— *lucens* Britton 35
—— *metrosideriflora* Schltdl. 34
—— *palmeri* (S. Watson) Britton & Rose 14, 42
—— *pueblana* Britton & Rose 24
—— *rusbyi* Britton & Rose 24
—— *similis* (Sprague & L. Riley) Britton & Rose 17
—— *strigillosa* Britton & Rose 23, 27
—— *wendlandii* (Benth.) Britton & Rose 14, 23
Annonaceae 634
Antennularia alpina (Sacc.) E. Müll. var. *major* M. E. Barr 455
Anthericaceae sensu stricto 996, 997
Anthisteria heteroclita Roxb. 523
—— *scandens* Roxb. 523
Antidesma paniculatum Roxb. ex Willd. 523
Apis cerana 968
Apluda geniculata Roxb. 523
Apocynaceae: Series of revisions of Apocynaceae XLIII. Alafia Thouars, A. J. M. Leeuwenberg 769
Apocynaceae subfam. *Apocynoideae* 769
—— subfam. —— tribe *Wrightieae* subtribe *Alafiinae* Pichon 769
Aponogeton undulatus Roxb. 523
Aporrhiza Radlk. 231
Aporusa 115
—— *frutescens* Blume 113
Araceae: A new species of Philodendron (Araceae) from Central Brazil, Eduardo G. Gonçalves 499
Araceae: Three new species of Philodendron (Araceae) from South-eastern Brazil, C. M. Sakuragui & S. J. Mayo 673
Araceae 129, 499, 673
Aralia digitata Roxb. 523
Archboldia: The genus Archboldia E. Beer & H. J. Lam is put into the synonymy of Clerodendrum L. (Labiatae), R. P. J. de Kok & S. Atkins 503
Archboldia E. Beer & H. J. Lam 503, 504
—— *ericoides* E. Beer & H. J. Lam 503, 504
Arcoa 429
Arctostaphylos uva-ursi 455
Arctous alpina 451, 455
Ardisia 990
—— *crenata* Roxb. 523
—— *divergens* Roxb. 523
—— *solanacea* Roxb. 523
—— *umbellata* Roxb. 523
—— *villosa* Roxb. 523
Areca dicksonii Roxb. 523
Arenaria ciliata 454
—— *norvegica* 454
Argyreia Lour. 164, 165
Argyrothamnia fendleri Müll. Arg. 479
Argythamnia subgen. *Chiropetalum* 478
—— subgen. *Ditaxis* 479
—— *arlynniana* J. W. Ingram 479
—— *astroplethes* J. W. Ingram 478
—— *dressleriana* J. W. Ingram 479
—— *gentryii* J. W. Ingram 479
—— *guatemalensis* Müll. Arg var. *barrancana* McVaugh 479
—— *humilis* (Engelm. & A. Gray) Müll. Arg. var. *leiosperma* Waterf. 479
—— *micrandra* Croizat 479
—— *pilosistyla* Allem & Irgang 478
—— *ramboi* Allem & Irgang 478
—— *schiediana* Müll. Arg. var. *minor* Müll. Arg. 478

Argythamnia

Argythamnia simulans J. W. Ingram 479
Aristida 94
Aristolochiaceae 118
Armeria 928
—— *bottendorfensis* A. Schulz 926
Artemisia 123
—— *abrotanum* L. 129
—— *arbuscula* subsp. *arbuscula* 123
—— *caucasica* Willd. 129
—— *chamaemelifolia* Vill. 129
—— *elegans* Roxb. 523
—— *parviflora* Buch.-Ham. ex Roxb. 523
—— *scoparia* Waldst. & Kitt. 123, 129
—— *sternutatoria* Roxb. 523
Artibeus 7
Artocarpus chaplasha Roxb. 523
—— *lokocha* Roxb. 523
Arum bulbiferum Roxb. 523
—— *euxinum* R. R. Mill. 129
Arundinaria 699
—— *mannii* Gamble 699, 700
—— *prainii* Gamble 699, 700
Arundinoideae: Phylogeny and evolution in the Crinipes group of grasses (Arundinoideae: Poaceae), H. P. Linder, G. A. Verboom & N. P. Barker 91
Arundo L. 91, 93, 94, 97
—— *arbor* 693, 695, 697
—— *bambos* auct. 694
—— —— L. 693 – 695, *696, 697
—— *donax* 95
—— *indica arborea* 695, 697
Asclepiadaceae: Brachystelma bracteolata (Asclepiadaceae), a new species in Nigeria, U. Meve 711
Asclepiadaceae: A new combination in Nepalese Asclepiadaceae-Stapelieae, Ulrich Meve 1011
Asclepiadaceae: A new record of Neoschumannia kamerunensis (Asclepiadaceae) from the Central African Republic, D. Harris & D. Goyder 733
Asclepiadaceae: New species of Sarcostemma (Asclepiadaceae) from northern Madagascar, Ulrich Meve & Sigrid Liede 491
Asclepiadaceae: The status and generic position of Pachycarpus fulvus (N. E. Br.) Bullock (Asclepiadaceae), D. J. Goyder 247
Asclepiadaceae 714
—— tribe *Stapelieae* 711, 733, 1012
—— tribe —— subtribe *Ceropegiinae* 712
Asclepias 247
—— *calceolus* S. Moore 247
—— *cultriformis* Schltr. 247
—— *dregeana* Schltr. 247
—— —— var. *calceolus* N. E. Br. 247
—— —— var. *sordida* N. E. Br. 248
—— *fulva* N. E. Br. 247, 248
—— *microphylla* Roxb. 523
—— *pseudosarsa* Roxb. 523
—— *rara* N. E. Br. 247
—— *rubicunda* Schltr. 247
—— *tenuissima* Roxb. 523
—— *tunicata* Roxb. 523
—— *viridiflora* (E. Mey.) Goyder 247
—— *viridiflora* Roxb. ex Decne. 523
Ascochyta 456
Asparagaceae 996
Asparagus 997
—— *acerosus* Roxb. 523

Asparagus

Asparagus curillus Buch.-Ham. ex Roxb. 523
Asphodelaceae 129, 996
Asteranthos 118
Asteropeia 925, 928
—— *micraster* Hallier f. 926
Asteropeiaceae 926, 928
Asystasia (Acanthaceae) in Malaysia, R. Kiew & K. Vollesen 965
Asystasia: Asystasia (Acanthaceae) in Malaysia, R. Kiew & K. Vollesen 965
Asystasia 965, 966, 968 – 970
—— *blumei* Nees in DC. 966
—— *coromandeliana* Nees in Wallich 966, 969
—— —— var. *micrantha* Nees in DC. 969
—— *gangetica* (L.) T. Anderson 966, *967, 968, 969
—— —— subsp. *gangetica* *967, 968, †969, 970
—— —— subsp. *micrantha* (Nees) Ensermu *967, 968, †969, 970
—— *intrusa* (Forssk.) Nees in DC. 966, 969
—— —— Blume 966
—— *kunthiana* Nees in Wallich 970
—— *nemorum* Nees 965, †966, 970
Athanasia indica Roxb. 523
Atkins, S. & de Kok, R. P. J.: The genus Archboldia E. Beer & H. J. Lam is put into the synonymy of Clerodendrum L. (Labiatae) 503
Atkins, Sandy: Two new species of Callicarpa (Verbenaceae) from Borneo 227
Aulacocalyx: A revision of Aulacocalyx (Rubiaceae-Gardenieae), E. Figueiredo 637
Aulacocalyx Hook. f. 637, 638, †639, 640
—— subgen. *Aulacocalyx* 639
—— subgen. *Heinsenia* Verdc. 638
—— *auriculata* K. Schum. 656
—— *caudata* (Hiern) Keay 639, 640, †641, 642
—— *diervilleoides* (K. Schum.) E. M. A. Petit 639, 657
—— —— subsp. *mufindiensis* Verdc. 657
—— *divergens* (Hutch. & Dalziel) Keay 638, 639, 641, †655, 657
—— *infundibuliflora* E. M. A. Petit 657
—— *jasminiflora* Hook. f. 638 – 640, †647
—— —— subsp. *jasminiflora* †648, 651
—— —— subsp. *kivuensis* 639, 640, 648, †649, 651
—— —— var. *brevis* N. Hallé 648
—— —— var. *latifolia* De Wild. & T. Durand 648
—— —— f. *brevis* N. Hallé 648
—— *lamprophylla* K. Krause 656
—— *laxiflora* E. M. A. Petit 638, 639, 641, 646, †650
—— *leptactinoides* K. Schum. 641
—— *letestui* (Pellegr.) E. M. A. Petit 655
—— —— *sensu* Exell 654
—— *lujae* De Wild. 640, †643, 644
—— —— var. *subulata* N. Hallé 643
—— *montanum* Hiern 641
—— *pallens* (Hiern) Bridson & E. Figueiredo 638, 641, †653
—— —— subsp. *letestui* (Pellgr.) E. Figueiredo 644, 654, †655
—— —— subsp. *pallens* 644, †654
—— *subulata* (N. Hallé) E. Figueiredo 640, †643
—— —— subsp. *glabra* E. Figueiredo 639, 640, †645, 646
—— —— subsp. *subulata* †645, 646
—— *talbotii* (Wernham) Keay 638 – 641, †652, 653
—— *trilocularis* S. Elliot 657
—— sp. 1 F. White 650

Austin

Austin, Daniel F. & Sebsebe Demissew: Unique fruits and generic status of Stictocardia (Convolvulaceae) 161
Avena 94
Azadehdelia brachyceras (Summerh.) Braem 744

Bâ, Amadou Tidiane, Sambou, Bienvenu, Ervik, Finn, Goudiaby, Assane, Camara, Ciré & Diallo, Daouda: Végétation et Flore Parc Transfrontalier Niokolo Badiar (Rev.) 1015
Baccharoides Moench. 577
Baikiaea 429
—— *insignis* 429
Balanites 150
Balkwill, K. & Balkwill, M.-J.: Delimitation and infrageneric classification of Barleria (Acanthaceae) 535
Balsaminaceae: Three new species of Impatiens (Balsaminaceae) added to Flora Malesiana, T. Shimizu & N. Utami 435
Balsaminaceae 435
Bambos 693, 694
—— *arundinacea* Retz. 694, 695, 697
Bambusa: A new combination in Bambusa (Gramineae-Bambusoideae), C. M. A. Stapleton & N. H. Xia 235
Bambusa: Typification of Bambusa bambos (L.) Voss (Gramineae: Bambusoideae), N. H. Xia & C. M. A. Stapleton 693
Bambusa Schreb. 94, 235 – 237, 483, 484, 694, 697
—— subgen. *Dendrocalamopsis* 483
—— *arundinacea* (Retz.) Willd. 694, 697
—— *bambos* (L.) Voss 236, 237, †697
—— —— L. 694, 695, 697
—— *copelandii* Gamble ex Brandis 483, 484
—— *flexuosa* Munro 693, 694, 697
—— *membranacea* (Munro) Stapleton & N. H. Xia 236, 237, †238
—— *spinosa* Roxb. 236
—— *tulda* Roxb. 523
—— *vulgaris* Schrad. ex Wendl. 694, 697
—— —— var. *striata* 1001
Bambusoideae 93
Banks, H.: The pollen of Delonix (Leguminosae: Caesalpinioideae: Caesalpinieae) 417
Baphia 843
Barbeya 892
Barker, N. P., Linder, H. P. & Verboom, G. A.: Phylogeny and evolution in the Crinipes group of grasses (Arundinoideae: Poaceae) 91
Barleria: Delimitation and infrageneric classification of Barleria (Acanthaceae), M.-J. Balkwill & K. Balkwill 535
Barleria L. 381, 535 – 537, *538, 539, *540, 541, *542, *543, 544, *545, *546, 547, 549, *550, †551, 552, 553, 558, 560, 568
—— subgen. *Barleria* 537, 544, 547, 553, †554, 558, 560
—— subgen. *Prionitis* (Nees) C. B. Clarke 539, 544, 547, 553, 557, †560
—— sect. *Acanthoidea* C. B. Clarke 557
—— sect. *Barleria* *538, 541, *542, 544, 547, 549, *550, 554, †555, *556, 557, 558, 560
—— sect. *Barleria sensu* Clarke 569
—— sect. —— *sensu* Oberm. 569
—— sect. *Cavirostrata* M. Balkwill 547, 549, *550, 554, 560, 566, *567, 568

Barleria

Barleria sect. *Chrysothrix* M. Balkwill 541, *542, *545, 547, 549, *550, 554, 555, 557, †558, *559, 560
—— sect. *Fissimura* M. Balkwill *540, *542, 547, 549, *550, 554, 560, *567, †568, 569
—— sect. *Prionitis* (Nees) Lindau 537, *538, 541, *542, *545, 547, 549, *550, 554, 560, †561, *562, 563, 565, 569
—— sect. *Somalia* (Oliv.) Lindau 541, *542, 547, 549, *550, 554, 560, †563, *564, 565, 566, 568, 569
—— sect. *Stellatohirta* M. Balkwill 541, *542, *545, 547, 549, *550, 554, 560, 568, †569, *570, 571
—— subsect. *Dispermae* Oberm. 557, 569
—— subsect. *Thamnotrichae* Oberm. 557, 569
—— group "*Stellatohirtae*" C. B. Clarke 557, 569
—— group "*Villosae*" C. B. Clarke 557, 569
—— *acanthoides* Vahl 555, *556
—— *aculeata* Balf. f. 555, *556
—— *affinis* C. B. Clarke 555
—— *alata* 566, 568
—— *albi-pilosa* Hainz *546, *564, 565
—— *albostellata* C. B. Clarke *540, *545, *546, 569, *570
—— *allaudii* Benoist *546, 561, *562
—— *amanensis* Lindau 568
—— *angustiloba* Lindau 565
—— *argentea* Balf. f. *540, *564, 565
—— *argenteo-calycina* De Wild. 569
—— *argillicola* Oberm. *547, 555, *556
—— *arnottiana* Nees 558
—— *aromatica* Oberm. 555
—— *asterotricha* Benoist 555
—— *aucherana* Nees *546, *564, 565
—— *bagshawei* S. Moore 571
—— *bechuanensis* C. B. Clarke 555, *556
—— *benadirensis* Chiov. 571
—— *benguellensis* S. Moore 565
—— *biloba* J. G. Imlay 555
—— *bispinosa* Vahl 561
—— *bituminosa* Noronha 571
—— *blepharoides* Lindau 571
—— *boehmii* Lindau 568
—— *bolusii* Oberm. 555
—— *bonafacei* Benoist 571
—— *boranensis* Fiori 568
—— *bornuensis* S. Moore 555
—— *brasiliensis* Spreng. 571
—— *bremekampii* Oberm. *540, *546, 555, *556
—— *brevituba* Benoist 561
—— *briartii* De Wild. & T. Durand 569
—— *brownii* S. Moore *567, 568
—— *buddleioides* S. Moore 569
—— *buxifolia* L. 555
—— *caerulea* Roxb. 523
—— *calophylla* Lindau 565
—— *calophylloides* Lindau *564, 565
—— *candida* Nees 555
—— *capitata* Klotszch 555
—— *carruthersiana* S. Moore 555
—— *casatiana* Buscal. & Muschl. 561
—— *cavalerei* H. Lév. 571
—— *cephalophora* Lindau 561
—— *ciliata* Roxb. 523
—— *clinopodium* Fiori *564, 565
—— *comorensis* Lindau 571
—— *conspicua* Nees *545, 558, *559
—— *courtallica* Nees *545, *546, 558, *559
—— *crassa* C. B. Clarke 555

Barleria

Barleria cristata L. 551, 553, 555
—— *crossandriformis* C. B. Clarke *542, *545, 561, *562
—— *crotolaria* H. Lév. 571
—— *cunenensis* Benoist 571
—— *cuspidata* B. Heyne ex Nees 561, *562
—— *cyanea* S. Moore 555
—— *damarensis* T. Anderson 555
—— *decaryi* Benoist 561
—— *delamerei* S. Moore 571
—— *descampsii* Lindau *550, 568, 569, *570
—— *dichotoma* Roxb. 523
—— *diffusa* (Oliv.) Lindau 563, 565
—— *dolomiticola* M. & K. Balkwill *542, 565
—— *elegans* S. Moore *538, *540, *546, *548, 555
—— *elliptica* Benoist 571
—— *eranthemoides* R. Br. ex C. B. Clarke 539, *540, *545, 561, *562
—— *exellii* Benoist 571
—— *eylesii* S. Moore 555, *556
—— *farinosa* Deflers 571
—— *fulvostellata* C. B. Clarke *546, 555, *556
—— *galpinii* C. B. Clarke *550, 565
—— *gibsonii* Dalzell *550, 566, *567
—— *gibsonioides* Blatt. 566
—— *glabra* Noronha 571
—— *glandulifera* Lindau 565
—— *gossweileri* S. Moore 565
—— *grandicalyx* Lindau 555
—— *grandiflora* Dalzell 566
—— *grandipetala* De Wild. 565
—— *grandis* 566, *567, 568
—— *grantii* Oliv. 568
—— *greenii* M. & K. Balkwill *550, 555
—— *gueinzii* Sond. 555
—— *her* Benoist 561
—— *heterotricha* Lindau *540, *546, *550, 555, *556
—— *hildebrandtii* S. Moore 542, 569, 571
—— *hillcoatiae* J. R. I. Wood *556, 557
—— *hirta* Oberm. *564, 565
—— *hochstetteri* Nees ex DC. 565
—— *holstii* Lindau 558
—— *holubii* C. B. Clarke *546, 561, *562
—— *homoiotricha* C. B. Clarke 557
—— *horrida* Buscal. & Muschl. 561
—— *humbertii* Benoist 557
—— *humilis* Benoist 571
—— *insericata* Chiov. 565
—— *insolita* Benoist 571
—— *involucrata* Nees 558
—— *iodocephala* Chiov. 571
—— *irritans* Nees *540, *556, 557
—— *jubata* S. Moore *542, 557
—— *jucunda* Benoist 571
—— *kacondensis* S. Moore 565
—— *kaessneri* S. Moore 571
—— *kaloxytona* Lindau 561
—— *keniensis* Mildbr. 568
—— *kirkii* T. Anderson 557
—— *kitchingii* Baker 557
—— *laceratiflora* Lindau 571
—— *lactiflora* Brummitt & Seyani 565
—— *laeta* Benoist 568
—— *lanceata* (Forssk.) C. Chr. 557
—— *lanceolata* (Schinz) Oberm. 557
—— *lancifolia* T. Anderson *540, *548, *564, 565
—— *lateralis* Oberm. 557

Barleria lavuii T. Anderson 558
—— *leandri* Benoist 561
—— *lichtensteiniana* Nees *550, *556, 557
—— *limnogeton* S. Moore 565
—— *linearifolia* Rendle 561
—— *longiflora* L. f. 557
—— *longifolia* L. f. 555
—— *longipedunculata* Britton 571
—— *longipes* Benoist 565
—— *longissima* Lindau 557
—— *longistyla* Lindau 571
—— *lugardii* C. B. Clarke 539, *540, *546, *564, 565
—— *lukwangulensis* Mildbr. *540, *542, 568, 569
—— *lupulina* Lindl. 561
—— *mackenii* Hook. f. *564, 565
—— *maclaudii* Benoist 558
—— *macraei* Arn. 571
—— *macrolemma* Peyr. 571
—— *macrostegia* Nees *547, *556, 557
—— *maculata* S. Moore 571
—— *mairei* H. Lév. 571
—— *marghilomanae* Volkens & Schweinf. 561
—— *marginata* Oliv. *546, 561, *562
—— *massae* Chiov. 571
—— *matopensis* S. Moore 565
—— *meeuseana* P. G. Mey. *556, 557
—— *merxmuelleri* *546, 557
—— *methueni* Turrill 571
—— *meyeriana* Nees *564, 565
—— *micrantha* C. B. Clarke 568
—— *migiurtinorum* Chiov. 561
—— *mitis* Ker Gawl. 571
—— *molensis* Wild 557
—— *montana* Herb. Madr. ex Nees *546, *548, 566
—— *monticola* Oberm. 537, 539, *540, *546, *550, 558, *559
—— *morrisiana* E. Barnes & C. E. C. Fisch. 539, *542, 557
—— *mucronata* Lindau 557
—— *mucronifolia* Lindau 557
—— *multiflora* Hassk. 571
—— *mysorensis* B. Heyne 557
—— *natalensis* Lindau *545, 558
—— *neurophylla* C. B. Clarke 568
—— *nitida* Nees 558, *559
—— *noctiflora* L. f. 557
—— *norbertii* Benoist *545, 561, *562
—— *nutans* Nees *545, 558, *559
—— *nyasensis* C. B. Clarke 557
—— *observatrix* Bosser 571
—— *obtusa* Nees *540, *556, 557
—— *obtusisepala* C. B. Clarke 565
—— *oenotheroides* Dum. Cours. *545, *546, 549, 558, *559, 560
—— *opaca* Nees *567, 568
—— *orbicularis* Hochst. ex T. Anderson 565
—— *ovata* E. Mey. ex Nees *542, 558, *559
—— *oxyphylla* Lindau 557
—— *pabularis* S. Moore 565
—— *paludosa* S. Moore 569
—— *pannosa* Chiov. 571
—— *paolii* Fiori 571
—— *papillosa* T. Anderson *556, 557
—— *parvispina* Benoist 561
—— *paucidentata* Benoist 557
—— *perrieri* Benoist 561
—— *phaylopsis* Milne-Redh. 565

Barleria phillyraefolia Baker 565
—— *pilosa* B. Heyne 557
—— *polyneura* S. Moore 565
—— *polytricha* Bojer ex Palacký 402
—— *popovii* Verdc. *541, 557, 558
—— *prattensis* Santapau 566
—— *pretoriensis* C. B. Clarke *540, *564, 565
—— *prionitis* complex 541
—— —— L. *538, 560, 561
—— *proxima* Lindau 561
—— *puberula* Benoist 565
—— *puccioni* Chiov. 571
—— *pulchella* Benoist 561
—— *punctata* Milne-Redh. 561
—— *pungens* L. f. 557
—— *quadrispina* Lindau 561
—— *ramulosa* C. B. Clarke 557
—— *randii* S. Moore *540, 561, *562
—— *rehmannii* C. B. Clarke 539, *550, *564, 565, 566
—— *repens* Nees *540, *556, 557
—— *reticulata* Haines 571
—— *rhodesiaca* Oberm. 561
—— *richardiana* Nees 571
—— *rigida* Willd. ex Nees *542, *556, 557
—— *rotundifolia* Oberm. *540, *550, 561, *562
—— *rotundisepala* Rendle 557
—— *rubra* Buch.-Ham. 571
—— *ruellioides* T. Anderson 568
—— *sacleuxii* Benoist 561
—— *salicifolia* S. Moore 569, *570
—— *saturejoides* Griseb. 571
—— *saxatilis* Oberm. 557
—— *scabriuscula* Schwartz 557
—— *scasselati* *567
—— *schmittii* Benoist 571
—— *scindens* Oberm. *546, *548, *550, *567, 568
—— *senensis* Klotzsch *545, *548, *550, 561, *562
—— *sepalosa* C. B. Clarke 557
—— *separata* Benoist 565
—— *setigera* Rendle 561
—— *seyrigii* Benoist 565
—— *siamensis* Craib 557
—— *smithii* Rendle 561
—— *solitaria* P. G. Mey. *546, *556, 557
—— *somaliensis* Franch. 571
—— *spinifolia* J. R. I. Wood 557
—— *spinisepala* E. A. Bruce 557
—— *spinulosa* Klotzsch 557
—— *splendens* E. A. Bruce *545, 569, *570
—— *stellato-tomentosa* S. Moore *546, 569, *570
—— *stelligera* Lindau 569
—— *stenophylla* Kurz 571
—— *steudneri* C. B. Clarke 557
—— *stimulans* E. Mey. *556, 557
—— *stocksii* T. Anderson *564, 565, 566
—— *strigosa* Willd. *550, 558, *559
—— *stuhlmanii* Lindau 568
—— *subglobosa* S. Moore 569
—— *subinermis* Chiov. 571
—— *submollis* Lindau *567, 568
—— *sudanica* Lindau 571
—— *sunzuana* Brummitt & Seyani 557
—— *taitensis* S. Moore *545, *546, *550, 569, *570
—— *talbotii* S. Moore 568
—— *tetracantha* Balf. f. 561
—— *tetraglochin* Milne-Redh. 561

Barleria

Barleria tischeriana Chiov. 571
—— *tomentosa* Roth 557
—— *transvaalensis* Oberm. 557
—— *trispinosa* Vahl 561
—— *ukamensis* Lindau 561
—— *umbrosa* Lindau 571
—— *usambarica* Lindau 568
—— *variabilis* Oberm. 557
—— *ventricosa* Hochst. ex Nees 568
—— *verdickii* De Wild. 557
—— *vestita* T. Anderson 558
—— *villosa* T. Anderson 568
—— *vincaefolia* Baker *546, *556, 557
—— *violacea* Hainz 565
—— *violascens* T. Anderson 557
—— *virgula* C. B. Clarke *556, 557
—— *vix-dentata* C. B. Clarke 568
—— *waggana* Rendle 561
—— *welwitschii* S. Moore 565
—— *whytei* S. Moore 558, *559
—— *wilmsiana* Lindau *542, 565
Barleriacanthus Oerst. 555
Barlerianthus Oerst. 566
Barleriopsis Oerst. 558
Barleriosiphon Oerst. 555
Barlerites Oerst. 568
Bartsia 456
Basella 928
—— *alba* L. 926
Basellaceae 926
Bassia butyracea Roxb. 523
—— *latifolia* Roxb. 523
Bauhinia 432
—— *integrifolia* Roxb. 523
Beentje, Henk *Reviewer.* Flora of the Arabian Peninsula and Socotra. Volume 1, by A. G. Miller, T. A. Cope & J. I. Nyberg 249
Behnia Didr. 995 – 997
Behniaceae: Two new monocotyledon families: Anemarrhenaceae and Behniaceae (Lilianae: Asparagales), J. G. Conran, M. W. Chase & P. J. Rudall 995
Behniaceae Conran, M. W. Chase & Rudall †996
Bellevalia 123
—— *clusiana* Griseb. 130
—— *dubia* (Guss.) Roem. & Schult. 130
—— *fominii* Woronow 130
—— *forniculata* (Fomin) Deloney 130
—— *gracilis* Feinbrun 130
—— *kurdistanica* Feinbrun 130
—— *longistyla* (Miscz.) Grossh. 123, 130
—— *modesta* Wendelbo 130
—— *paradoxa* (Fisch. & C. A. Mey.) Boiss. 123, 130
—— *pycnantha* (K. Koch) Losinsk. 123, 130
—— *sarmatica* Miscz. 130
—— *tauri* Feinbrun 130
—— *trifoliata* (Ten.) Kunth 130
Belonophora leptactinoides K. Schum. 641
—— *uniflora* K. Schum. 641
Benguellia G. Taylor 258, 262, 263, 265, 267 – 269
—— *lanceolatum* G. Taylor 262
Berberidaceae: Four new Chinese species of Epimedium (Berberidaceae), W. T. Stearn 659
Berberis 456
—— *asiatica* Roxb. ex DC. 523
—— *polyantha* 961
Berria ammonilla Roxb. 523

Beschorneria

Beschorneria 979
Beta bengalensis Roxb. 523
Bhandol, P. S. & Brandham, P. E.: Chromosomal relationships between the genera Amaryllis and Hippeastrum (Amaryllidaceae) 973
Bignonia comosa Roxb. 523
—— *crispa* Buch.-Ham. ex Roxb. 523
—— *suaveolens* Roxb. 523
—— *suberosa* Roxb. 523
—— *tuberculata* Roxb. ex DC. 523
Bignoniaceae 939
Bisby, F. A. & Munyenyembe, M. P.: The transfer of Dolichos junodii to Nesphostylis (Leguminosae) 689
Bittrich, V. & Amaral, M. C. E.: Flower biology of some Clusia species from Central America 617
Bixaceae 925
Blaeria 753
—— *condensata* Hochst. ex A. Rich. 753
—— *mannii* (Engl.) Engl. 753
—— *spicata* Hochst. ex A. Rich. 753, 754
—— —— subsp. *mannii* 753
—— *tenuipilosa* Engl. ex Alm & T. C. E. Fr. 753
Blastemanthus Planch. 116
Blastotrophe Didr. 770
—— *scandens* Didr. 770, 790
Blighiopsis Van der Veken 231
Boraginaceae 129
Borneo: Five new species of Payena (Sapotaceae) and notes on the genus in Borneo, Joan T. Pereira 903
Borneo: A new species of Syzygium Gaertn. (Myrtaceae) from N Borneo: Syzygium velutinum, A. P. Davis 719
Borneo: Two new species of Callicarpa (Verbenaceae) from Borneo, Sandy Atkins 227
Borya Labill. 416
Boryaceae: Validation of the family name Boryaceae, Mark W. Chase, Paula J. Rudall & John G. Conran 416
Boryaceae (Baker) M. W. Chase, Rudall & Conran †416
Boryeae Baker 416
Boswellia serrata Roxb. ex Colebr. 523
—— *thurifera* Roxb. ex Fleming 523
Bowes, Bryan G.: Colour Atlas of Plant structure (Rev.) 755
Brachystegia 155, 157, 159, 313, 353, 1001
—— *macrophylla* 157
Brachystelma bracteolata (Asclepiadaceae), a new species in Nigeria, U. Meve 711
Brachystelma Sims 711, 712, 714, 1011, 1012
—— *bracteolatum* Meve †711, 712, *713, 714
—— *comptum* N. E. Br. 1011, 1012
—— *constrictum* J. B. Hall 711, 712, 714
—— *festucifolium* E. A. Bruce 712
—— *gerrardii* Harv. 1011
—— *lineare* A. Rich 714
—— *lineare/ellipticum* complex 712
—— *macrolobum* 1011
—— *mortonii* C. C. Walker 711, 1012
—— *natalense* 1011
—— *nepalense* (A. R. Sm.) Meve †1012
—— *plocamoides* Oliv. 714
—— *schultzei* (Schltr.) Bruyns 712, 714
Brackenridgea A. Gray 116
Bradleia hirsuta Roxb. 523

Bradleia

Bradleia impubera Roxb. 523
—— *pinnata* Roxb. 523
—— *pubera* Roxb. 523
Brandham, P. E. & Bhandol, P. S.: Chromosomal relationships between the genera Amaryllis and Hippeastrum (Amaryllidaceae) 973
Brandham, P. E. & Johnson, Margaret A. T.: New chromosome numbers in petaloid monocots and in other miscellaneous angiosperms 121
Brassica erucoides Roxb. ex Hornem. 523
—— *oleracea* L. 990
Brazil: A new species of Philodendron (Araceae) from Central Brazil, Eduardo G. Gonçalves 499
Brazil: Oryxis, a new genus in tribe Phaseoleae (Leguminosae: Papilionoideae) from Brazil, A. Delgado Salinas & G. P. Lewis 221
Brazil: Three new species of Philodendron (Araceae) from South-eastern Brazil, C. M. Sakuragui & S. J. Mayo 673
Brazil: Zygostates leptosepala a new species of subtribe Ornithocephalinae (Orchidaceae) from Brazil, A. L. V. Toscano de Brito & Ludowick Kollman 249
Bregman, Rob: Genus Matucana — Biology and Systematics of fascinating Peruvian cacti (Rev.) 756
Bridgewater, S. G. M. & Stirton, C. H.: A morphological and biogeographic study of the Acosmium dasycarpum complex (Leguminosae: Papilionoideae: Sophoreae) 471
Bridson, Diane, Stoffelen, Piet, Cheek, Martin & Robbrecht, Elmar: A new species of Coffea (Rubiaceae) and notes on Mount Kupe (Cameroon) 989
Brucea sumatrana Roxb. 523
Brummitt, R. K. *Reviewer*: Homelands of Flowering Plants, by P. J. Faulks 1015
Brummitt, R. K. & Sebsebe, Demissew: Lectotypification of the name Calystegia hederacea Wall. (Convolvulaceae), with a note on the occurrence of the species in Ethiopia 1005
Brunei: A new species of Amischotolype (Commelinaceae) from Brunei: taxonomy and pollen morphology, Jill Cowley & Carol Furness 465
Bryodes: The genera Bryodes Benth. and Psammetes Hepper (Scrophulariaceae) in Madagascar and West Africa, E. Fischer & F. N. Hepper 749
Bryodes Benth. 749, †750
—— *madagascariensis* Bonati 749, 750
—— *micrantha* Benth. 749, †750, *751
—— *perrieri* Bonati 749
Buettneria pilosa Roxb. 523
Bunchosia 115
—— *armeniaca* DC. 113
Bussea 429
Butea frondosa Roxb. 523
Buxus 581
Byrsonima 115
—— *crassifolia* Humb., Bonpl. & Kunth 113

Cacalia bicolor Roxb. 523
—— *coccinea* Sims 206, 207, 209
—— *reclinata* Roxb. 523
—— *sonchifolia* 206
Cactaceae 926
Caesalpinia 429, 431, 432
—— *cucullata* Roxb. 523
—— *enneaphylla* Roxb. 524

Caesalpinia

Caesalpinia gillesii 429
—— *pulcherrima* 429, 431
—— *sepiaria* Roxb. 524
—— *simora* Buch.-Ham. ex Roxb. 524
—— *sumatrana* Roxb. 524
—— *tortuosa* Roxb. 524
Caesulia axillaris Roxb. 524
Calamus gracilis Roxb. 524
—— *latifolius* Roxb. 524
—— *monoicus* Roxb. 524
—— *penicillatus* Roxb. 524
Calliandra: A revision of Calliandra series Racemosae (Leguminosae: Mimosoideae), Duncan J. Macqueen & Hector M. Hernández 1
Calliandra Benth. 2, 3, 5, 6, 7, 10, 11, 12, 13, †14, 21, 29, 30
—— ser. *Laetevirentes* 12
—— ser. *Macrophyllae* Benth. 12, 13
—— ser. *Nitidae* Benth. 12 – 14
—— ser. *Pedicellatae* Benth. 12, 13
—— ser. *Racemosae* Benth. 2, 3, 5 – 13, †14, 15, 16, 37, 44
—— ser. —— group *Houstonianae* 13
—— ser. —— group *Palmeranae* 13
—— ser. —— group *Wendlandianae* 13
—— *acapulcensis* (Britton & Rose) Standl. 17
—— *anomala* (Kunth) J. F. Macbr. 21, 27
—— —— var. *callistemon* (Schltdl.) J. F. Macbr. 23
—— *aspleniodes* (Nees) Renvoize 14
—— *bahiana* Renvoize 14
—— *callistemon* (Schltdl.) Benth. ex Jacks. 23
—— *calothyrsus* Meisn. 2 – 11, 13, †16, *18, 20, 30
—— *confusa* Sprague & L. Riley 17
—— *conzattiana* (Britton & Rose) Standl. 23
—— *debilis* Renvoize 14
—— *depauperata* Benth. 13
—— *elegans* Renvoize 14
—— *fasciculata* Benth. 14
—— *feioanum* Benth. 14
—— *grandiflora* (L'Hér.) Benth. 4 – 10, 13, 16, †21, *22, 23, *25, 26, 27, *28, 40
—— —— var. *longipedicellata* McVaugh 40
—— *houstoniana* (Mill.) Standl. 3, 4, 7 – 11, 13 – 16, †27, *29, 30, *31, 32, *33, 37
—— —— subsp. *alamosensis* (Britton & Rose) Macqueen & H. M. Hern. 5, *33, †34, 35, 37
—— —— subsp. *houstoniana* 32, *33, †34, 39
—— —— subsp. *stylesii* Macqueen & H. M. Hern. 3, 4, 10, 32, *33, 34, †36, 37
—— *houstonii* (L'Hér.) Benth. 14, 30
—— *hymenaeoides* Benth. 12
—— *juzepczukii* Standl. 3, 4, 6, 8, 9, 16, 34, †37, *38, 39
—— *kunthii* Benth. 23, 27
—— *leucothrix* Standl. 24
—— *longipedicellata* (McVaugh) Macqueen & H. M. Hern. 3, 4, 7 – 9, 11, 16, 26, †40, *41
—— *longipinna* Benth. 14
—— *lucens* Standl. 35
—— *metrosideriflora* (Schltdl.) Benth. ex Jacks. 34
—— *obesiflora* Standl. & L. O. Williams 37
—— *palmeri* S. Watson 3, 4, 6 – 9, 15, 16, †42, *43
—— *parviflora* Benth. 13, 14
—— *physocalyx* H. M. Hern. & M. Sousa 3, 4, 5, 7 – 10, 15, 16, †42, 44, *45
—— *quetzal* (J. D. Sm.) J. D. Sm. 13
—— *similis* Sprague & L. Riley 17

Calliandra

Calliandra strigillosa (Britton & Rose) Standl. ex Leavenw. 23
—— *vaupesiana* R. S. Cowan 14
—— *wendlandii* Benth. 23, *28
Calliandropsis 12
Callicarpa: Two new species of Callicarpa (Verbenaceae) from Borneo, Sandy Atkins 227
Callicarpa 227, 228
—— *badipilosa* S. Atkins †228, *229, 230
—— *glabrifolia* S. Atkins †227, 228, *229
—— *havilandii* King & Gamble 228, 230
—— *involucrata* Merr. 227, 228
Calophyllum 115
—— *angustifolium* Roxb. 524
—— *tetrapetalum* Roxb. 524
—— sp. 113
Calystegia: Lectotypification of the name Calystegia hederacea Wall. (Convolvulaceae), with a note on the occurrence of the species in Ethiopia, Sebsebe Demissew & R. K. Brummitt 1005
Calystegia abyssinica Engl. 1006
—— *hederacea* Wall. in Roxb. †1005
—— *pubescens* Lindl. 1006
Camellia axillaris Roxb. ex Ker Gawl. 524
Cameron, Kenneth M., Fay, Michael F., Prance, Ghillean T., Lledo, M. Dolores & Chase, Mark W.: Familial relationships of Rhabdodendron (Rhabdodendraceae): plastid rbcL sequences indicate a Caryophyllid placement 923
Cameroon: A new species of Coffea (Rubiaceae) and notes on Mount Kupe (Cameroon), Piet Stoffelen, Martin Cheek, Diane Bridson & Elmar Robbrecht 989
Campylospermum Tiegh. 116
Canarium L. 99
Canthium dunlapii 745
Capparis subspinosa Roxb. 524
—— *trifoliata* Roxb. 524
Caralluma staintonii Hara 1012
Carduus radicans Roxb. 524
Careya arborea Roxb. 524
Carissa carandas Roxb. 524
—— *diffusa* Roxb. 524
Carollia 7
Carpodiptera 234
Carpopogon monospermum Roxb. 524
Caryocar 115
—— *glabrum* Pers. 113
Caryocaraceae 111, 113, 115, 117
Caryophyllaceae 454, 926
Caryophyllales 924, 927 – 929
Caryophyllid: Familial relationships of Rhabdodendron (Rhabdodendraceae): plastid rbcL sequences indicate a Caryophyllid placement, Michael F. Fay, Kenneth M. Cameron, Ghillean T. Prance, M. Dolores Lledo & Mark W. Chase 923
Caryophyllidae 924, 927 – 929
Casimirella beckii (Fern. Casas) Breteler 213
—— *guaranitica* Hass. 213
Cassia sericea Sw. 475
—— *speciosa* 532
—— *sumatrana* Roxb. ex Hornem. 524
—— *tenella* 532
—— *torvides* 532
Cassipourea 234
Casuarina muricata Roxb. ex Hornem. 524
Cedrela toona Roxb. 524

Celastraceae

Celastraceae 172
Celastrus micrantha Roxb. 524
—— *montana* Roxb. 524
—— *nutans* Roxb. 524
Celosia cernua Roxb. 524
Cenchrus 94
Central African Republic: A new record of Neoschumannia kamerunensis (Asclepiadaceae) from the Central African Republic, D. Harris & D. Goyder 733
Central America: Flower biology of some Clusia species from Central America, V. Bittrich & M. C. E. Amaral 617
Centropodia 94
Centrospermae 924
Cephallogtachyum acandens J. R. Xue & C. M. Hui 700, 701
Cephalostachyum: A new combination in Cephalostachyum with notes on names in Neomicrocalamus (Gramineae: Bambusoideae), C. M. A. Stapleton, D. Z. Li & J.-R. Xue 699
Cephalostachyum Munro 593, 700
—— *capitatum* Munro 699
—— *madagascariensis* A. Camus 595
—— *mannii* (Gamble) Stapleton & D. Z. Li 699, †700, 701
—— *scandens* Bor 699, †700
—— —— J. R. Xue & C. M. Hui 699 – 701
—— *spp.* 594
Cephalotrigona femorata 625, 626
Ceradenia 737
Ceratanthus F. Muell. ex G. Taylor 258, 262, 263, 267, 270, 272, 279
—— *annamensis* G. Taylor 280
—— *becquerellii* Doan 265, 268, 269, 280
—— *calcaratus* (Hemsl.) G. Taylor 265, 268, 269, 281
—— *garrettii* (Craib) G. Taylor 265, 268, 269, 281
—— *intermedium* 267
—— *kerrii* Doan 281
—— *longicornis* (F. Muell.) G. Taylor 262, 265, 268, 269, 272, 280
—— *ocimoides* G. Taylor 264, 265, 268, 269, 281
—— *siamensis* Chermsir. 280
—— *stolonifer* G. Taylor 280
Ceratostigma 928
—— *minus* Stapf ex Prain 926
Cerbera dichotoma 533
Cercis 432
Ceropegia Sims 712, 733, 1011, 1012
—— *dinteri* Schltr. 712
—— *filiformis* (Burch.) Schltr. 1012
—— *filipendula* 1011
—— *hookeri* C. B. Clarke ex Hook. f. 1012
—— *meleagris* H. Huber 1012
—— *umbraticola* 1011
Cespedesia Goudot 116, 117
Chaetonaevia nannfeldtii Arx †451, *452
Chase, M. W., Conran, J. G. & Rudall, P. J.: Two new monocotyledon families: Anemarrhenaceae and Behniaceae (Lilianae: Asparagales) 995
Chase, Mark W., Fay, Michael F. & Swensen, Susan M.: Taxonomic affinities of Medusagyne oppositifolia (Medusagynaceae) 111
Chase, Mark W., Fay, Michael F., Cameron, Kenneth M., Prance, Ghillean T. & Lledo, M. Dolores: Familial relationships of Rhabdodendron

Chase

(Rhabdodendraceae): plastid rbcL sequences indicate a Caryophyllid placement 923
Chase, Mark W., Rudall, Paula J. & Conran, John G.: Validation of the family name Boryaceae 416
Chasmanthium Link 93, 94
Cheek, M.: New combinations in an African Erica 753
Cheek, Martin, Stoffelen, Piet, Bridson, Diane & Robbrecht, Elmar: A new species of Coffea (Rubiaceae) and notes on Mount Kupe (Cameroon) 989
Chenopodiaceae 926
Chenopodium laciniatum Roxb. 524
Chidlowia 429
China: Four new Chinese species of Epimedium (Berberidaceae), W. T. Stearn 659
Chironia centaureoides Roxb. 524
Chiropetalum astroplethos (J. W. Ingram) Radcl.-Sm. & Govaerts 478
—— *pilosistylum* (Allem & Irgang) Radcl.-Sm. & Govaerts †478
—— *ramboi* (Allem & Irgang) Radcl.-Sm. & Govaerts †478
—— *schiedianum* (Müll. Arg) Pax var. *minus* (Müll. Arg.) Pax & K. Hoffm. 478
Chromosomal relationships between the genera Amaryllis and Hippeastrum (Amaryllidaceae), P. E. Brandham & P. S. Bhandol 973
Chromosome numbers: New chromosome numbers in petaloid monocots and in other miscellaneous angiosperms, Margaret A. T. Johnson & P. E. Brandham 121
Chrysobalanaceae 923, 924, 927
Cissampelos hexandra Roxb. 524
Cissus cordata Roxb. 524
Claoxylon wightii Hook. f. var. *angustatum* S. R. M. Susila Rani & N. P. Balakr. 480
—— —— var. *glabratum* S. R. M. Susila Rani & N. P. Balakr. 480
—— —— var. *hirsutum* S. R. M. Susila Rani & N. P. Balakr. 480
Classification and species of Platostoma and its relationship with Haumaniastrum (Labiatae), Alan Paton 257
Cleidion javanicum Blume var. *moniliflorum* (Airy Shaw) Chakrab. & M. G. Gangop. 478
—— *moniliflorum* Airy Shaw 478
—— *spiciflorum* (Burm. f.) Merr. var. *moniliflorum* (Airy Shaw) Radcl.-Sm. & Govaerts †478
Clematis gouriana Roxb. 524
Cleome diffusa Roxb. 524
Clerodendrum: The genus Archboldia E. Beer & H. J. Lam is put into the synonymy of Clerodendrum L. (Labiatae), R. P. J. de Kok & S. Atkins 503
Clerodendrum L. 503, 504
—— *hildebrandtii* 504
Clinopodium repens Roxb. 524
Clusia: Flower biology of some Clusia species from Central America, V. Bittrich & M. C. E. Amaral 617
Clusia L. 115, 617, 618, 620, 628, 630, 632, 633
—— sect. *Anandrogyne* 634
—— sect. *Chlamydoclusia* Engl. 617, 618, 622, 626, 632 – 634
—— sect. *Clusiastrum* 617, 634
—— sect. *Cordylandra* Planch. & Triana 617, 618, 626 – 628, 632 – 634
—— sect. *Criuva* 617, 634

Clusia

Clusia sect. *Euclusia* Planch. & Triana 622
—— sect. *Omphalanthera* 634
—— sect. *Phloianthera* *623, 628, 633
—— sect. *Polythecandra* 634
—— *arrudea* Planch. & Triana ex Engl. 628, 633
—— *columnaris* Engl. 632
—— *grandiflora* Splitg. *619, 620, 622, 624 – 626, 632
—— *gundlachi* Stahl 113
—— *hilariana* Schltdl. *623
—— *insignis* Mart. *619, 620, 622, 624 – 626, 632
—— *leprantha* Mart. 620, *621, 626 – 629, 633
—— *melchiorii* Gleason 634
—— *mexiensis* P. F. Stevens ined. 628, 633
—— *microstemon* Planch. & Triana 633
—— *minor* L. 617
—— *nemorosa* G. Mey. *619, 620, 622, 624 – 627
—— *pana-panari* (Aubl.) Choisy 620, 627, 631
—— *purpurea* Engl. 633
—— *renggerioides* Planch. & Triana 618, 620, *621, 627, 628, 631
—— *rosea* Jacq. 617
—— *schomburgkiana* (Planch. & Triana) Engl. 630, 632
—— sp. 617
—— group *minor* 618
Clusiaceae 111, 113, 115, 617
Clusiella Planch. & Triana 617, 618, 633
—— *axillaris* Engl. *623
Clutia govaertsii Radcl.-Sm. †478
—— *robusta* 732
—— *thunbergii* Sond. var. *vaccinioides* Pax & K. Hoffm. 478
—— *vaccinioides* (Pax & K. Hoffm.) Prain 478
Cluytia collina Roxb. 524
—— *diversifolia* Roxb. 524
—— *scandens* Roxb. 524
—— *spinosa* Roxb. 524
Cluytiandra decaryi Leandri 173
—— —— var. *occidentalis* Leandri 174
Cnidoscolus Pohl 183
—— *regina* (Léon) Radcl.-Sm. & Govaerts 183
Coccoloba 928
—— *crispata* Buch.-Ham. ex Roxb. 524
—— *crispatula* 524
—— *pyrifolia* Desf. 926
Cocculus cuspidata Wall. 983
—— *orbiculatus* (L.) DC. 986
—— *selwynii* (F. Muell.) F. M. Bailey 983
—— *trilorus* DC. 986
Cochlidium 737
Coffea: A new species of Coffea (Rubiaceae) and notes on Mount Kupe (Cameroon), Piet Stoffelen, Martin Cheek, Diane Bridson & Elmar Robbrecht 989
Coffea 989, 990, 993
—— *arabica* L. 993
—— *bengalensis* Roxb. 524
—— *brevipes* Hiern 990, 991, 993
—— *canephora* Pierre ex Froehn. 990
—— *liberica* Bull. ex Hiern 993
—— *montekupensis* Stoffelen †990, 991, *992, *993
—— *pedunculata* Roxb. 524
—— *zanguebariae* Lour. 993
Coix aquatica Roxb. 524
—— *barbata* Roxb. 524
—— *gigantea* Koenig ex Roxb. 524
—— *heteroclita* Roxb. 524
Cola 990

Cola

Cola clavata 234
—— *minor* 234
Colchicaceae 129, 997
Colebrookea ternifolia Roxb. 524
Colvillea 417, 431
—— *racemosa* Bojer ex Hook. 420, 422, 427, *428, 430 – 432
Combretum 234, 575, 884, 900
—— *decandrum* Roxb. 524
—— *extensum* Roxb. 524
—— *schumannii* 234
Commelina scapiflora Roxb. 524
Commelinaceae: A new species of Amischotolype (Commelinaceae) from Brunei: taxonomy and pollen morphology, Jill Cowley & Carol Furness 465
Commelinaceae 87, 125, 979
—— subfam. *Commelinoideae* G. Brückn. tribe *Tradescantieae* Meisn. subtribe *Coleotrypinae* Faden & D. R. Hunt 468
—— subfam. —— tribe —— subtribe *Palisotinae* Faden & D. R. Hunt 468
Commiphora 150
Comospermum yedoense (Maxim. ex Franch. & Sav.) Rauschert 129
Compositae: New species of Vernonia (Compositae-Vernonieae) from Northeast Africa, Mesfin Tadesse 575
Compositae: A reassessment of Actinoseris polymorpha (Less.) Cabrera (Compositae: Mutiseae) with a new combination, N. Roque 197
Compositae: A revision of the genus Echinops (Compositae-Cardueae) in tropical Africa, Mesfin Tadesse 879
Compositae: What is Emilia coccinea (Sims) G. Don (Compositae)? A revision of the large-headed Emilia species of Africa, C. Jeffrey 205
Compositae 129, 575
—— tribe *Mutisieae* Cass. subtribe *Mutisiinae* Less. 197
Coniophora: Aldridgea (Fungi: Boletales) a synonym of Coniophora, Peter Roberts 505
Coniophora DC. 505, 506
—— *olivacea* (Pers.) P. Karst. 505
—— *puteana* (Shumach.: Fr.) P. Karst. 506
Conocarpus acuminata Roxb. 524
Conran, J. G., Chase, M. W. & Rudall, P. J.: Two new monocotyledon families: Anemarrhenaceae and Behniaceae (Lilianae: Asparagales) 995
Conran, John G., Chase, Mark W. & Rudall, Paula J.: Validation of the family name Boryaceae 416
Convallariaceae: Heteropolygonatum, a new genus of the tribe Polygonateae (Convallariaceae), Minoru N. Tamura, Mikinori Ogisu & Jie-Mei Xu 949
Convallariaceae 949
Convolvulaceae: Lectotypification of the name Calystegia hederacea Wall. (Convolvulaceae), with a note on the occurrence of the species in Ethiopia, Sebsebe Demissew & R. K. Brummitt 1005
Convolvulaceae: Unique fruits and generic status of Stictocardia (Convolvulaceae), Daniel F. Austin & Sebsebe Demissew 161
Convolvulaceae 161, 162, 1005
—— tribe *Argyreieae* 164, 165
—— tribe *Hildbrandtieae* Peter 164
—— tribe *Ipomoeeae* 164, 165
—— tribe *Poraneae* Hallier f. 164

Convolvulaceae

Convolvulaceae subdivision *Echinoconiae* 164
Convolvulus arvensis L. 1006
—— *digitatus* Roxb. 524
—— *fastigiatus* Roxb. 524
—— *pilosus* Roxb. 524
—— *semidigynus* Roxb. 525
—— *wallichianus* Spreng. 1005
Conyza alata Roxb. 525
—— *corymbosa* Roxb. 525
—— *laciniata* Roxb. 525
—— *pinnatifida* Buch.-Ham. ex Roxb. 525
Copaifera 159
—— *binata* 528
Corchorus fuscus Roxb. 525
Cordia campanulata Roxb. 525
—— *latifolia* Roxb. 525
—— *moluccana* Roxb. 525
Costaceae: New species and new records of Zingiberaceae and Costaceae from Tropical East Africa, A. D. Poulsen & J. M. Lock 601
Costaceae 601
Costus L. 614
—— *fissiligulatus* Gagnep. 614
—— *foliaceus* Lock & A. D. Poulsen *612, *613, †614
—— sp. A *sensu* Lock 614
Cotinus coggygria 962
Cotoneaster soongaricus 961, 962
Cotyledon rhizophylla Roxb. 525
Cowley, Jill *Reviewer*: Flora of China Volume 15, Myrsinaceae through Loganiaceae, by Zheng-yi Wu & Peter H. Raven (eds.) 765
Cowley, Jill & Furness, Carol: A new species of Amischotolype (Commelinaceae) from Brunei: taxonomy and pollen morphology 465
Crabbea Harv. 553, 561
—— *pungens* Harv. 561
Craibia 234
Crassocephalum 745
Crataegus integrifolia Roxb. 525
Cribb, P. J. & la Croix, I.: Two new orchids from the Flora Zambesiaca area 1001
Cribb, P. & la Croix, I.: A synopsis of the genus Cribbia Senghas (Orchidaceae) with two new species from São Tomé 743
Cribb, Phillip *Reviewer*: Icones Pleurothallidinarum XIV. Systematics of Draconanthes, Lepanthes subgenus Marsipanthes and subgenus Lepanthes of Ecuador, by Carlyle A. Luer 1017
Cribbia Senghas 743
—— *brachyceras* (Summerh.) Senghas 743, †744, 745, 747
—— *confusa* P. J. Cribb 743, †745
—— *pendula* la Croix & P. J. Cribb 743, *746, †747
—— *thomensis* la Croix & P. J. Cribb 743, †745, *746
Crinipes: Phylogeny and evolution in the Crinipes group of grasses (Arundinoideae: Poaceae), H. P. Linder, G. A. Verboom & N. P. Barker 91
Crinipes group 92, 97
—— Hochst. 92, 98 – 100
—— *abyssinicus* Hochst. 95, *106, *107
—— *longifolius* 95, 105
Crocus sp. aff. *etruscus* Parl. 137
—— *speciosus* M. Bieb. subsp. *speciosus* 137
Crossandra: Synopsis of the genus Crossandra (Acanthaceae) in Madagascar, Kaj Vollesen 379
Crossandra Salisb. 379 – 383, 386, 401, 405, 407, 408, 411

Crossandra

Crossandra acutiloba Vollesen 382, 385, 387, *391, 395, †397, 398
—— *albolineata* Benoist 381, 384, †386, 387, 390
—— *armandii* Benoist 385, 387, †399, 400
—— *benoistii* 381 – 383, 385, 387, *391, 395, †397
—— *cinnabarina* Vollesen 383, 396, 401, †409, *410
—— *citrina* Benoist 395, 402
—— —— var. *citrina* 395
—— —— var. *pilosa* Benoist 395
—— —— var. *subintegra* Benoist 395, 398
—— *cloiselii* S. Moore 381, 383, 385, 387, †400
—— —— var. *brevis* Benoist 398
—— *douillotii* Benoist 382, 385, 387, †401, 402
—— *flavicaulis* Vollesen 381, 382, 384, 387, †388, *389, 390
—— *friesiorum* 382
—— *grandidieri* (Baill.) Benoist 381, 384, 387, †400, 401
—— *humbertii* Benoist 381, 382, 384, 387, †406, 409
—— *isaloensis* Vollesen 385, 387, 402, †403, *404, 405
—— *johanninae* 382
—— *longehirsuta* Vollesen 382, 385, *391, †395, 396, 397
—— *longipes* S. Moore 381, 383, 396, †409
—— *longispica* Benoist 381, 382, 384, 396, †405, 406, 409
—— *madagascariensis* T. Anderson 402
—— *multidentata* Vollesen 381, 382, 385, 391, †393, *394, 396
—— *nobilis* Benoist 381 – 383, 387, †405
—— *pilosa* (Benoist) Vollesen 381, 385, †395, 396 – 398, 401
—— *pinguior* 409
—— *poissonii* Benoist 381, 384, 387, †408
—— *puberula* 409
—— *quadridentata* Benoist 381, 383, 384, 387, †388, 390
—— *raripila* Benoist 381 – 384, 396, 406, †407, 409
—— *rupestris* 381 – 383, 385, 387, 390, †392, 393
—— *stenandrium* (Nees) Lindau 386, 387, 395, 398, 401, †402, 403, 405
—— *strobilifera* (Lam.) Benoist 381, 386, 387, 395, †398, 400
—— —— var. *brevis* (Benoist) Benoist 398
—— *subacaulis* 409, 411
—— *trudentata* 382
—— *tsingyensis* Vollesen 381 – 383, 385, 387, †390, *391, 392
—— *vestita* Benoist 381 – 384, 387, †407, 408

Crotalaria: Two species of Crotalaria (Leguminosae: Papilionoideae) from Central Madagascar, David J. Du Puy, Jean-Noël Labat & Helen Ireland 443

Crotalaria 443
—— *alata* Buch.-Ham. ex Roxb. 525
—— *bracteata* Roxb. 525
—— *cytisoides* Hils. & Bojer ex Benth. 443, 445
—— —— Roxb. 525
—— *elliptica* Roxb. 525
—— *fulva* Roxb. 525
—— *ibityensis* R. Vig. & Humbert 443, †444, *445, 446
—— *laevigata* Lam. 447
—— *montana* Roxb. 525
—— *orixensis* Roxb. 525
—— *prostrata* Roxb. 525
—— *pulcherrima* Roxb. 525
—— *ramosissima* Roxb. 525

Crotalaria

Crotalaria stricta Roxb. 525
—— *tanety* Du Puy, Labat & H. Ireland 443, 444, †*445, 446, 447
—— *tetragona* Roxb. 525
—— *uniflora* Koenig ex Roxb. 525
—— *virgata* Roxb. ex Wight & Arn. 525

Croton 177, 183, 184
—— subgen. *Croton* 186
—— subgen. *Crotonopsis* (Michx.) Radcl.-Sm. & Govaerts †183, 184
—— subgen. *Eremocarpus* (Benth.) Radcl.-Sm. & Govaerts †184
—— subgen. *Julocroton* (Mart.) Radcl.-Sm. & Govaerts †184
—— sect. *Crotonopsis* (Michx.) G. L. Webster 183
—— sect. *Eremocarpus* (Benth.) G. L. Webster 184
—— sect. *Julocroton* (Mart.) G. L. Webster 184
—— *agrestis* (Pax & K. Hoffm.) Radcl.-Sm. & Govaerts †184
—— *ambovombensis* Radcl.-Sm. & Govaerts 186
—— *apostolon* Radcl.-Sm. & Govaerts †184
—— *argentealbidus* Radcl.-Sm. & Govaerts †184
—— *argothamnoides* Bertero ex Spreng. 479
—— *boragatch* 525
—— *borogatch* 525
—— *burra-geutch* 525
—— *ceanothifolius* Baill. 188
—— —— Standl. & L. O. Williams 188
—— *cinerascens* Radcl.-Sm. & Govaerts †186
—— *cnidophyllus* Radcl.-Sm. & Govaerts 186
—— —— var. *dui* (Y. T. Chang) Radcl.-Sm & Govaerts †186
—— *coccymelophyllus* Radcl.-Sm. & Govaerts †186
—— *confusus* Gage 188
—— —— Pittier 188
—— *cooperianus* (Croizat) Radcl.-Sm. & Govaerts †184
—— *corymbulosoides* Radcl.-Sm. & Govaerts †186
—— *corymbulosus* Griseb. 186
—— *crassirameus* Müll. Arg. 185
—— *dichotomus* (Klotzsch) Müll. Arg. 188
—— —— Willd. 188
—— *divaricatus* Leandri 186
—— —— Sw. 186
—— *echinocarpus* Baill. 188
—— —— Müll. Arg. 188
—— *eremophilus* Müll. Arg. 186
—— —— Wooton & Standl. 186
—— *erythroxyloides* (Klotzsch) Müll. Arg. 188
—— —— Baill. 188
—— *flavens* L. 187
—— *gardneri* Müll. Arg. 184
—— *glaziovii* Müll. Arg. 185
—— *grandifructus* Radcl.-Sm. & Govaerts †187
—— *guildingii* Griseb. 187
—— *guildingioides* Radcl.-Sm. & Govaerts †187
—— *halecum* Roxb. 525
—— *herzogianus* (Pax & K. Hoffm.) Radcl.-Sm. & Govaerts 184
—— *holodiscus* (Croizat) Radcl.-Sm. & Govaerts †185
—— *hookeri* Croizat 187
—— —— Veitch 187
—— *integer* (Chodat) Radcl.-Sm. & Govaerts †185
—— *inversus* Glaz. 185
—— *iteophyllus* Radcl.-Sm. & Govaerts †187
—— *janeirensis* Radcl.-Sm. & Govaerts †187
—— *khasianus* Hook. f. 187

Croton

Croton laevifolius Blume 187
—— —— Hook. f. 187
—— *laui* Merr. & Metcalf 187
—— *lauioides* Radcl.-Sm. & Govaerts †187
—— *lepidus* (S. Moore) Radcl.-Sm. & Govaerts 185
—— *lissophyllus* Radcl.-Sm. & Govaerts †187
—— *lithrifolius* (Croizat) Radcl.-Sm. & Govaerts †185
—— *longipes* Gagnep. 188
—— —— M. E. Jones 188
—— *macrocalyx* Ehrenb. ex Schweinf. 187
—— —— Mart. ex Baill. 187
—— *macrocarpus* Rchb. ex Müll. Arg. 187
—— —— Ridl. 187
—— *macrolepis* Radcl.-Sm. & Govaerts †187
—— *malvoides* (Croizat) Radcl.-Sm. & Govaerts †185
—— *microphyllinus* Radcl.-Sm. & Govaerts †188
—— *mocinoi* Radcl.-Sm. & Govaerts †188
—— *nicaraguensis* Radcl.-Sm. & Govaerts †188
—— *nigricans* (Mart. ex Schltdl.) Radcl.-Sm. & Govaerts †185
—— *oblongifolium* Roxb. 525
—— *olivaceus* Müll. Arg. 187
—— —— Y. T. Chang & P. T. Li 187
—— *pavonianus* Radcl.-Sm. & Govaerts †188
—— *polyandrum* Roxb. 525
—— *portoricensis* P. T. Li 187
—— *prunifolius* Airy Shaw 186
—— —— Geiseler 186
—— *pyrosoma* (Croizat) Radcl.-Sm. & Govaerts †185
—— *robustior* (L. B. Sm. & Downs) Radcl.-Sm. & Govaerts †185
—— *salicifolius* Gagnep. 187
—— —— Geiseler 187
—— *serratoideus* Radcl.-Sm. & Govaerts †188
—— *serratus* 188
—— *setigerus* Hook. 183, 184
—— *spissirameus* Radcl.-Sm. & Govaerts †185
—— *squamulosus* Geiseler 187
—— —— Müll. Arg. 187
—— *subglaber* K. Schum. 187
—— —— Urb. 187
—— *thellungianus* (Herter ex Arechav.) Radcl.-Sm. & Govaerts †185
—— *tocantinsensis* Radcl.-Sm. & Govaerts †185
—— *tomentosus* Link 187, 188
—— —— Pav. ex Baill. 188
—— —— Sessé & Moç. 187
—— *trichophilus* (Pax & K. Hoffm.) Radcl.-Sm. & Govaerts †186
—— *trilobatus* Forssk. 188
—— —— Sessé & Moç. 188
—— —— Willd. 188
—— *urticifolius* Lam. 186
—— —— Y. T. Chang & Q. H. Chen 186
—— —— var. *dui* Y. T. Chang 186
—— *venezuelensis* Radcl.-Sm. & Govaerts †188
—— *verrucosus* Radcl.-Sm. & Govaerts †188
—— *vietnamensis* Radcl.-Sm. & Govaerts †188
—— *villosissimus* (Chodat & Hassl.) Radcl.-Sm. & Govaerts †186
—— *villosus* Forssk. 186
—— —— Müll. Arg. 186
—— —— Sibth. & Sm. 186
—— *viridulus* (Croizat) Radcl.-Sm. & Govaerts †186
—— *vulpinus* Sessé & Moç. 184
Crotonoideae: New names and combinations in the Crotonoideae, A. Radcliffe-Smith & R. Govaerts 183

Crotonopsis

Crotonopsis Michx. 183
—— *michauxii* G. L. Webster 183
Cryptosepalum 155, 159
Ctenopteris Blume ex Kunze 737, 738
—— *allocota* (Alderw.) Copel. 740
—— *eximia* Copel. 740
—— *millefolia* (Blume) Copel. 738
—— *taxodioides* (Baker) Copel. 739
—— *tenuisecta* (Blume) J. Sm. 740
—— *venulosa* Blume ex Kunze 737
—— *yoderi* (Copel.) Copel. 739
Cucurbitaceae: A new species of Zehneria Endl. (Cucurbitaceae) from Tanzania, B. Verdcourt 729
Cucurbitaceae 520
—— tribe *Melothrieae* subtribe *Cucumerinae* Pax 729
Cunoniaceae 114
Cupressus chengiana 961, 962
Cussonia 884, 892
Cyamopsis DC. 841 – 844, 850, 851, *857, *861, 863, 865, †866, 874, 878
—— *senegalensis* Guill. & Perr. 866
—— *serrata* Schinz 847, *857, *861, 866, 878
—— *tetragonoloba* (L.) Taub. 866
Cyatheaceae 737
Cyathillium Blume 577
Cyathula fernandopoensis Suess. & Friedrich 990
Cyclocotyla congolensis Stapf 833
Cylista scariosa Roxb. 525
—— *tomentosa* Roxb. 525
Cynanchum pachycladon Choux 714
Cyperaceae: A new species of Scirpodendron (Cyperaceae) with a discussion of the inflorescence in the genus, S. S. Hooper & D. A. Simpson 683
Cyperaceae 87, 683
—— tribe *Hypolytreae* 686
Cyperus digitatus Roxb. 525
—— *digitiformis* 525
—— *incurvatus* Roxb. 525
—— *inundatus* Roxb. 525
—— *nudus* 525
—— *punctatus* Roxb. 525
—— *tegetiformis* Roxb. ex Kunth 525
—— *tegetum* Roxb. 525
—— *tortuosus* Koenig ex Roxb. 525
—— *verticillatus* Roxb. 525
—— *viridis* Roxb. ex C. B. Clarke 525

Dahlia 123
—— *coccinea* Cav. 124, 129
—— *linearis* 123
—— *merckii* Lehm. 129
—— *scapigeroides* Sherff. 123, 129
—— *sherffi* P. D. Sørensen 129
—— sp. A 129
—— sp. B 129
Dalbergia alata Roxb. 525
—— *emarginata* Roxb. 525
—— *ferruginea* Roxb. 525
—— *latifolia* Roxb. 525
—— *obcordata* 525
—— *oojeinensis* Roxb. 525
—— *paniculata* Roxb. 525
—— *parviflora* Roxb. 525
—— *scandens* Roxb. 525
—— *sissoo* Roxb. 525
Dalechampia L. 617, 633
Danguyodrypeles Leandri 171, 172

Danguyodrypetes

Danguyodrypetes abbayesii Leandri 171, 172
—— *ambigua* Leandri 171, 172
—— *fiherenensis* Leandri 171, 172
—— *manongarivensis* Leandri 171, 172
Daniel, P., Umamaheswari, P. & Muthukumar, S. A.: Acrachne sundarajii - a new grass from coastal Tamil Nadu, India 1007
Danthonia DC. *sensu lato* 91, 94
Danthonidium C. E. Hubb. 91
Dassanayake, M. D., Fosberg, F. R. & Clayton, W. D. (Eds.): Revised Handbook to the Flora of Ceylon, Volumes VIII, IX and X (Notice) 253
Davallia chinensis Roxb. 519
Davies, F. G.: A new genus Haplocoelopsis (Sapindaceae) from East and Central Africa 231
Davis, A. P.: A new species of Syzygium Gaertn. (Myrtaceae) from N Borneo: Syzygium velutinum 719
de Kok, R. P. J. & Atkins, S.: The genus Archboldia E. Beer & H. J. Lam is put into the synonymy of Clerodendrum L. (Labiatae) 503
Decaryochloa: Notes on the genus Decaryochloa (Gramineae-Bambusoideae) from Madagascar, S. Dransfield 593
Decaryochloa A. Camus 593, †594, 599
—— *diadelpha* A. Camus 593, †594, *596, *598, 599, 600
Delgado Salinas, A. & Lewis, G. P.: Oryxis, a new genus in tribe Phaseoleae (Leguminosae: Papilionoideae) from Brazil 221
Delimitation and infrageneric classification of Barleria (Acanthaceae), M.-J. Balkwill & K. Balkwill 535
Delonix: The pollen of Delonix (Leguminosae: Caesalpinioideae: Caesalpinieae), H. Banks 417
Delonix Raf. 417, 418, 429 – 432
—— *adansonioides* (R. Vig.) Capuron 417
—— *baccal* (Chiov.) Baker f. *419, 420, 422, 423, 430, 431
—— *boiviniana* (Baill.) Capuron 420, 422, 423, *425, 430, 431
—— *brachycarpa* (R. Vig.) Capuron 420, 422, 423, *424, 430, 431
—— *decaryi* (R. Vig.) Capuron 418, 420, 422, 423, *425, *428, 430, 431
—— *elata* (L.) Gamble 418, *419, 420, 422, 423, *428, 430, 431
—— *floribunda* (Baill.) Capuron 420, 422, *424, *425, *426, 427, *428, 430, 431
—— *leucantha* (R. Vig.) Du Puy, Phillipson & R. Rabev. 418, 421, 427, 430
—— —— subsp. *bemarahensis* Du Puy, Phillipson & R. Rabev. 420, *421, 422, 423, 431
—— —— subsp. *gracilis* Du Puy, Phillipson & R. Rabev. 420, *421, 422, 423, *426, 431
—— —— subsp. *leucantha* 420, *421, 422, 423, *428, 431
—— *pumila* Du Puy, Phillipson & R. Rabev. 417, 418, 420, 422, 423, *426, 430, 431
—— *regia* (Hook.) Raf. 418, *419, 420, 422, 423, *426, 430 – 432
—— *tomentosa* (R. Vig.) Capuron 420, 422, 423, *424, *426, 430, 431
—— *velutina* Capuron 420, 422, 423, *424, 427, 430, 431
Dendrobium aggregatum Roxb. 525
Dendrocalamopsis Keng 483

Dendrocalamopsis

Dendrocalamopsis copelandiii (Gamble ex Brandis) Keng f. 484
Dendrocalamus: A new combination in Dendrocalamus (Gramineae-Bambusoideae), N. H. Xia & C. M. A. Stapleton 483
Dendrocalamus Nees 235 – 237, 483, 484
—— *copelandii* (Gamble ex Brandis) N. H. Xia & Stapleton †484
—— *membranaceus* Munro 235, 238
—— *strictus* (Roxb.) Nees 235 – 237
Dennis, R. W. G.: Some microfungi on Scottish alpine plants 451
Desmanthus balsensis J. L. Contr. 12
Desmodium alatum 528
—— *recurvatum* 528
Dianthera orixensis 529
Dianthus 928
—— *caryophyllus* L. 926
Dichaetaria Nees 92, 96, 97
—— *wightii* Nees 95, *105
Dichapetalaceae 213
Dichapetalum: Additions to Neotropical Dichapetalum, G. T. Prance 213
Dichapetalum 213, 218, 234
—— *asplundeanum* Prance 215
—— *axillare* Woodson 213 – 216
—— *beckii* Fern. Casas 213
—— *bernalii* Prance 214
—— *brenesii* Standl. 213, 215
—— *bullatum* Standl. 213
—— *coelhoi* Prance 214
—— *costaricense* 216
—— *donnell-smithii* Engl. 215
—— *foreroi* Prance 215
—— *froesii* Prance 215
—— *gentryi* Prance 213
—— *grayumii* Prance 214
—— *hammelii* Prance 213
—— *latifolium* Baill, 214
—— *mexicana* Prance 213
—— *moralesii* Prance 215, †216, *217
—— *morenoi* Prance 215, †216, *219
—— *nervatum* Cuatrec. 214
—— *nevermannianum* Standl. & Valerio 214, 216, 218
—— *odoratum* Baill. 216
—— *pauper* Rizzini 214
—— *pedunculatum* (DC.) Baill. 216
—— *prancei* Fern. Casas 213
—— *rugosum* (Vahl) Prance 214
—— *schulzii* Prance 214
—— *spruceanum* Baill. 215
—— *steyermarkii* Prance 215
—— *stipulatum* J. F. Macbr. 214
Dicranacanthus Oerst. 555
Didierea madagascariensis 180
Didiereaceae 926
Diegodendraceae Capuron 116 – 118
Diegodendron Capuron 116, 118, 925
Dillenia L. 99, 925, 928
—— *indica* L. 926
Dilleniaceae 926
Dinochloa prunifera S. Dransf. 599
Dionaea 928
—— *muscipula* J. Ellis 926
Dioncophyllaceae 926, 928
Dioscorea anguina Roxb. 525
—— *glabra* Roxb. 525

Dioscorea

Dioscorea pulchella Roxb. 525
Diospyros 990
—— *bracteata* Roxb. 525
—— *chloroxylon* Roxb. 525
—— *cordifolia* Roxb. 525
—— *glutinosa* J. König ex Roxb. 526
—— *ramiflora* Roxb. 526
—— *tomentosa* Roxb. 526
Diplasia karataefolia Rich. 686
Diplopogon R. Br. 91
Diptantherus Barb. 239
Dipterocarpus alatus Roxb. 525
—— *tuberculatus* Roxb. 526
Disporopsis Hance 949
Ditaxis Pax & K. Hoffm. 479
—— *argothamnoides* (Bertero ex Spreng.) Radcl.-Sm. & Govaerts †479
—— *arlynniana* (J. W. Ingram) Radcl.-Sm. & Govaerts †479
—— *dressleriana* (J. W. Ingram) Radcl.-Sm. & Govaerts †479
—— *fendleri* (Müll. Arg.) Pax & K. Hoffm. 479
—— *gentryi* (J. W. Ingram) Radcl.-Sm. & Govaerts †479
—— *guatemalensis* (Müll. Arg.) Pax & K. Hoffm. var. *barrancana* (McVaugh) Radcl.-Sm. & Govaerts †479
—— *humilis* (Engelm. & A. Gray) Pax var. *leiosperma* (Waterf.) Radcl.-Sm. & Govaerts †479
—— *micrandra* (Croizat) Radcl.-Sm. & Govaerts †479
—— *simulans* (J. W. Ingram) Radcl.-Sm. & Govaerts 479
Dobsonia moluccensis 716
Dolichopsis 221, 225
—— *monticola* (Mart. ex Benth.) J. A. Lackey ex G. P. Lewis 221, 222
Dolichos: The transfer of Dolichos junodii to Nesphostylis (Leguminosae), M. P. Munyenyembe & F. A. Bisby 689
Dolichos L. 670, 689
—— subgen. *Odontichos* Verdc. 690
—— *fragrans* Kerr 690, 692
—— *gangeticus* Roxb. 526
—— *glutinosus* Roxb. 526
—— *junghuhnianus* Benth. 690
—— *junodii* (Harms) Verdc. 690, *691, 692
—— *monticola* Mart. ex Benth. 221, 223
—— *trilobus* L. 689, 690, 692
—— —— subsp. *occidentalis* Verdc. *691
Doodia alopecuroides Roxb. 526
—— *lagopodioides* Roxb. 526
Dorothea Wernham 637 – 639
—— *divergens* Hutch. & Dalziel 638, 656
—— *letestui* Pellgr. 638, 655
—— —— *sensu* G. Taylor 654
—— *minor* Wernham 656
—— *talbotii* Wernham 638, 652
Dovyalis 112, 115
—— *rhamnoides* Burch. ex Harv. & Sond. 113
Dracocephalum cochinchinense Lour. 285
Dransfield, S.: Notes on the genus Decaryochloa (Gramineae-Bambusoideae) from Madagascar 593
Drosera burmanni Vahl 926, 928
—— *petiolaris* R. Br. ex DC. 926, 928
—— *regia* Stephens 926, 928
Droseraceae 926 – 928
Drosophyllum 928
—— *lusitanicum* (L.) Link 926

Drypetes

Drypetes 234
Du Puy, David J., Labat, Jean-Noël & Ireland, Helen: Two species of Crotalaria (Leguminosae: Papilionoideae) from Central Madagascar 443
Duckeola ghilianii 624, 626
Duosperma fimbriata Brummitt 311

East Africa: A new combination in the Sapotaceae from East Africa, Y. B. Harvey 672
Echinops: A revision of the genus Echinops (Compositae-Cardueae) in tropical Africa, Mesfin Tadesse 879
Echinops L. †879, 880, 901
—— *aberdaricus* R. E. Fr. 882, †886
—— —— *sensu* Cufod. 891
—— *amplexicaulis* Oliv. 880, 881, †883
—— *angustilobus* S. Moore 882, †893
—— *bampsianus* Lisowski 896
—— *bathrophyllus* Mattf. 895
—— *bequaertii* De Wild. 888
—— *boranensis* Lanza 892
—— —— var. *minor* Cufod. 892
—— *brevisetus* S. Moore 888
—— *bromelifolius* Baker 900
—— *buhaitensis* S. Moore 882, †893
—— *chamaecephalus* Hochst. ex A. Rich. 889
—— —— var. *caulescens* Cufod. 890
—— *claessensii* De Wild. 884
—— *echinatus* Roxb. 526
—— *elegans* Hutch. & Dalziel 898
—— *ellenbeckii* O. Hoffm. 881, †886
—— *eryngiifolius* O. Hoffm. 880, †901
—— *francinianus* Pic.-Serm. 888
—— *giganteus* A. Rich. 880 – 882, †888
—— —— var. *lelyi* (C. D. Adams) C. D. Adams 888
—— *gondarensis* Chiov. 890
—— *gracilis* O. Hoffm. 881, †897
—— —— *sensu* A. Chev. 898
—— *guineensis* C. D. Adams 881, †898
—— *himantophyllus* Mattf. 881, †896
—— *hispidus* Fresen. 881, 882, †889
—— *hoehnelii* Schweinf. 880, 881, †882
—— *hoffmannianus* Mattf. 885
—— *kebericho* Mesfin 882, †894, 895
—— *korobori* De Wild. 884
—— *kulsii* Cufod. 888
—— *lanatus* C. Jeffrey & Mesfin 882, †887
—— *lanceolatus* Mattf. 899
—— *lineari-lancifolius* De Wild. 900
—— *longifolius* A. Rich. 881, †895
—— —— *sensu* Oliv. & Hiern 896
—— *longisetus* A. Rich. 881, †885
—— *luckii* R. E. Fr. 885
—— —— var. *pinnattiloba* Mattf. 895
—— *macrochaetus* Fresen. 882, 890
—— —— var. *pseudo-viscosus* Fiori 891
—— *mildbraedii* Mattf. 881, †899
—— *negrii* Chiov. 888
—— *neumannii* O. Hoffm. 883
—— *nistrii* Pic.-Serm. 888
—— *ochroleucas* Mattf. 888
—— *oehlerianus* Mattf. 886
—— *otarus* Mattf. 895
—— *pappii* Chiov. 882, †891
—— *rangei* Mattf. 896
—— *reticulatus* E. A. Bruce 881, †899
—— *schweinfurthii* Mattf. 895

Echinops

Echinops seretii De Wild. 888
—— —— var. *setifer* Mattf. 888
—— *serratifolius* Sch. Bip. 895
—— *sidamensis* Cufod. 884
—— *spinosissimus sensu* C. D. Adams 892
—— *spinosus sensu* Oliv. & Hiern 891
—— —— var. *homolepis* Chiov. 891
—— *steudneri* O. Hoffm. 885
—— *velutinus* O. Hoffm. 888
—— —— var. *lelyi* C. D. Adams 888
—— *viscosus sensu* Chiov. 890
—— sp. A C. Jeffrey 887
Echites antidysenterica Roxb. ex Fleming 526
—— *caryophyllata* Roxb. 526
—— *clavatus* Roxb. 526
—— *dichotoma* Roxb. 526
—— *frutescens* Roxb. 526
Eckstein, Dieter, Sass, Ute & Baas, Pieter (Eds.): Growth Periodicity in Tropical Trees. Proceedings of a meeting held in Kuala Lumpur, Malaysia, November 1994. (Rev.) 757
Ectinocladus Benth. in Benth. & Hook. f. 770
—— *benthamii* Baill. 770, 777
Ehretia buxifolia Roxb. 526
—— *serrata* Roxb. 526
—— *setosa* Roxb. 526
—— *uniflora* Roxb. 526
Ehya Ag Sidiyene: Des arbres et des arbustes spontanés de l'Adrar des Iforas (Mali). Etude ethnolinguistique et ethnobotanique (Notice) 510
Ekebergia indica Roxb. 526
Elaeagnus conferta Roxb. 526
Elaeocarpus fruticosus Roxb. 526
—— *ganitrus* Roxb. 513
—— *rugosus* Roxb. 526
Elatostema: New combinations in Elatostema J. R. & G. Forst. (Urticaceae), S. K. Murti 191
Elatostema J. R. & G. Forst. 191
—— *diversifolium* Wedd. 193
—— *monandrum* (Buch.-Ham. ex D. Don) H. Hara 191, †193
—— —— var. *ciliatum* (Hook. f.) Murti 191, 192, †193
—— —— var. *crassum* (Hook. f.) Murti 192, 193, †194
—— —— var. *monandrum* 192, †193
—— —— var. *pedunculosum* (Hook. f.) Murti 192, 193, †194
—— —— var. *pinnatifidum* (Hook. f.) Murti 191, 192, †194
—— —— var. *rigidiusculum* (Hook. f.) Murti 192, 193, †195
—— —— var. *serpens* (Hook. f.) Murti 191, 192, †195
—— —— var. *subincisum* (Hook. f.) Murti 192, 193, †195
—— —— var. *zeylanicum* (Hook. f.) Murti 192, 193, †195
—— —— f. *ciliatum* (Hook. f.) H. Hara 194
—— —— f. *pedunculosum* (Hook. f.) H. Hara 194
—— —— f. *pinnatifidum* (Hook. f.) H. Hara 194
—— —— f. *subincisum* (Hook. f.) H. Hara 195
—— *surculosum* Wight 191, 193
—— —— var. *ciliata* Hook. f. 193
—— —— var. *crassa* Hook. f. 194
—— —— var. *elegans* Hook. f. 193
—— —— var. *pedunculosa* Hook. f. 194
—— —— var. *pinnatifida* Hook. f. 194
—— —— var. *rigidiuscula* Hook. f. 195
—— —— var. *serpens* Hook. f. 195

Elatostema

Elatostema surculosum var. *subincisa* Hook. f. 195
—— —— var. *zeylanica* Hook. f. 195
—— —— f. *rigidiusculum* 191
—— —— f. *serpens* 191
—— —— f. *subincisum* 191
Elsholtzia Willd. 260
Elvasia DC. 116
Elytrophorus P. Beauv. 91
Embryopteris glutenifera Roxb. 526
Emilia: What is Emilia coccinea (Sims) G. Don (Compositae)? A revision of the large-headed Emilia species of Africa, C. Jeffrey 205
Emilia 205, 206, 208
—— *caespitosa* Oliv. 207, 209, †210, 211
—— *coccinea* (Sims) G. Don 205 – 208, †209, 210, 211
—— —— *sensu auctt.* 208
—— *emilioides* (Sch. Bip.) C. Jeffrey 207, †208
—— *flammea* auct. non Cass. 205, 209
—— *humbertii* Robyns 210
—— —— var. *angustifolia* Robyns 210
—— *javanica* auct. non (Burm. f.) C. B. Rob. 205, 209
—— *jeffreyana* Lisowski 207, †208
—— *lisowskiana* C. Jeffrey 207, †208
—— *macaulayae* Garab. 210
—— *praetermissa* Milne-Redh. 205, 207, †209
—— *sagittata* auct. non DC. 205, 209
—— *subscaposa* Lisowski 207, †210
—— *vanmeelii* Lawalrée 207, 209, †210, 211
Eminium koenenianum Lobin & P. C. Boyce 129
Endostemon 270
Enneapogon 94
Enterosora 737
Epidendrum aggregatum 525
Epimedium: Four new Chinese species of Epimedium (Berberidaceae), W. T. Stearn 659
Epimedium 659, 660, 662, 664, 668, 670, 671
—— *acuminatum* Franch. 668, 669
—— —— group 662
—— *baicaliguizhouense* S. Z. He & Y. K. Yang 668, 669
—— *baojinense* Q. L. Chen & B. M. Yang 668, 669
—— *borealiguizhoense* 668
—— *brachyrrhizum* Stearn †659, 660, *661, 668– 670
—— *brevicornu* Maxim. 668, 669
—— *campanulatum* Ogisu 659, 668, 669
—— *chlorandrum* Stearn 659, †660, 662, *663, 668 – 670
—— *coactum* H. R. Liang & W. M. Yan 668, 669
—— *davidii* Franch. 668, 669
—— *dolichostemon* Stearn 659, 668, 669
—— *ecalcaratum* G. Y. Zhong 668, 669
—— *elongatum* Kom. 668, 669
—— *enshiense* B. L. Guo & P. K. Hsiao 668, 669
—— *epsteinii* Stearn †662, 664, *665, 668 – 670
—— *fangii* Stearn 659, 668, 669
—— *fargesii* Franch. 659, 662, 668, 669
—— *flavum* Stearn 659, 668, 669
—— *franchetii* Stearn 659, 668
—— *glandulosopilosum* H. R. Liang 668, 669
—— *grandiflorum* Morren subsp. *koreanum* (Nakai) K. Susuki 668
—— *hunanense* (Hand.-Mazz.) Hand.-Mazz. 668, 669
—— *latisepalum* Stearn 659, 662, 668, 669
—— *leptorrhizum* Stearn 659, 660, 669
—— *lishihchenii* Stearn 659, †664, *666, 668 – 670
—— *macranthum* 666
—— *membranaceum* K. I. Mev. 668, 669

Epimedium

Epimedium membranaceum subsp. *genuinum* 668
—— —— subsp. *orientale* Stearn 664, 666
—— *ogisui* Stearn 659, 669
—— × *omeiense* 659
—— *parvifolium* S. H. He & T. Z. Zhang 669
—— *pauciflorum* K. C. Yen 669
—— *platypetalum* K. I. Mey. 659, 669
—— *pubescens* Maxim. 662, 666, 669
—— *reticulatum* C. Y. Yu 669
—— *sagittatum* (Siebold & Zucc.) Maxim. 666, 668 – 670
—— *shuichengense* S. Z. He 669
—— *simplicifolium* T. S. Ying 659, 669
—— *stellulatum* Stearn 669
—— *sutchuenense* Franch. 669
—— *truncatum* H. R. Liang 669
—— *wushanense* T. S. Ying 659, 669
—— *zushanense* W. F. Wu & S. X. Qian 669
—— sp. nov. *ined.* 669
Eragrostis 94
Eranthemum montanum 529
Eremocarpus Benth. 184
—— *setigerus* (Hook.) Benth. 184
Erica: New combinations in an African Erica, M. Cheek 753
Erica 753
—— *arborea* 883, 885
—— *condensata* Benth. 753
—— *mannii* (Hook. f.) Beentje 753
—— *spicata* Thunb. 753
—— *tenuipilosa* (Engl. ex Alm & T. C. E. Fr.) Cheek †753
—— —— subsp. *spicata* (Hochst. ex A. Rich.) Cheek †754
—— —— subsp. *tenuipilosa* †753
Ericaceae 503, 753
Ericybe paniculata Roxb. 526
Erigeron asteroides Roxb. 526
Erinnyis ello 7
Eriocaulaceae: The genus Syngonanthus (Eriocaulaceae) in eastern and southern Africa, Sylvia M. Phillips 73
The Eriocaulon transvaalicum complex and some other species of Eriocaulon from Africa, Sylvia M. Phillips 51
Eriocaulon 51, 52, 59, 61, 62, 66, 68, 71 – 73, 88
—— *abyssinicum* Hochst. 62, 64, 66, 67
—— *achiton* Körn. 66
—— *acutifolium* S. M. Phillips †59
—— *aethiopicum* S. M. Phillips 62, †64, *65, 66, *67
—— *alaeum* Kimpouni 61
—— *angustifolium* S. M. Phillips 51
—— *bongense* Ruhland 61
—— *brownianum* Mart. 72
—— *buchananii* complex 51, 52, 68
—— —— Ruhland 52, 54, 68
—— *dembianense* Chiov. 52, 53, 57
—— *dregei* Hochst. 72
—— *fuscum* 66
—— *hanningtonii* N. E. Br. 52, 53, 58
—— *heterolepis* Steud. 62, *63
—— *infaustum* N. E. Br. 51, †61, 62, *62
—— *lanatum* H. Hess 71, 72
—— *maculatum* 71
—— *maronderanum* S. M. Phillips 70, 71
—— *mbalensis* S. M. Phillips 62, *69, 70, †71, 72
—— *modicum* S. M. Phillips 62, †68, *69, *70, 71

Eriocaulon

Eriocaulon monodii Moldenke 59
—— *mulanjeanum* 71
—— *mutatum* N. E. Br. 62, 68
—— —— var. *angustisepalum* (H. Hess) S. M. Phillips 68
—— *pictum* Fritsch 72
—— *polhillii* 66
—— *recurvifolium* C. H. Wright 75
—— *schimperi* complex 51
—— —— Ruhland 72
—— *selousii* S. M. Phillips *55, †60, 61
—— *strictum* Milne-Redhead 68, 70, 71
—— *tofieldifolium* Schinz 52, 53, 58
—— *transvaalicum* complex 51, 52, 61, 62, 66
—— —— N. E. Br. 51, 52, 53, 54, †56, 57, 59 – 61, 68, 70
—— —— subsp. *dembianense* (Chiov.) S. M. Phillips 56, †57
—— —— subsp. *hanningtonii* *55, 56, 57, †58, 59, 62
—— —— subsp. *tofieldifolium* (Schinz) S. M. Phillips *55, 56, 57, †58, 59
—— —— subsp. *transvaalicum* 56, †57
—— —— var. *hanningtonii* (N. E. Br.) Meikle 59
—— *trilobum* Körn. 62, *63
—— *welwitschii* 86
—— *wildii* S. M. Phillips 62, †64, *65, 66, *67
—— *zambesiense* Ruhland 52
Eriocoelum Hook. f. 231
Eriogonum 928
—— *flavum* Nutt. 926
Eriospermaceae 129
Eriospermum parvifolium Jacq. 129
Erythrina resupinata Roxb. 526
—— *suberosa* Roxb. 526
Erythroxylon monogynum Roxb. 526
Erythroxylum platyclados 234
Ethiopia: Further notes on the genus Aloe in Ethiopia and Eritraea, M. G. Gilbert & Sebsebe Demissew 139
Ethulia ramosa Roxb. 526
Eucalyptus moluccana Roxb. 526
Eucryphiaceae 111
Eufriesea 625
—— *pulchra* 623
—— *purpurata* *619, 624, 625
Eugenia 719
—— *alba* Roxb. 526
—— *calyptrata* Roxb. ex Wight & Arn. 526
—— *corymbosa* Roxb. 526
—— *creaghii* Ridl. 722
—— *fruticosa* Roxb. 526
—— *inophylla* Roxb. 526
—— *leptosperma* Roxb. 526
—— *operculata* Roxb. 526
—— *woodii* Merr. 722
Euglossa *619, 623
—— sp. 624 – 626
Euglossini 624 – 626
Eulaema sp. 624
Eulophia 1001
—— *epiphanoides* Schltr. 1001, 1002
—— *galeoloides* Kraenzl. 1001
—— *gastrodioides* Kraenzl. 1002
—— *macrantha* Hook. f. 1001
—— *richardsiae* P. J. Cribb & la Croix †1001, *1003
Eumorpha satellitia 7
—— *vitis* 7

Eupatorium

Eupatorium divergens Roxb. 526
Euphorbia cuneifolia Roxb. 526
—— *dichotoma* Roxb. 526
—— *stenoclada* 180
—— *unispina* 712
Euphorbiaceae: New names and combinations in the Crotonoideae, A. Radcliffe-Smith & R. Govaerts 183
Euphorbiaceae: New names and new combinations in the Euphorbiaceae-Acalyphöideae, A. Radcliffe-Smith & R. Govaerts 477
Euphorbiaceae: Notes on African and Madagascan Euphorbiaceae, A. Radcliffe-Smith 177
Euphorbiaceae: Notes on Madagascan Euphorbiaceae V. Jatropha, A. Radcliffe-Smith 171
Euphorbiaceae 113 – 115, 171, 617
—— subfam. *Acalyphoïdeae* 477
—— subfam. *Crotonoïdeae* 183
—— subfam. *Phyllanthoïdeae* 115, 183
—— tribe *Phyllantheae* Dumort. 173
Euthemidaceae Tiegh. 116 – 118
Euthemis Jack 116
Evolvulus angustifolius Roxb. 526
Exacum sulcatum Roxb. 526
—— *tetragonum* Roxb. 526
Exalbuminosae Engl. 116
Excoecaria integrifolia Roxb. 526

Fabricia bracteata Roxb. 526
Fagraea fragrans Roxb. 526
Fahrenheitia Rchb. f. & Zoll. 189
—— *sterrhopoda* Airy Shaw 189
Falkia L. f. 164
Familial relationships of Rhabdodendron (Rhabdodendraceae): plastid rbcL sequences indicate a Caryophyllid placement, Michael F. Fay, Kenneth M. Cameron, Ghillean T. Prance, M. Dolores Lledo & Mark W. Chase 923
Faradaya 503
Farquharia 769
—— *elliptica* Stapf 831, 833
Faulks, P. J.: Homelands of Flowering Plants (Rev.) 1015
Faurea 887
Fay, Michael F., Cameron, Kenneth M., Prance, Ghillean T., Lledo, M. Dolores & Chase, Mark W.: Familial relationships of Rhabdodendron (Rhabdodendraceae): plastid rbcL sequences indicate a Caryophyllid placement 923
Fay, Michael F., Swensen, Susan M. & Chase, Mark W.: Taxonomic affinities of Medusagyne oppositifolia (Medusagynaceae) 111
Feuilleea calothyrsa Kuntze 17
—— *wendlandii* (Benth.) Kuntze 23
Ficus 575
—— *altimeraloo* Roxb. 526
—— *caricoides* Roxb. 526
—— *chincha* Roxb. 526
—— *conglomerata* Roxb. 526
—— *cordifolia* Roxb. 526
—— *cunia* Buch.-Ham. ex Roxb. 526
—— *elastica* Roxb. ex Hornem. 517
—— *exasperata* Roxb. 527
—— *glomerata* Roxb. 527
—— *goolereea* Roxb. 527
—— *laciniata* 527
—— *lanceolata* Buch.-Ham. ex Roxb. 527
—— *ludueca* Roxb. 527

Ficus

Ficus macrophylla Roxb. 527
—— *palmata* Roxb. 527
—— *quercifolia* Roxb. 527
—— *rotundifolia* Roxb. 527
—— *squamosa* Roxb. 527
—— *urticifolia* Roxb. 527
Figueiredo, E.: A revision of Aulacocalyx (Rubiaceae-Gardenieae) 637
Fischer, E. & Hepper, F. N.: The genera Bryodes Benth. and Psammetes Hepper (Scrophulariaceae) in Madagascar and West Africa 749
Flacourtia cataphracta Roxb. ex Willd. 527
—— *inermis* Roxb. 527
—— *sepiaria* Roxb. 527
Flacourtiaceae 112, 113, 115
Flemingia congesta Roxb. ex W. T. Aiton 527
—— *semialata* Roxb. 527
Fleurydora A. Chev. 116
Forman, L. L.: Notes concerning the typification of names of William Roxburgh's species of Phanerogams 513
Forman, L. L.: A synopsis of Hypserpa Miers (Menispermaceae) 981
Forrestia laxiflora Merr. 469
Fragaria malayana Roxb. 527
Frankenia 928
—— *pulverulenta* L. 926
Frankeniaceae 926, 928
Fraxinus chinensis Roxb. 527
Froesia 117, 119
Fungi: Some microfungi on Scottish alpine plants, R. W. G. Dennis 451
Fungi: Aldridgea (Fungi: Boletales) a synonym of Coniophora, Peter Roberts 505
Furcraea 979
Furness, Carol & Cowley, Jill: A new species of Amischotolype (Commelinaceae) from Brunei: taxonomy and pollen morphology 465

Gaertnera obtusifolia Roxb. 527
—— *racemosa* Roxb. 527
Gagnebina 12
Galedupa elliptica Roxb. 527
—— *uliginosa* Roxb. 527
Galega diffusa Roxb. 527
—— *heyneana* Roxb. 527
—— *incana* Roxb. 527
—— *lanceifolia* Roxb. 527
—— *lanceolata* 527
—— *pentaphylla* Roxb. 527
Garcinia 513, 633
—— *celebica* 527
—— *cowa* Roxb. 527
Gardenia 575
—— *calyculata* Roxb. 527
—— *campanulata* Roxb. 527
—— *fragrans* J. König ex Roxb. 527
—— *lucida* Roxb. 527
—— *montana* Roxb. 527
—— *pavetta* Roxb. ex Wight & Arn. 527
Garuga pinnata Roxb. 527
Gasson, Peter *Reviewer*: Colour Atlas of Plant structure, by Bryan G. Bowes 755
Gasson, Peter *Reviewer*: Growth Periodicity in Tropical Trees. Proceedings of a meeting held in Kuala Lumpur, Malaysia, November 1994, by Dieter Eckstein, Ute Sass & Pieter Baas (Eds.) 757

Gasteria

Gasteria 979
Gastonia sasuroides Roxb. 527
Geniosporum Wall. ex Benth. 258, 261 – 263, 267, 270 – 273
—— sect. *Anisodonta* Briq. 273, 287
—— sect. *Gurkeana* Briq. 287
—— sect. *Heterodonta* Briq. 274
—— sect. *Platostoma* 261
—— sect. *Prostrata* Briq. 273, 287
—— *affine* Gürke 287
—— *angolense* Briq. 287
—— *baumii* Gürke 287
—— *coloratum* (D. Don) Kuntze 265, 268, 269, 275
—— *elongatum* Benth. 265, 268, 269, 274
—— *gracile* Benth. 274
—— *hildebrandtii* (Vatke) M. Ashby 265, 268, 269, 275
—— *holocheilum* Hance 285
—— *lanceolatum* Chermsir. ex Murata 275
—— *madagascariense* Benth. 265, 268, 269, 275
—— *menthoides* (L.) Druce 264, 265, 267 – 272, 274
—— *palisotii* Benth. 277
—— *paludosum* Baker 287
—— *parviflorum* Benth. 282
—— *prostratum* (L.) Benth. 274
—— *rotundifolium* Briq. 265, 268 – 271, 287
—— *scabridum* Gürke 287
—— *siamense* Murata 275
—— *strictum* Hiern 287
—— *strobiliferum* Wall. ex Benth. 275
—— *taylorii* Doan 265, 268 – 270, 282
—— *tenuiflorum* (L.) Merr. 274
—— *thymiflorum* Benth. 265, 268 – 271, 287
Gentianaceae: A new species of Swertia (Gentianaceae) from tropical East Africa — Tanzania, Sileshi Nemomissa 487
Geranium: Twelve new names in Geranium L. (Geraniaceae), C. Aedo & F. Muñoz-Garmendia 725
Geranium 725
—— *caespitosum* Phil. 725
—— *canariense* Reut. 726
—— *chilense* Aedo & Muñoz Garm. †725
—— *decumbens* R. Knuth 726
—— *delphinifolium* R. Knuth 726
—— *eriostemon* var. *orientale* Maxim. 725
—— *gorbizense* Aedo & Muñoz Garm. †725
—— *hillebrandii* Aedo & Muñoz Garm. †725
—— *hirtum* Burm. f. 726
—— —— *sensu* R. Knuth 726, 727
—— —— Willd. ex Spreng. 726, 727
—— *hispidum* Phil. 725
—— *humile* Hillebr. 725
—— *kauaiense* (Rock) H. St. John 725
—— *mexicanum* Humb., Bonpl. & Kunth 726, 727
—— *neohispidum* Aedo & Muñoz Garm. †725
—— *neopumilum* Aedo & Muñoz Garm. †726
—— *orientale* Maxim. 725
—— *pichinchense* Aedo & Muñoz Garm. †726
—— *pumilum* R. Knuth 726
—— *quinquelobum* Wedd. 726
—— *reuteri* Aedo & Muñoz Garm. †726
—— *rubescens* Yeo 727
—— *selloi* Aedo & Muñoz Garm. †726
—— *senecioides* R. Knuth in Engl. 726
—— *tafiense* Aedo & Muñoz Garm. †726
—— *tiguense* Aedo & Muñoz Garm. †726
—— *trianae* Aedo & Muñoz Garm. †726

Geranium

Geranium yeoi Aedo & Muñoz Garm. †727
Gérard, J., Miller, R. B. & ter Welle, B. J. H.: Major Timber Trees of Guyana. Timber Characteristics and Utilisation, Tropenbos Series 15 (Notice) 254
Getonia floribunda Roxb. 527
—— *nutans* Roxb. 527
Gigantochloa Munro 484
Gilbert, M. G. & Sebsebe Demissew: Further notes on the genus Aloe in Ethiopia and Eritraea 139
Givotia 177, 178
—— *madagascariensis* Baill. 177, 178
Gladiolus atroviolaceus Boiss. 137
Glazier, D. & Mackinder, B.: Nomenclatural notes on South American Mimosa 459
Glechoma erecta Buch.-Ham. ex Roxb. 527
Gleditsia 429
Glossochilus 553
Glossophaga 6
Glycorrhiza 660
Gmelina arborea Roxb. 527
—— *parviflora* Roxb. 527
—— *parvifolia* 527
—— *villosa* Roxb. 527
Godoya Ruiz & Pav. 116, 117
Goldblatt, Peter & Johnson, Dale E. (Eds.): Index to Plant Chromosome numbers 1992 – 1993. Monographs in Systematic Botany from the Missouri Botanical Garden Volume 58 (Notice) 254
Gomphia Schreb. 116
Gomphocarpus marginatus E. Mey. 247
—— —— *sensu* Schltr. 247
—— *viridiflorus* (E. Mey.) Decne. 247
Gomphrena hispida L. 273
Gonçalves, A. E.: Two new species of Solanum (Solanaceae) from Mozambique 703
Gonçalves, Eduardo G.: A new species of Philodendron (Araceae) from Central Brazil 499
Gordonia decandra Roxb. 527
—— *oblata* Roxb. 527
Gossweilerochloa Renvoize 98
Gossypium obtusifolium Roxb. 527
Gouania tiliifolia Roxb. 527
Govaerts, R. & Radcliffe-Smith, A.: New names and combinations in the Crotonoideae 183
Govaerts, R. & Radcliffe-Smith, A.: New names and new combinations in the Euphorbiaceae-Acalyphöideae 477
Goyder, D. J.: The status and generic position of Pachycarpus fulvus (N. E. Br.) Bullock (Asclepiadaceae) 247
Goyder, D. & Harris, D.: A new record of Neoschumannia kamerunensis (Asclepiadaceae) from the Central African Republic 733
Gramineae: A new combination in Bambusa (Gramineae-Bambusoideae), C. M. A. Stapleton & N. H. Xia 235
Gramineae: A new combination in Cephalostachyum with notes on names in Neomicrocalamus (Gramineae: Bambusoideae), C. M. A. Stapleton, D. Z. Li & J.-R. Xue 699
Gramineae: A new combination in Dendrocalamus (Gramineae-Bambusoideae), N. H. Xia & C. M. A. Stapleton 483
Gramineae: Notes on the genus Decaryochloa (Gramineae-Bambusoideae) from Madagascar, S. Dransfield 593

Gramineae

Gramineae: Phylogeny and evolution in the Crinipes group of grasses (Arundinoideae: Poaceae), H. P. Linder, G. A. Verboom & N. P. Barker 91
Gramineae: Typification of Bambusa bambos (L.) Voss (Gramineae: Bambusoideae), N. H. Xia & C. M. A. Stapleton 693
Gramineae tribe *Bacciferae* Munro 593
—— tribe *Bambuseae* 593
—— subtribe *Hickelineae* A. Camus 599
—— subtribe *Nastineae* Soderstr. & R. P. Ellis 599
Grammitidaceae: Themelium, a new genus of Grammitidaceae (Filicales), B. S. Parris 737
Grammitidaceae 737, 738
Grammitis Sw. *sensu lato* 737
—— sect. *Grammitis* 737
—— *tenuisecta* (Blume) Ching 740
Gratiola juncea Roxb. 527
—— *parviflora* Roxb. 527
—— *racemosa* Roxb. 527
—— *serrata* Roxb. 527
Green, P. S. *Reviewer*: Introduction of Chinese Plants into Europe, by L. A. Lauener & D. K. Ferguson (ed.) 762
Green, P. S.: A revision of the pinnate-leaved species of Jasminum. Studies in the genus Jasminum (Oleaceae): XV 933
Grewia aspera Roxb. 527
—— *begoniifolia* Roxb. 528
—— *didyma* Roxb. 528
—— *heteroclita* Roxb. 528
—— *obliqua* Roxb. 528
—— *oppositifolia* Buch.-Ham. ex Roxb. 528
—— *paniculata* Roxb. 528
—— *pedicellata* Roxb. 528
—— *pilosa* Roxb. 528
—— *polygama* Roxb. 528
—— *salviifolia* Roxb. 528
—— *sapida* Roxb. 528
—— *septaria* Roxb. 528
Grierson, Mary (Artist) & Green, Peter S. (Author): Hawaiian Florilegium, Botanical Portraits from Paradise (Rev.) 1016
Grislea tomentosa Roxb. 528
Guarea binectarifera Roxb. 528
Guttiferae 617, 618, 633
Gymnema sylvestre R. Br. 714
Gymnocladus 429
Gynerium P. Beauv. 91, 93, 94
Gyrophana 505

Habrochloa C. E. Hubb. 97, 98
Hagenia 883, 887
Hakonechloa Honda 91, 93, 97
—— *macra* 95
Hamiltonia pilosa Roxb. 528
—— *suaveolens* 532
Haplocoelopsis: A new genus Haplocoelopsis (Sapindaceae) from East and Central Africa, F. G. Davies 231
Haplocoelopsis F. G. Davies †231
—— *africana* F. G. Davies 231, †232, *233
Haplocoelum 231
—— sp. 7 Brenan 232
Hardinckia binata Roxb. 528
Harris, D. & Goyder, D.: A new record of Neoschumannia kamerunensis (Asclepiadaceae) from the Central African Republic 733

Harvey

Harvey, Y. B.: A new combination in the Sapotaceae from East Africa 672
Haumaniastrum: Classification and species of Platostoma and its relationship with Haumaniastrum (Labiatae), Alan Paton 257
Haumaniastrum: A revision of Haumaniastrum (Labiatae), Alan Paton 293
Haumaniastrum P. A. Duvign. & Plancke 258 – 260, 262, 270, 271, 293 – 295, 297, †298, 299, 302, 356
—— sect. *Arborescentia* A. J. Paton 295, 297, 299, †302
—— sect. *Botridiocephalum* A. J. Paton 295, 297, 299, †355, 356
—— sect. *Caudata* A. J. Paton 295, 297, 299, 340
—— sect. *Dubia* A. J. Paton 295, 297, 299, 313, †323, 340, 349
—— sect. *Haumaniastrum* A. J. Paton 295, 297, 299, 302, †313, 323, 340
—— sect. *Revoluta* A. J. Paton 295, 297, 299, 323, †349
—— *abyssinicum* (Hochst. ex Chiov.) Cufod. 373
—— *alboviride* (Hutch.) P. A. Duvign. & Plancke 295, 296, 301, 335, †339, 340
—— *bianense* A. J. Paton 295, 296, 300, †314, *315, 316, 318, 339
—— *buddleoides* (S. Moore) P. A. Duvign. & Plancke 357
—— *buettneri* (Gürke) J. K. Morton 296, 302, 323, 330, †334, 335, 346
—— *caeruleum* (Oliv.) J. K. Morton 342, *344, 345
—— —— (Oliv.) P. A. Duvign. & Plancke 265, 268, 269, 293, 296 – 298, 300, 335, 336, †340, 346, 347
—— *callianthum* (Briq.) Gilli 373
—— —— (Briq.) Harley 373
—— —— (Briq.) Gilli f. *nigrovillosum* Gilli 373
—— *chartaceum* A. J. Paton 296, 300, 314, *315, †318
—— *cordigerum* P. A. Duvign. & Plancke 296, 299, 305, †306, *307, 310
—— *coriaceum* (Robyns & Lebrun) A. J. Paton 294, 296, 300, 301, 356, 366 – 369
—— —— subsp. *attenuifolium* A. J. Paton 367, 368, †369
—— —— subsp. *coriaceum* †367, 368, 369
—— —— subsp. *mitwabense* A. J. Paton 367, 368, †369
—— *cubanquense* (R. D. Good) A. J. Paton 295, 296, 301, 327, †336
—— *cylindraceum* (Oliv.) Cufod. 373
—— *derriksianum* P. A. Duvign. 359
—— *desenfansii* P. A. Duvign. & Plancke 308, 310
—— *dilunguense* Lisowski, Malaisse & Symoens 321, 322
—— *dissitifolium* (Baker) A. J. Paton 293, 295, 296, 302, 323, †326, 327, *328, 330 – 332, 334, 346
—— *galeopsifolium* (Baker) P. A. Duvign. & Plancke 372
—— *glabrifolium* A. J. Paton 296, 302, 349, 352, †353
—— *glaucescens* (Robyns & Lebrun) P. A. Duvign. & Plancke 342
—— *goetzei* (Gürke) Gilli 337
—— *gracile* (Briq.) P. A. Duvign. & Plancke 342
—— *graminifolium* (Robyns) A. J. Paton 295, 300, 319, 320, †322
—— *homblei* (De Wild.) P. A. Duvign. & Plancke 359
—— *kaessneri* (S. Moore) P. A. Duvign. & Plancke 295, 296, 300, 314, †316, *317, 318
—— *katangense* (S. Moore) P. A. Duvign. & Plancke 293, 296, 298, 300, †346, 347 – 349

Haumaniastrum

Haumaniastrum kundulungense (De Wild.) P. A. Duvign. & Plancke 350
—— *lantanoides* (S. Moore) P. A. Duvign. & Plancke 296, 302, 336, 349, †350, *351, 352 – 355
—— *latifolium* Gilli 367
—— *lilacinum* (Oliv.) J. K. Morton 342
—— *linearifolium* (De Wild) P. A. Duvign. & Plancke 295, 296, 300, 317, 319, 320, †321, 322
—— *membranaceum* A. J. Paton 295, 301, 356, 358, †361
—— *minor* (Briq.) A. J. Paton 293, 295, 296, 301, 302, 327, †330, 331, 332
—— *monocephalum* (Baker) P. A. Duvign. & Plancke 342
—— *morumbense* (De Wild.) A. J. Paton 296, 301, 349, *351, 352, †354, 355
—— *nyassicum* Gilli 373
—— *paniculatum* (Briq.) A. J. Paton 301, 355, 356, 358, 359, *362, †363
—— *polyneurum* (S. Moore) P. A. Duvign. & Plancke 265, 268, 269, 295, 296, 300, 313, *317, †318, 319, 320
—— *prealtum* (Briq.) P. A. Duvign. & Plancke *259, 265, 268, 269, 294 – 296, 301, †356, 357, 361, 366, 369
—— —— var. *homblei* (De Wild.) A. J. Paton 301, 357, 358, †359, 366
—— —— var. *prealtum* †357, 358, 363
—— —— var. *succisifolium* (Baker) A. J. Paton 294, 357, 358, †361, *362
—— *quarrei* (Robyns & Lebrun) J. K. Morton 342
—— *robertii* (Robyns) P. A. Duvign. & Plancke 293, 296, 300, 347, 348, †349
—— *rosulatum* (De Wild.) P. A. Duvign. & Plancke 295, 296, 300, 356, †364, 365, 366
—— *rupestre* (R. E. Fr.) A. J. Paton 296, 302, †323, *324, 325, 326, 330
—— *semilignosum* (P. A. Duvign. & Plancke) P. A. Duvign. & Plancke 296, 299, †302, *304, 305
—— *sericeum* (Briq.) A. J. Paton 293, 296, 302, 324, 327, 330, †332, 334
—— *speciosum* (E. A. Bruce) A. J. Paton 296, 301, 356, 367, 368, †369, *371
—— *stanneum* A. J. Paton 295, 296, 301, 349, *351, 352, †355
—— *suberosum* (Robyns & Lebrun) P. A. Duvign. & Plancke 294, 296, 300, 302, †311, 312
—— —— subsp. *kibarense* *307, 311, 312, †313, 316
—— —— subsp. *suberosum* †311, 312, 313
—— *timpermannii* (P. A. Duvign. & Plancke) P. A. Duvign. & Plancke 296, 299, 300, 306, *307, †308, 309
—— —— subsp. *kambovianum* (P. A. Duvign.) P. A. Duvign. & Plancke 308, 310
—— —— subsp. *timpermannii* 308, 310
—— *triramosum* (N. E. Br.) A. J. Paton 295, 302, 325, †332
—— *uluguricum* Gilli 373
—— *uniflorum* A. J. Paton 295, 296, 301, 338, †339
—— *vandenbrandei* (P. A. Duvign. & Plancke) P. A. Duvign. & Plancke 296, 299, †303, *304, 305, 306
—— *venosum* (Baker) Agnew 295, 296, 301, *328, †336, 338, 339, 346
—— *villosum* (Benth.) A. J. Paton 265, 268, 269, 293, 296, 298, 301, 355, 356, 367, †370, *371, 374
—— sp. 298
Haworthia 979
Hedysarum alatum Roxb. 528

Hedysarum

Hedysarum alopecuroides 526
—— *articulatum* Roxb. 528
—— *auriculatum* 528
—— *cephalotes* Roxb. 528
—— *collinum* Roxb. 528
—— *diffusum* Roxb. 528
—— *hamosum* Roxb. ex Wight & Arn. 528
—— *lagenarium* Roxb. 528
—— *lagopodioides* 526
—— *latifolium* Roxb. ex Hornem. 528
—— *patens* Roxb. 528
—— *purpureum* Roxb. 528
—— *quinquangulatum* Roxb. 528
—— *recurvatum* Roxb. 528
—— *trinervium* 527
—— *tuberosum* Roxb. ex Willd. 528
Heinsenia K. Schum. 637 – 639
—— *diervilleoides* K. Schum. 657
—— —— subsp. *mufindiensis* (Verdc.) Verdc. 657
Hemiphylacus 996
Hemiptera Tingidae 503
Hemsleia Kudô 279, 281
—— *calcarata* (Hemsl.) Kudô 281
Hepper, F. N. & Fischer, E.: The genera Bryodes Benth. and Psammetes Hepper (Scrophulariaceae) in Madagascar and West Africa 749
Hernández, Hector M. & Macqueen, Duncan J.: A revision of Calliandra series Racemosae (Leguminosae: Mimosoideae) I
Herreriaceae 996, 997
Heteromorpha 892
Heteropolygonatum M. N. Tamura & Ogisu †950
Heteropolygonatum, a new genus of the tribe Polygonateae (Convallariaceae), Minoru N. Tamura, Mikinori Ogisu & Jie-Mei Xu 949
—— *pendulum* (Z. G. Liu & X. H. Hu) M. N. Tamura & Ogisu 950, †951, 953, 954, *955, *956
—— *roseolum* M. N. Tamura & Ogisu 950, †951, *952, 953, 954, *955, *956
Hibiscus gangeticus Roxb. ex Wight & Arn. 528
—— *moschatus* Roxb. ex Wight & Arn. 528
—— *populneoides* Roxb. 528
—— *pruriens* Roxb. 528
—— *pungens* Roxb. 528
—— *setosus* Roxb. 528
—— *simplex* Roxb. ex G. Don 528
—— *strictus* Roxb. 528
—— *tortuosus* Roxb. 528
Hickelia A. Camus 597, 599
Hippeastrum: Chromosomal relationships between the genera Amaryllis and Hippeastrum (Amaryllidaceae), P. E. Brandham & P. S. Bhandol 973
Hippeastrum 973 – 975, *976, 977 – 979
—— *aulicum* Herb. 974, 975, *976, *978
—— *cybister* Benth. & Hook. f. 974, 975, *976, *978
—— *forgetii* Worsley 974, 975, *976, 977, *978
—— *pardinum* Lem. 974, 975, *976, *978
—— *puniceum* (Lam.) Voss 974, 975, *976, *978
—— *reginae* Herb. 974, 975, *976, 977, *978, 979
Hippocratea arborea Roxb. 528
Holalafia Stapf 770
—— *jasminiflora* Hutch. & Dalz. 833
—— *multiflora* Stapf 770, 799
—— *schumannii* (Stapf) Woodson 808
Holarrhena landolphioides A. DC. 790
Hong, De-yuan: Notes on Paeonia decomposita Hand.-Mazz. 957

Hooper

Hooper, S. S. & Simpson, D. A.: A new species of Scirpodendron (Cyperaceae) with a discussion of the inflorescence in the genus 683
Hordeum 94
Hosea 503
Hou, Ding, Larsen, K., Larsen, S. S., Laferrière, J. E. & Duyfjes, B. E. E.: Flora Malesiana Series 1 — Spermatophyta Flowering Plants Volume 12, part 2 Caesalpiniaceae, Geitonoplesiaceae, Hernandiaceae, Lowiaceae. (Rev.) 759
Huernia nigeriana 712
Hugonia 115
—— *platysepala* Welw. ex Oliv. 113
Hugoniaceae 113 – 115
Humiria 115
—— *balsaminifera* J. St.-Hil. 113
Humiriaceae 113, 115
Hunt, David *Reviewer*: Handbook of Fir and Spruce Trees of the World, by S. S. Negi 250
Hyacinthaceae 130
Hyacinthella 124
—— group *Hispida* 124
—— *acutiloba* K. M. Perss. & Wendelbo 130
—— *glabrescens* (Boiss.) K. M. Perss.& Wendelbo 130
—— *heldreichii* (Boiss.) Chouard 124, 130
—— *lazulina* K. M. Perss. & J. Perss. 124, 131
—— *leucophaea* Schur. 131
Hyacinthus orientalis L. 131
Hymenanthera 115
—— *alpina* (Kirk) W. R. B. Oliv. 113
Hyparrhenia 94, 900
Hypericum 745
Hypolytrum nemorum (Vahl) Spreng. 686
—— *purpurascens* Cherm. 686
Hypserpa: A synopsis of Hypserpa Miers (Menispermaceae), L. L. Forman 981
Hypserpa Miers †981, 982, 986
—— *borneesis* (Miq.) Becc. 984
—— *cuspidata* (Hook. f. & Thomson) Miers 981, 984
—— —— var. *microphylla* (Miq.) Boerl. 984
—— *decumbens* (Benth.) Diels 982, †984
—— *funifera* Miers 986
—— *heteromera* Miers 984
—— *jagorii* Diels 984
—— *laevifolia* Diels 984
—— *latifolia* Miq. ex Diels 986
—— *laurina* (F. Muell.) Diels 982, †983
—— *mackeri* Forman †982
—— *macropoda* Diels 983
—— *monilifera* (Burkill) Diels 986
—— *nandinifolia* Yamamoto 984
—— *neocaledonica* Diels 982, †985
—— *nitida* Miers 981, 982, †983
—— *parvifolia* Kaneh. & Hatus. 983
—— *pauciflora* Miers 984
—— *polyandra* Becc. 982, †985, 986
—— —— var. *polyandra* 982, †986
—— —— var. *tomentosa* Forman 982, †986
—— *ponapensis* Kaneh. 981, 986
—— *praevaricata* Miers 984
—— *propensa* Miers 984
—— *raapii* Diels 986
—— *reticulata* Forman 984
—— *selebica* Becc. 985
—— *seluynii* F. Muell. 983
—— *smilacifolia* Diels 982, †984

Hypserpa

Hypserpa triflora (DC.) Miers 986
—— *trukensis* Hosok. 981, 986, 987
—— *uniflora* Miers 984
—— *viellardii* Diels †982, 983

Icacinaceae 213
Idertia Farron 116
Impatiens: Three new species of Impatiens (Balsaminaceae) added to Flora Malesiana, T. Shimizu & N. Utami 435
Impatiens 437, 441
—— *boni* Hook. f. 439
—— *dempoana* Hook. f. 439
—— *elephanticeps* Grey-Wilson 439, 441
—— *inopinata* Craib 435, 437
—— *laumonieri* T. Shimizu †435, *436
—— *mirabilis* Hook. f. 437
—— *ridleyi* Hook. f. 439
—— *sarawakensis* T. Shimizu †437, *438
—— *tujuhensis* Utami & T. Shimizu †439, *440, 441
—— *verrucifer* Hook. f. 437, 439
—— *winkleri* Hook. f. 437
India: Acrachne sundarajii — a new grass from coastal Tamil Nadu, India, P. Umamaheswari, S. A. Muthukumar & P. Daniel 1007
India: A new species of Willisia (Podostemaceae) from the Silent Valley, India, G. R. Shivamurthy & K. B. Sadanand 243
Indigastrum Jaub. & Spach. 841, 843, 844, 851, *861, 863, 865, †866, 874, 876, 878
—— *argyraeum* (Eckl. & Zeyh.) Schrire 866
—— *argyroides* (E. Mey.) Schrire 866
—— *burkeanum* (Benth. ex Harv.) Schrire 866
—— *costatum* (Guill. & Perr.) Schrire 847, *861, 866
—— —— subsp. *macrum* (E. Mey.) Schrire 878
—— *fastigiatum* (E. Mey.) Schrire 866
—— *parviflorum* (B. Heyne ex Wight & Arn.) Schrire 866
Indigofera: Notes relating to the genus Indigofera (Leguminosae-Papilionoideae) for Flora Zambesiaca: 1. Section Psiloceratiae (J. B. Gillett) Schrire, Brian D. Schrire 153
Indigofera L. 153, 156, 841 – 844, 848 – 853, 857, *861, *862, *863, *864, 865, †866, 868, 870, 871, 874, 875, 877
—— sect. *Alternifoliae* Harv. 843, †873, 875
—— sect. —— subsect. *Alternifoliae* 873, 875
—— sect. —— subsect. *Conjugatae* (Baker) Schrire †873, 875
—— sect. *Amecarpus* (Benth. ex Harv.) Baker 843, †874, 875
—— sect. —— subsect. *Amecarpus* 874, 875
—— sect. —— subsect. *Demissae* (J. B. Gillett) Schrire 843, †874, 875
—— sect. *Brachycarpae* Wight & Arn. 843, 867, †873, 875
—— sect. *Brachypodae* DC. 843, †866, 875
—— sect. *Digitatae* DC. 843, †867, 875
—— sect. *Dissiliflorae* Wight & Arn. 843, †871, 875
—— sect. *Echinatae* Wight & Arn. 843, †872, 875
—— sect. *Geanthae* 843
—— sect. *Hirsutae* Rydb. 843, †869, 875
—— sect. *Indigofera* 153 – 155, 843, 868, 869, 875
—— sect. —— subsect. *Tinctoria* 154
—— sect. *Latestipulatae* (Baker f.) J. B. Gillett 843, †872, 875
—— sect. *Laxiflorae* 843

Indigofera

Indigofera sect. *Microcarpae* Rydb. 843, †873, 875
—— sect. *Monanthae* Wight & Arn. 153, 154, 843, †871, 875
—— sect. —— subsect. *Monanthae* †871, 875
—— sect. —— subsect. *Trichopodae* (Baker) J. B. Gillett †843, 872, 875
—— sect. *Olygophyllae* DC. 843, 866, 875
—— sect. *Paniculatae* (Baker) J. B. Gillett 843, †872, 875
—— sect. *Pinnatae* (E. Mey.) Harv. 843, †868, 869, 875
—— sect. *Planisiliquae* Wight & Arn. 153, 154, 843, †870, 875
—— sect. *Productae* Harv. 843, †867, 875
—— sect. *Psiloceratiae* (J. B. Gillett) Schrire 153 – 155, 843, †868, 875
—— sect. —— subsect. *Psiloceratiae* J. B. Gillett †153, 154, 155
—— sect. *Simplicifoliae* DC. 843, †870, 871, 875
—— sect. —— subsect. *Brevipatentes* J. B. Gillett †870, 875
—— sect. *Simplicifoliae* subsect. *Simplicifoliae* †870, 875
—— sect. —— subsect. *Spinosae* (Baker) J. B. Gillett †870, 875
—— sect. *Stenophyllae* (Baker) Schrire 843, †869, 875
—— sect. *Terminales* (Baker f.) Schrire 843, †872, 875
—— sect. *Tetragonocarpae* Wight & Arn. 843, †873, 875
—— sect. *Viscosae* Rydb. 843, †871, 875
—— sect. —— subsect. *Atratae* J. B. Gillett †871, 875
—— sect. —— subsect. *Viscosae* †871, 875
—— sect. —— group *hilaris* †871
—— group *A* 853, *854, *858, 866 – 870, 872 – 875, 877, 878
—— group *alopecuroides* 843
—— group *B* 853, *855, *859, 866, 867, 869, 870, 872 – 875, 877, 878
—— group *C* 853, *856, *860, 867, 869 – 875, 877, 878
—— group *dendroides* 843, †869, 875
—— group *disticha* †867, 875
—— group *foliosa* †869, 875
—— group *hilaris* 875
—— group *hispida* 843, †867, 875
—— group *setiflora* 843, †870, 875
—— *achyranthoides* Taub. 845, *859, 872, 877
—— *ambelacensis* Schweinf. 847, *860, 871, 877
—— *anabibensis* A. Schreib. 845, *858, 873, 877
—— *angustifolia* L. 845, 867, 869, 877
—— *annua* 865
—— *antunesiana* Harms 873
—— *articulata* Gouan 868
—— *astragalina* DC. 845, *858, 869, 870, 877
—— *atriceps* Hook. f. 847, 871
—— —— subsp. *setossisima* Hook. f. 877
—— *atropurpurea* Buch.-Ham. ex Roxb. 528
—— *bainesii* Baker 847, 870, 877
—— *basiflora* J. B. Gillett 847, 870, 877
—— *baumiana* Harms 153, †155
—— —— var. *paurijuga* R. E. Fr. 159
—— *biglandulosa* J. B. Gillett 871
—— *bongensis* Kotschy & Peyr. 845, *859, 872, 877
—— *boranica* Thulin 845, *858, *864, 873, 877
—— *brachystachya* (DC.) E. Mey. 845, 867, 877
—— *caerulea* Roxb. 528
—— *capillaris* Thunb. 845, *854, 867, 877

Indigofera

Indigofera charlieriana Schinz 846, 874, 877
—— *circinnata* Benth. ex Harv. 874
—— *colutea* (Burm. f.) Merr. 847, 871, 877
—— *congesta* Welw. ex Baker 846, *860, 872, 877
—— *conjugata* Baker 845, *859, 873, 874, 877
—— *cordifolia* B. Heyne ex Roth 845, 869, 873
—— *cylindrica* DC. 156
—— *demissa* Taub. 847, 874, 877
—— *dendroides* Jacq. 846, 869, 877
—— *denudata* L. f. 845, *862, *863, *864, 866, 867, 877
—— *depressa* Harv. 846, 867, 877
—— *dimidiata* Vogel 154
—— *disticha* Eckl. & Zeyh. 846, *856, 867, 877
—— *drepanocarpa* Taub. 872
—— *eremophila* Thulin 846, 871, 877
—— *flaccida* Roxb. 528
—— *flavicans* Baker 845, 873, 874, 877
—— *foliosa* E. Mey. 846, 869, 877
—— *frutescens* L. f. 866
—— *fulgens* Baker 153, 155, †156, 868
—— —— subsp. *brachybotrys* (Baker) J. B. Gillett 156
—— —— subsp. *fulgens* †156
—— *fulvopilosa* Brenan 846, 871, 877
—— *fuscosetosa* Baker 846, 871, 877
—— *goetzii* Harms 850, *861, 868, 877
—— *griseoides* Harms 846, 870, 877
—— *hamulosa* Schltr. 867
—— *hedyantha* Eckl. & Zeyh. 850, *861, 868, 877
—— *heterophylla* Thunb. 867
—— *heterotricha* DC. 846, 871, 877
—— *heudelotii* Benth. ex Baker 846, *860, 871, 877
—— *hilaris* Eckl. & Zeyh. 847, *860, 871, 877
—— *hochstetteri* Baker 846, 874, 877
—— *homblei* Baker f. & Martin 154, 868
—— *incana* Thunb. 845, *854, *858, 867, 877
—— *inhambanensis* Klotzsch 847, 872, 877
—— *ischnoclada* Harms 872
—— *kelleri* Baker f. 846, 873, 877
—— *kirkii* Oliv. 846, *856, 871, 877
—— *lasiantha* Desv. 846, 874, 877
—— *laxiracemosa* Baker f. 845, *859, 870, 874, 877
—— *leucoclada* Baker 845, *859, *864, 874, 877
—— *linifolia* (L. f.) Retz. 846, 873, 877
—— *linnaei* Ali 873
—— *lobata* 865
—— *longibarbata* Engl. 846, *860, 869, 877
—— *longiflora* Taub. 156
—— *lupatana* Baker f. 845, *855, 873, 877
—— *lyallii* Baker 153, 155, †156, 157, 159
—— —— subsp. *lyallii* †157
—— —— subsp. *nyassica* J. B. Gillett †157
—— *macrantha* Harms 154, 156
—— *macrocalyx* Guill. & Perr. 847, 872, 877
—— *malongensis* Cronquist 153, 155, †156
—— *merxmuelleri* Schreiber 867
—— *micrantha* E. Mey. 868
—— *microcalyx* Baker 847, 870, 877
—— *microcarpa* Desv. 845, 873, 877
—— *monantha* Baker f. 846, *856, *864, 872, 877
—— *nairobiensis* Baker f. 847, 871, 877
—— *nambalensis* Harms 154
—— *natalensis* Bolus 868
—— *nummulariifolia* (L.) Livera ex Alston 845, *854, *858, 872, 877
—— *obermeijerae* Bremek. 157
—— *paniculata* Vahl ex Pers. 846, 872, 877

Indigofera

Indigofera podocarpa Baker f. & Martin 868
—— *podophylla* Benth. ex Harv. 846, 870, 877
—— *polysphaera* Baker 872
—— *prieureana* Guill. & Perr. 846, *855, 869, 877
—— *pungens* E. Mey. 867
—— *rhynchocarpa* Welw. ex Baker 154, 845, *857, *864, 868
—— —— var. *rhynchocarpa* 878
—— *roseo-caerulea* Baker f. 153, 154, 155, †156
—— *rostrata* Bolus 845, 865, 868, 869, 878
—— *rumphiensis* Schrire 153, 155, †157, *158, 159
—— *sanguinea* N. E. Br. 845, *858, 870, 877
—— *schimperi* Jaub. & Spach 846, 873
—— —— var. *schimperi* 878
—— *secundiflora* Poir. 871
—— *setiflora* Baker 846, *860, 870, 877
—— *simplicifolia* Lam. 847, 870, 877
—— *sisalis* J. B. Gillett 874
—— *sokotrana* Vierh. 845, 868, 877
—— *spinosa* Forssk. 847, *862, *863, 870, 877
—— *stenophylla* Guill. & Perr. 845, 869, 878
—— *strobilifera* (Hochst.) Hochst. ex Baker 846, 856, 872, 878
—— *subargentea* De Wild. 871
—— *subulifera* Welw. ex Baker 847, 871, 877
—— *sulcata* DC. 867
—— *sutherlandioides* Welw. ex Baker 153, 155, 157, †159, 845, *854, 868, 877
—— *taylori* J. B. Gillett 846, *856, 871, 877
—— *terminalis* Baker 846, 872, 877
—— *thomsonii* Baker f. 845, 874, 877
—— *tinctoria* L. 845, *855, 868, 874, 877
—— *trachyphylla* Oliv. 847, 871, 877
—— *trichopoda* Lepr. ex Guill. & Perr. 847, 872, 877
—— *trigonelloides* Jaub. & Spach 845, *854, 867, 873, 877
—— *trita* L. f. 873
—— —— subsp. *subulata* L. f. 846
—— —— subsp. —— var. *subulata* 878
—— *uniflora* Buch.-Ham. ex Roxb. 528
—— *varia* E. Mey. 845, 870, 877
—— *volkensii* Taub. 846, *859, 873, 877
—— *williamsonii* (Harv.) N. E. Br. 870
—— *wituensis* Baker f. 846, 870, 877
—— *zanzibarica* J. B. Gillett 845, *855, 872, 877
—— *zeyheri* Spreng. ex Eckl. & Zeyh. 846, 869, 877
Indigofereae: A re-evaluation of pollen morphology and taxonomy in the tribe Indigofereae (Leguminosae-Papilionoideae), B. D. Schrire & J. R. Sims 841
Indigofereae 841 – 843, 851, 862, 863, 874
Indosinia J. E. Vidal 116
Indovethia Boerl. 116
Inga 40
—— *anomala* Kunth 21
—— —— var. *pedicellata* DC. 21
—— *elegans* M. Martens & Galeotti 23
—— *sericea* M. Martens & Galeotti 23
Intsia 429
Ipheion 124
—— *uniflorum* (Graham) Raf. 124, 128
—— —— "Wisley Blue" 128
—— —— "Froyle Mill" 128
—— —— var. *violaceum* 128
Ipomoea L. 162, 164, 165, 167
—— sect. *Mina* (Cerv.) Griseb. 162, 164, 165
—— sect. *Pharbitis* 165

Ipomoea

Ipomoea aquatica 164
—— *batatoides* Choisy 164
—— *bona-nox* 529
—— *hederifolia* 163
—— *jucunda* 165
—— *phoenicea* Roxb. 528
—— *purpurea* (L.) Roth 164
—— *reticulata* O'Donell 164
—— *violacea* *163
Ireland, Helen, Du Puy, David J. & Labat, Jean-Noël: Two species of Crotalaria (Leguminosae: Papilionoideae) from Central Madagascar 443
Iridaceae 137
Iris 121, 124
—— group *Reticulata* 124
—— *afghanica* Wendelbo 137
—— *bakeriana* Foster 137
—— *danfordiae* (Baker) Boiss. 137
—— *histrio* Rchb. f. 137
—— —— var. *aitabensis* G. P. Baker 137
—— *histrioides* Fost. ex Hayek 138
—— *hyrcana* Woronow ex Grossh. 138
—— *pamphylica* Hedge 138
—— *reticulata* M. Bieb. 138
—— —— "Cantab" 138
—— —— "Clairette" 138
—— —— "Edward" 138
—— —— "George" 138
—— —— "Gordon" 138
—— —— "Harmony" 138
—— —— "Hercules" 138
—— —— "Ida" 138
—— —— "J. S. Didjt" 138
—— —— "Jeannine" 138
—— —— "Joyce" 139
—— —— "Natascha" 138
—— —— "Purple Gem" 138
—— —— "Royal Blue" 138
—— —— "Sheila Ann Germaney" 138
—— —— "Springtime" 138
—— —— "Violet Beauty" 138
—— *vartanii* Foster 138
Iseia O'Donell 162, 164
Isochoriste javanica Miq. 966
Itea umbellata Roxb. 528
Itzaea Standl. & Steyerm. 162, 164
Ixonanthaceae 113, 115
Ixora arborea Roxb. ex Sm. 528
—— *barbata* Roxb. 528
—— *pavetta* Roxb. 528
—— *stricta* Roxb. 528
—— —— var. *rosea* 528
—— *undulata* Roxb. 528

Jalas, Jaakko, Suominen, Juho & Lampinen, Raino (Eds.): Atlas florae Europaeae. Distribution of Vascular Plants in Europe 11. Cruciferae (Ricotia to Raphanus) (Notice) 766
Jacqueshuberia 429, 431, 432
Jasminum: A revision of the pinnate-leaved species of Jasminum. Studies in the genus Jasminum (Oleaceae): XV, P. S. Green 933
Jasminum 933, 934
—— sect. *Alternifolia* DC. 933, 939
—— sect. *Jasminum* †938, 946
—— sect. *Pinnatifolia* DC. 933, 934, 938, 939
—— sect. *Trifoliolata* DC. 933, 939

Jasminum

Jasminum sect. *Unifoliolata* DC. 933, 946
—— *affine* Royle ex Lindl. 939
—— *arborescens* Roxb. 528
—— *aureum* D. Don 942
—— *beesianum* Forrest & Diels 933, 934, 939, 942, †945
—— —— var. *ulotrichum* Hand.-Mazz. 946
—— *bignoniaceum* Wall. ex G. Don 939
—— *blinii* H. Lév. 945
—— *catalonicum* Hort. ex DC. 942
—— *coarctatum* Roxb. 528
—— *delafieldii* H. Lév. 945
—— *delavayi* Franch. ex Diels 945
—— *dispermum* Wall. 933, †934
—— —— subsp. *dispermum* 933, 934, †935
—— —— subsp. *forrestianum* (Kobuski) P. S. Green 933, 934, †936
—— *duclouxii* (H. Lév.) Rehder 935
—— *dumicola* W. W. Sm. 935
—— *elegans* Knobl. 937
—— *excellens* King & Prain ex Prain 944
—— *floribundum* R. Br. ex Fresen. 943
—— —— var. *decipiens* (Di Capua) Fiori 943
—— —— var. *steudneri* (Schweinf. ex Baker) Gilg & Schellenb. 943
—— —— f. *decipiens* Di Capua 943
—— *forrestianum* Kobuski 936
—— *grandiflorum* L. 934, 941, †942
—— —— *sensu* Radcl.-Sm. 944
—— —— subsp. *floribundum* (R. Br. ex Fresen.) P. S. Green 934, †943
—— —— subsp. *grandiflorum* 934, 942
—— —— var. *floribundum* (R. Br. ex Fresen.) Al-Zhoget 944
—— —— var. *plenum* Voigt 943
—— *hispanicum* Hort. ex DC. 942
—— *kitchingii* Baker 934, 936
—— —— var. *leucocarpum* H. Perrier 936
—— *latifolium* 935
—— *lupinifolium* Gilg & Schellenb. 937
—— *mossamedense* Hiern 939
—— *nervosum* Lour. 939
—— *nummulariifolium* Baker 937
—— *officinale* L. 933, 934, 938, †939, 941, 942, 946
—— —— *sensu* Blatt 943
—— —— "*Argenteo-Variegatum*" 941
—— —— "*Aureum*" 941
—— —— "*Fiona Sunrise*" 941
—— —— "*Grandiflorum*" 941
—— —— "*Inverleith*" 941
—— —— var. *acutum* Stokes 939
—— —— var. *affine* (Royle ex Lindl.) Rehder 939
—— —— var. *argenteo-variegatum* Weston 941
—— —— var. *aureum* Bean 941
—— —— var. *bosphoricum* K. Koch 939, 941
—— —— var. *grandiflorum* (L.) Stokes 942
—— —— var. *piliferum* P. Y. Bai 940, 941
—— —— var. *pumilum* Stokes 939
—— —— var. *ternifolium* Stokes 939
—— —— var. *tibeticum* C. Y. Wu 940, 941
—— —— f. *argenteo-variegatum* (Weston) Rehder 941
—— —— f. *aureo-variegata* (Weston) Rehder 941
—— —— f. *aureo-variegatum* Weston 941
—— —— f. *grandiflorum* (L.) Kobuski 943
—— *polyanthum* Franch. 934, †944, 945
—— *quinatum* 934, †937, 938
—— *quinquinerve* Lamb. ex D. Don 935

Jasminum

Jasminum scalarinerve Kobuski 933, 936
—— *simonsii* Sinha, Maiti & Giri 933, 936
—— × *stephanense* Lemoine 934, †941, 946
—— *steudneri* Schweinf. ex Baker 943
—— *tortuosum sensu* Harv. 937
—— —— Willd. 938
—— *valbrayi* H. Lév. 946
—— *viminale* Salisb. 939
—— *violescens* Lingelsh. 946
—— *vulgatius* Lam. 939
—— *wardii* Adamson 945
—— *xizangense* B. M. Miao 942
Jatropha 177, 178, 183, 188
—— subgen. *Curcas* (Adans.) Pax 178
—— subgen. *Manihotoïdes* Radcl.-Sm. †178
—— *afrotuberosa* Radcl.-Sm. & Govaerts †188
—— *curcas* 177
—— *dioica* Sessé 178
—— *glandulifera* Roxb. 529
—— *gossypiifolia* 177
—— *integerrima* 177
—— *mahafalensis* Jum. & H. Perrier 177, †178, *179
—— *multifida* 177
—— *paraguayensis* Radcl.-Sm. & Govaerts †189
—— *podagrica* 177
—— *ricinifolia* Fenzl ex Baill. 189
—— —— Pax 189
—— *spathulata* (Ortega) Müll. Arg. 178
—— *tuberosa* Elliot 188
—— —— Pax 188
Jeffrey, C.: What is Emilia coccinea (Sims) G. Don (Compositae)? A revision of the large-headed Emilia species of Africa 205
Johnia coromandeliana Roxb. 529
—— *salacioides* Roxb. 529
Johnson, Margaret A. T. & Brandham, P. E.: New chromosome numbers in petaloid monocots and in other miscellaneous angiosperms 121
Johnsonieae 996
Johri, B. M. (Ed.): Botany in India: History and Progress (Rev.) 507
Joinvillea Gaudich. 93, 94
Jonesia asoca Roxb. 529
Julocroton Mart. 184
—— *agrestis* Pax & K. Hoffm. 184
—— *cooperianus* Croizat 184
—— *crassirameus* Croizat 185
—— *gardneri* Müll. Arg. 184
—— *glazioui* Croizat 185
—— *herzogianus* Pax & K. Hoffm. 184
—— *holodiscus* Croizat 185
—— *humilis* var. *robustior* L. B. Sm. & Downs 185
—— *integer* Chodat 185
—— *lepidus* S. Moore 185
—— *lithrifolius* Croizat 185
—— *malvoides* Croizat 185
—— *nigricans* Mart. ex Schltdl. 185
—— *phagedaenicus* Mart. 184
—— *pyrosoma* Croizat 185
—— *thellungianus* Herter ex Arechav. 185
—— *triphilus* Pax & K. Hoffm. 186
—— *villosissimus* Chodat & Hassl. 186
—— *viridulus* Croizat 186
—— *vulpinus* Croizat 184
Juniperus 883, 892
Jussieua exaltata Roxb. ex Hornem. 529
Justicia L. 535, 544

Justicia

Justicia gangetica L. 969
—— *latebrosa* J. König ex Roxb. 529
—— *montana* Roxb. 529
—— *orixensis* J. König ex Roxb. 529
—— *polysperma* Roxb. 529
—— *speciosa* Roxb. 529
—— *strobilifera* Lam. 380, 398
—— *thyrsiflora* Roxb. 529
—— *tomentosa* Roxb. 529

Karroochloa 94
Kiew, R. & Vollesen, K.: Asystasia (Acanthaceae) in Malaysia 965
Knight, Dennis (H.): Mountains and Plains: the ecology of the Wyoming Landscapes (Notice) 509
Kollman, Ludowick & Toscano de Brito, A. L. V.: Zygostates leptosepala a new species of subtribe Ornithocephalinae (Orchidaceae) from Brazil 249
Krukoviella A. C. Sm. 116
Kydia calycina Roxb. 529

la Croix, I. & Cribb, P. J.: Two new orchids from the Flora Zambesiaca area 1001
la Croix, I. & Cribb, P.: A synopsis of the genus Cribbia Senghas (Orchidaceae) with two new species from São Tomé 743
Labat, Jean-Noël, Du Puy, David J. & Ireland, Helen: Two species of Crotalaria (Leguminosae: Papilionoideae) from Central Madagascar 443
Labiatae: Classification and species of Platostoma and its relationship with Haumaniastrum (Labiatae), Alan Paton 257
Labiatae: The genus Archboldia E. Beer & H. J. Lam is put into the synonymy of Clerodendrum L. (Labiatae), R. P. J. de Kok & S. Atkins 503
Labiatae: A revision of Haumaniastrum (Labiatae), Alan Paton 293
Labiatae 270, 503
—— subfam. *Chloanthoideae* tribe *Physopsideae* 503
—— subfam. *Viticoideae* tribe *Clerodendreae* 503
—— tribe *Elsholtzieae* 260
—— tribe *Ocimeae* subtribe *Ociminae* 271
—— tribe —— subtribe —— group *Acrocephalus* 258
—— tribe —— subtribe —— group *Ocimum* 248
—— tribe —— subtribe —— group *Orthosiphon* 258
—— tribe —— subtribe —— group *Platostoma* 258, *259
Lachenalia 121, 123, 124
—— *alba* W. F. Barker, ined. 131
—— *aloides* (L. f.) Engl. 131
—— —— var. *aurea* (Lindl.) Engl. 131
—— —— var. *quadricolor* (Jacq.) Engl. 131
—— *ameliae* W. F. Barker 131
—— *anguinea* Sweet 131
—— *arbuthnotiae* W. F. Barker 131
—— *bachmannii* Baker 131
—— *bulbifera* (Cirillo) Engl. 131
—— —— × *viridiflora* 131
—— *capensis* W. F. Barker 131
—— *carnosa* Baker 131
—— *comptonii* W. F. Barker 131
—— *congesta* W. F. Barker 131
—— *contaminata* Aiton 131, 132
—— *convallarioides* Baker 132
—— —— var. *robusta* Baker 132
—— *elegans* W. F. Barker 132

Lachenalia

Lachenalia elegans var. *flava* W. F. Barker 132
—— —— var. *suaveolens* W. F. Barker 132
—— *istulosa* Baker 132
—— *haarlemensis* Fourc. 132
—— *hirta* Thunb. 132
—— *isopetala* Jacq. 132
—— *juncifolia* Baker 132
—— *kliprandensis* W. F. Barker 132
—— *latifolia* Tratt. 132
—— *liliflora* Jacq. 132
—— sp. aff. *marginata* W. F. Barker 132
—— *mathewsii* W. F. Barker 132
—— *mediana* Jacq. var. *mediana* 132
—— *muirii* W. F. Barker 132
—— *mutabilis* Sweet 124, 132
—— *namaquensis* Schlt. ex W. F. Barker 132
—— *obscura* W.F. Barker ined. 132
—— *orchioides* (L.) Aiton 132
—— —— var. *glaucina* (Jacq.) W. F. Barker 132
—— —— var. *orchioides* (L.) Aiton 132
—— *orthopetala* Jacq. 132
—— *pallida* Aiton 133
—— *patula* Jacq. 133
—— *peersii* Marloth ex W. F. Barker 133
—— *purpureo-caerulea* Jacq. 133
—— *pusilla* Jacq. 133
—— *pustulata* Jacq. 133
—— *reflexa* Thunb. 133
—— *rosea* Andrews 133
—— *splendida* Diels 133
—— *stayneri* W. F. Barker 133
—— *trichophylla* Baker 133
—— *ubifolia* Jacq. 133
—— *undulata* Masson ex Baker 133
—— *unicolor* Jacq. 133
—— —— var. *fragrans* Jacq. 133
—— *uniflora* var. *schlecteri* (Baker) W. F. Barker 133
—— sp. aff. *unifolia* Jacq. 133
—— —— var. *unifolia* 133
—— *violacea* Jacq. 133
—— —— var. *violacea* 133
—— *viridiflora* W. F. Barker 133
—— *zebrina* W. F. Barker 133
—— *zeyheri* Baker 133
—— sp. 133
—— sp. nov. 133
Lactoridaceae 118
Lactoris fernandeziana Phil. 118
Lacunaria 115, 117
—— *jenmanii* Ducke 113
Lagerstroemia grandiflora Roxb. 529
—— *parviflora* Roxb. 529
Lantana indica Roxb. 529
Lassia scandens Baill. 480
Lauener, L. A. & Ferguson, D. K. (ed.): Introduction of Chinese Plants into Europe (Rev.) 762
Laurembergia Baill. 480
Laurus dulcis Roxb. 529
—— *multiflora* Roxb. 529
Lautembergia 480
—— *ankafinensis* (Baill.) Pax & K. Hoffm. 480
Lecaniodiscus 234
Lecostemon sensu Benth. 923
Lecythidaceae 118
Leea staphylea Roxb. 529
Leeuwenberg, A. J. M.: Series of revisions of Apocynaceae XLIII. Alafia Thouars 769

Leguminosae

Leguminosae: A morphological and biogeographic study of the Acosmium dasycarpum complex (Leguminosae: Papilionoideae: Sophoreae), S. G. M. Bridgewater & C. H. Stirton 471
Leguminosae: A new species of Ophrestia H. M. L. Forbes (Leguminosae: Phaseoleae) from Zambia, B. Verdcourt 495
Leguminosae: A new subspecies of Vigna unguiculata (Leguminosae: Papilionoideae), R. S. Pasquet 840
Leguminosae: Notes relating to the genus Indigofera (Leguminosae: Papilionoideae) for Flora Zambesiaca: 1. Section Psiloceratiae (J. B. Gillett) Schrire, Brian D. Schrire 153
Leguminosae: Oryxis, a new genus in tribe Phaseoleae (Leguminosae: Papilionoideae) from Brazil, A. Delgado Salinas & G. P. Lewis 221
Leguminosae: The pollen of Delonix (Leguminosae: Caesalpinioideae: Caesalpinieae), H. Banks 417
Leguminosae: A re-evaluation of pollen morphology and taxonomy in the tribe Indigofereae (Leguminosae: Papilionoideae), B. D. Schrire & J. R. Sims 841
Leguminosae: A revision of Calliandra series Racemosae (Leguminosae: Mimosoideae), Duncan J. Macqueen & Hector M. Hernández 1
Leguminosae: The transfer of Dolichos junodii to Nesphostylis (Leguminosae), M. P. Munyenyembe & F. A. Bisby 689
Leguminosae: Two species of Crotalaria (Leguminosae: Papilionoideae) from Central Madagascar, David J. Du Puy, Jean-Noël Labat & Helen Ireland 443
Leguminosae 138, 841
—— subfam. *Caesalpinioideae* 417, 432
—— subfam. —— tribe *Caesalpinieae* 429
—— subfam. —— tribe —— group *Caesalpinia* 417, 429
—— subfam. —— tribe —— group *Dimorphandra* 429
—— subfam. —— tribe —— group *Peltophorum* 417, 429
—— subfam. —— tribe *Detarieae* 429
—— subfam. *Mimosoideae* 6, 12, 13
—— subfam. *Papilionoideae* 841
—— subfam. —— tribe *Phaseoleae* subtribe *Phaseolinae* 221
—— subfam. —— tribe *Sophoreae* 471, 863
—— tribe *Acacieae* 12, 13
—— tribe *Ingeae* 10, 12 – 14
—— tribe *Millettieae* 863
—— tribe *Mimoseae* 12, 13
Lellingeria 737
Lemuropisum 417, 429, 432
—— *edule* H. Perrier 420, *421, 422, 427, 429 – 432
Leonia 115
—— *glycycarpa* Ruiz & Pav. 113
Leopoldia 125
—— *caucasica* (Griseb.) Losinsk. 133, 134
—— *comosa* Parl. 134
—— *tenuiflora* (Tausch) Heldr. 134
Lepidagathis 553
Lepisanthes Blume 231
Leptagrostis C. E. Hubb. 92, 97 – 100
—— *schimperiana* 95, *106
Leptolobium dasycarpum Vogel 472
—— —— f. *a* Tul. 472
—— —— f. *β* Tul. 472

Leptolobium

Leptolobium elegans Vogel 475
—— —— var. *parviflora* Vogel ex Mohlenbr. 475
—— *glabrifolium* Tul. 472, 475
—— *lanceolatum* Tul. 472
—— *tortum* Mart. 472
—— *tortuosum* Mart. ex Benth. 472
Leptorrhachis hastata Klotzsch 480
Lespedeza sp. 961
Lettsomia bona-nox Roxb. 529
Leucaena leucocephala 10
Lewis, G. P. & Delgado Salinas, A.: Oryxis, a new genus in tribe Phaseoleae (Leguminosae: Papilionoideae) from Brazil 221
Lewis, G. P. *Reviewer.* Flora Malesiana Series 1 — Spermatophyta Flowering Plants Volume 12, part 2 Caesalpiniaceae, Geitonoplesiaceae, Hernandiaceae, Lowiaceae., by Ding Hou, K. Larsen, S. S. Larsen, J. E. Laferrière & B. E. E. Duyfjes 759
Li, D. Z., Stapleton, C. M. A. & Xue, J.-R.: A new combination in Cephalostachyum with notes on names in Neomicrocalamus (Gramineae: Bambusoideae) 699
Liede, Sigrid & Meve, Ulrich: New species of Sarcostemma (Asclepiadaceae) from northern Madagascar 491
Ligusticum ajowan Roxb. ex Fleming 529
—— *diffusum* Roxb. 529
Liliaceae 121, 138, 949
—— subfam. *Luzuriagoideae* 997
Liliales 997
Lilianae 118, 995
Limacia borneensis Miq. 984
—— *cuspidata* Hook. f. & Thomson 984
—— *microphylla* Miq. 984
—— *monilifera* Burkill 985
—— *selwynii* F. M. Bailey 983
Limniboza R. E. Fr. 258, 262, 263, 270, 272, 286
—— *coerulea* R. E. Fr. 265, 268, 269, 272, 286
—— *dilungensis* Lisowski & Mielcarek 265, 268, 269, 286
—— *lisowskianum* Bamps 286
Limonia pentagyna Roxb. 529
Limoniaceae 927
Limoniastrum 928
—— *monopetalum* (L.) Boiss. 926
Limonium caesium (Lag.) Kuntze 926, 928
—— *dendroides* Svent. 926, 928
—— *rigualii* M. B. Crespo & Erben 926, 928
—— *spectabile* (Svent.) G. Kunkel & Sunding 926, 928
Linaceae 113 – 115
Linder, H. P., Verboom, G. A. & Barker, N. P.: Phylogeny and evolution in the Crinipes group of grasses (Arundinoideae: Poaceae) 91
Lindernia 749
—— *nummulariifolia* (D. Don) Wettst. 749
Lingelsheimia Pax 171, 172
—— *abbayesii* (Leandri) Radcl.-Sm. 172
—— *ambigua* (Leandri) Radcl.-Sm. †172
—— *fiherenensis* (Leandri) Radcl.-Sm. †172
—— *frutescens* Pax 172
—— *manongarivensis* (Leandri) G. L. Webster 172
—— *sylvestris* (Radcl.-Sm.) Radcl.-Sm. †172
Linum 115
—— *perenne* L. 113
—— *trigynum* Roxb. 529
Lippia oligophylla Baker 370
Litchi verticillata 532

Lithocarpus

Lithocarpus cleistocarpus (Seem.) Rehder & E. H. Wilson 950
Lledo, M. Dolores, Fay, Michael F., Cameron, Kenneth M., Prance, Ghillean T. & Chase, Mark W.: Familial relationships of Rhabdodendron (Rhabdodendraceae): plastid rbcL sequences indicate a Caryophyllid placement 923
Lobelia 505
Lock, J. M. *Reviewer.* Végétation et Flore Parc Transfrontalier Niokolo Badiar, by Amadou Tidiane Bâ, Bienvenu Sambou, Finn Ervik, Assane Goudiaby, Ciré Camara & Daouda Diallo 1015
Lock, J. M. & Poulsen, A. D.: New species and new records of Zingiberaceae and Costaceae from Tropical East Africa 601
Lonchocarpus 575
Lonicera 456
Lophira Banks ex Gaertn. f. 116
Lophiraceae Endl. 116 – 118
Lophostachys 553
Loranthus bicolor Roxb. 529
—— *ferrugineus* Roxb. 529
—— *globosus* Roxb. 529
Loudetia simplex 745
Luer, Carlyle A.: Icones Pleurothallidinarum XIV. Systematics of Draconanthes, Lepanthes subgenus Marsipanthes and subgenus Lepanthes of Ecuador. (Rev.) 1017
Luffa echinata Roxb. 529
Lupinus 40
Luxemburgia A. St.-Hil. 112, 114 – 116
—— *ciliosa* (Mart.) Tiegh. 113
Luxemburgiaceae Tiegh. 116 – 118
Luzuriagaceae 997

Macaranga ankafinensis Baill. 480
—— *cordifolia* (Roxb.) Müll. Arg. 480
—— *moluccana* Radcl.-Sm. & Govaerts †480
Mackinder, B. & Glazier, D.: Nomenclatural notes on South American Mimosa 459
Macqueen, Duncan J. & Hernández, Hector M.: A revision of Calliandra series Racemosae (Leguminosae: Mimosoideae) 1
Macrocnemum strictum Roxb. ex Roem. & Schult. 529
Macropetalum 712
—— *burchellii* 712
Macrophoma saginae (Rostr.) N. F. Buchw. †456
Madagascar: The genera Bryodes Benth. and Psammetes Hepper (Scrophulariaceae) in Madagascar and West Africa, E. Fischer & F. N. Hepper 749
Madagascar: New species of Sarcostemma (Asclepiadaceae) from northern Madagascar, Ulrich Meve & Sigrid Liede 491
Madagascar: Notes on African and Madagascan Euphorbiaceae, A. Radcliffe-Smith 177
Madagascar: Notes on Madagascan Euphorbiaceae V. Jatropha, A. Radcliffe-Smith 171
Madagascar: Notes on the genus Decaryochloa (Gramineae-Bambusoideae) from Madagascar, S. Dransfield 593
Madagascar: Synopsis of the genus Crossandra (Acanthaceae) in Madagascar, Kaj Vollesen 379
Madagascar: Two species of Crotalaria (Leguminosae: Papilionoideae) from Central Madagascar, David J. Du Puy, Jean-Noël Labat & Helen Ireland 443
Madhuca 903

Magnolia

Magnolia grandiflora 623
Maianthemum F. H. Wigg 949
Malaconotus kupeensis 990
Malaysia: Asystasia (Acanthaceae) in Malaysia, R. Kiew & K. Vollesen 965
Malesherbia 115
—— *linearifolia* Poir. 113
Malesherbiaceae 113, 115
Malesia: Three new species of Impatiens (Balsaminaceae) added to Flora Malesiana, T. Shimizu & N. Utami 435
Malouetia 804
—— *mildbraedii* (Gilg & Stapf) Van der Ploeg 831
Malpighiaceae 113 – 115
Manihot 178
Manilkara 234
—— *sulcata* 234
Mapania 686
—— *meditensis* D. A. Simpson 686
Margaritaria 115
—— *tetracocca* (Baill.) G. L. Webster 113
Mascarenhasia curnowiana Hort. ex Masters 826, 830
—— *gerrardiana* Baker 826, 830
Massonia depressa Houtt. 134
—— *echinata* L. f. 134
—— *pustulata* Jacq. 134
Massonieae 121
Matthew, K. M.: Illustrations on the flora of the Palni Hills (Notice) 254
Mayo, S. J. & Sakuragui, C. M.: Three new species of Philodendron (Araceae) from South-eastern Brazil 673
Mayo, Simon *Reviewer.* Contemporary Plant Systematics, 2nd Edition, by Dennis W. Woodland 1018
Maytenus undata (Thunb.) Blakelock 172
Medicago polymorpha Roxb. 529
Medusagynaceae Engl. & Gilg. 111, 113 – 115, 117 – 119
Medusagyne: Taxonomic affinities of Medusagyne oppositifolia (Medusagynaceae), Michael F. Fay, Susan M. Swensen & Mark W. Chase 111
Medusagyne 114, 115, 117, 118, 925
—— *oppositifolia* Baker 111 – 113
Meinechia sect. *Zimmermannia* (Pax) J. F. Brunel ex Radcl.-Sm. 174
Meineckia Baill. 173, 175
—— sect. *Decaryana* J. F. Brunel 173
—— sect. —— J. F. Brunel ex Radcl.-Sm. †173, 175
—— sect. *Meineckia* 173, 175
—— sect. *Zimmermannia* (Pax) J. F. Brunel 174
—— sect. —— (Pax) J. F. Brunel ex Radcl.-Sm. 173, 175
—— sect. *Zimmermanniopsis* (Radcl.-Sm.) Radcl.-Sm †175, 176
—— *acuminata* (Verdc.) J. F. Brunel ex Radcl.-Sm. 174
—— *capillipes* (S. F. Blake) G. L. Webster 174
—— *decaryi* (Leandri) J. F. Brunel ex Radcl.-Sm. †173
—— —— var. *occidentalis* (Leandri) Radcl.-Sm. 174
—— *grandiflora* (Verdc.) J. F. Brunel ex Radcl.-Sm. 174
—— *nguruensis* (Radcl.-Sm.) J. F. Brunel ex Radcl.-Sm. †174
—— *ovata* (E. A. Bruce) J. F. Brunel ex Radcl.-Sm. †174
—— *paxii* J. F. Brunel ex Radcl.-Sm. †174
—— *phyllanthoides* Baill. 173

Meineckia

Meineckia stipularis (Radcl.-Sm.) J. F. Brunel ex Radcl.-Sm. 175
—— *uzungwaënsis* (Radcl.-Sm.) Radcl.-Sm. †175
Melanodiscus sp. nov. 232
Melastoma decemfidum Roxb. 529
—— *dodecandrum* Roxb. 529
—— *impuberum* Roxb. 529
Melia robusta Roxb. 529
Meliaceae: A new cassowary-dispersed species of Aglaia (Meliaceae, section Amoora) from Papua New Guinea, C. M. Pannell 715
Melica diandra Roxb. 529
Melipona *619
—— group *marginata* sp. 626
—— *fulva* 625, 626
—— *lateralis* 623
—— *rufiventris* 625
—— *seminigra* 631
Meliponini 623 – 626, 631
Melpomene 737
Memecylon amplexicaule Roxb. 529
—— *edule* Roxb. 529
Menispermaceae: A synopsis of Hypserpa Miers (Menispermaceae), L. L. Forman 981
Menispermaceae 981, 986
Menispermum polycarpon Roxb. 529
—— *polyspermum* 529
—— *triandrum* Roxb. 529
Mentha quadrifolia Roxb. 529
—— *secunda* Roxb. 529
—— *verticillata* Roxb. 529
Menyanthes cristata Roxb. 529
Merendera trigyna Woronow 129
Merremia Denns. ex Endl. 164
—— sect. *Cissoides* (House) O'Donell 164
Merulius 505
Merxmuellera Conert 92 – 94, 96, 97
—— *arundinacea* 95
—— *stricta* 95
Mesfin Tadesse: New species of Vernonia (Compositae -Vernonieae) from Northeast Africa 575
Mesfin Tadesse: A revision of the genus Echinops (Compositae-Cardueae) in tropical Africa 879
Mesona Blume 258, 260, 261, 263, 270, 272
—— *cambodgensis* Doan 265, 268, 269, 285
—— *capitata* (Prain) Doan 285
—— *chinensis* Benth. 282
—— *clausa* Merr. 285
—— *elegans* Hayata 282
—— *grandiflora* Doan 286
—— *palustris* Blume 265, 268, 269, 272, 282
—— *parviflora* (Benth.) Briq. 282
—— *philippinensis* Merr. 282
—— *procumbens* Hemsl. 282
—— *prunelloides* Hemsl. 285
—— *rubra* Doan 285
—— *wallichiana* Benth. 282
Metrosideros comosa Roxb. 529
—— *suberosa* Roxb. 529
Meve, Ulrich: Brachystelma bracteolata (Asclepiadaceae), a new species in Nigeria 711
Meve, Ulrich: A new combination in Nepalese Asclepiadaceae-Stapelieae 1011
Meve, Ulrich & Liede, Sigrid: New species of Sarcostemma (Asclepiadaceae) from northern Madagascar 491
Microcarpaea 750

Microcarpaea

Microcarpaea minima (Koen.) Merr. 750
—— *muscosa* R. Br. 750
—— *muscosa sensu* Bonati 749, 750
Microcharis Benth. 841, 843, 844, 851, *857, †865, 866, 868, 874, 876, 878
—— *annua* (Milne-Redh.) Schrire 865
—— *asparagoides* (Taub.) Schrire 865
—— *latifolia* Benth. 847, *857, 865, 878
—— *microcharoides* (Taub.) Schrire 865
—— *tritoides* (Baker) Schrire 865
—— *wajirensis* (J. B. Gillett) Schrire 865
Micrococca 480
—— *wightii* (Hook. f.) Prain var. *angustata* (S. R. M. Susila Rani & N. P. Balakr.) Radcl.-Sm. & Govaerts †480
—— —— var. *glabrata* (S. R. M. Susila Rani & N. P. Balakr.) Radcl.-Sm. & Govaerts †480
Micropolypodium 737
Milium filiforme Roxb. 529
Millegrana 115
—— *radiola* Druce 113
Miller, A. G., Cope, T. A. & Nyberg, J. I.: Flora of the Arabian Peninsula and Socotra. Volume 1 (Rev.) 249
Millingtonia pinnata Roxb. 529
Mimosa: Nomenclatural notes on South American Mimosa. D. Glazier & B. Mackinder 459
Mimosa 459, 460
—— *abstergens* Roxb. ex Spreng. 529
—— *adenanthera* Roxb. 529
—— *amara* Roxb. 529
—— *asperata* L. 459
—— —— *β glabrior* Hook. & Arn. 460
—— *dulcis* Roxb. 529
—— *elata* Roxb. 529
—— *grandiflora* L'Hér. 21, *22
—— *houstoniana* Mill. 27
—— *houstonii* L'Hér. 27
—— *lucida* Roxb. 529
—— *monadelpha* Roxb. 529
—— *obovata* Roxb. 530
—— *pedunculata* Roxb. 530
—— *pellita* Humb. & Bonpl. ex Willd. 460, 462
—— —— var. *dehiscens* Barneby 462
—— —— var. *hispida* Barneby 463
—— *pigra* L. 459, 460, 462
—— —— *sensu* Barneby 460
—— —— var. *dehiscens* (Barneby) Glazier & Mackinder †*462
—— —— var. *hispida* (Barneby) Glazier & Mackinder *462, †463
—— —— var. *pigra* *462
—— *sirissa* Roxb. 530
—— *stipulacea* Roxb. 530
—— *tweedieana* Barneby ex Glazier & Mackinder †460, *461
—— *vellosiella sensu* Burkart 460
Mimusops hexandra Roxb. 530
—— *lucida* Wall. 920
Minuartia 455
—— *rubella* 454, 455
Mirabilis 928
—— *jalapa* L. 926
Molinia Schrank 91, 93, 94, 96, 97
—— *coerulea* 95
Momordica dioica Roxb. ex Willd. 530
—— *sativa* Roxb. ex Wight & Arn. 530

Monachather

Monachather Steud. 94, 96
Monocots: New chromosome numbers in petaloid monocots and in other miscellaneous angiosperms, Margaret A. T. Johnson & P. E. Brandham 121
Moraea ciliata Ker Gawl. 138
Morinda angustifolia Roxb. 530
—— *bracteata* Roxb. 530
—— *exserta* Roxb. 530
Morus paniculata Roxb. 530
Mozambique: Two new species of Solanum (Solanaceae) from Mozambique, A. E. Gonçalves 703
Muñoz-Garmendia, F. & Aedo, C.: Twelve new names in Geranium L. (Geraniaceae) 725
Munyenyembe, M. P. & Bisby, F. A.: The transfer of Dolichos junodii to Nesphostylis (Leguminosae) 689
Murti, S. K.: New combinations in Elatostema J. R. & G. Forst. (Urticaceae) 191
Musa superba Roxb. 530
—— sp. 990
Muscari 121, 123, 125
—— *anatolicum* Cowley & N. Özhatay 134
—— *armeniacum* Leichtlin ex Baker 134, 135
—— *aucheri* (Boiss.) Baker 135
—— *bourgaei* Baker 133
—— *latifolium* Kirk 135
—— *neglectum* Guss. 135
—— sp. 135
Muthukumar, S. A., Umamaheswari, P. & Daniel, P.: Acrachne sundarajii — a new grass from coastal Tamil Nadu, India 1007
Mycosphaerella 453
—— *alchemillicola* Petr. 451
—— —— Vassiljevsky †451, *452
—— *isariphora* (Desm.) Johanson *452, †454
—— *maculiformis* (Fr.) J. Schroet. 453
—— *pedicularis* (P. Karst.) Lind †456, *457
—— *pirolina* Kirschst. 453
—— *pseudoseptonoides* (Peck) Tomilin *452, †453
—— *pyrolae* (Fr.) B. Erikss. *452, †453
—— *silensis* Höhn. *452, †455
—— *tassiana* (De Not.) Johanson 455
—— *thalictrina* Petr. 454
—— *tingens* (Niessl) Lindau *452, †454
Myristica macrophylla Roxb. 530
—— *montana* Roxb. 530
—— *peltata* Roxb. 530
Myrtaceae: A new name for an East African species of Syzygium (Myrtaceae), B. Verdcourt 682
Myrtaceae: A new species of Syzygium Gaertn. (Myrtaceae) from N Borneo: Syzygium velutinum, A. P. Davis 719
Myrtaceae 682
Myrtiflorae 924

Narrissus 977
Nastus spp. 594
Nauclea parvifolia Roxb. 530
Neckia Korth. 116
Nectarinia souimanga 431
Negi, S. S.: Handbook of Fir and Spruce Trees of the World (Rev.) 250
Nematopoa C. E. Hubb. 92, 97 – 99
—— *longipes* 95, *105, *106, *107
Neomicrocalamus: A new combination in Cephalostachyum with notes on names in Neomicrocalamus

Neomicrocalamus

(Gramineae: Bambusoideae), C. M. A. Stapleton, D. Z. Li & J.-R. Xue 699
Neomicrocalamus Keng f. 700, 701
—— *andropogonifolius* (Griff.) Stapleton 700, 701
—— *clarkei* (Gamble ex Brandis) R. B. Majumdar 701
—— *dongvanensis* T. Q. Nguyen 701
—— *mannii* 700
—— *microphyllus* J. R. Xue & T. P. Yi 700, 701
—— *prainii* (Gamble) Keng f. 700, 701
Neoschumannia: A new record of Neoschumannia kamerunensis (Asclepiadaceae) from the Central African Republic, D. Harris & D. Goyder 733
Neoschumannia Schltr. 733, 735
—— *cardinea* (S. Moore) Meve 733 – 735
—— *kamerunensis* Schltr. 733, 735, 990
Nepal: A new combination in Nepalese Asclepiadaceae-Stapelieae, Ulrich Meve 1011
Nepenthaceae 926 – 928
Nepenthes 928
—— *alata* Blanco 926
Nerium chinense Hunter ex Roxb. 530
—— *reticulatum* Roxb. 530
—— *scandens* Schum. & Thonn. 790
—— *tinctorium* Roxb. 530
—— *tomentosum* Roxb. 530
Nesphostylis: The transfer of Dolichos junodii to Nesphostylis (Leguminosae), M. P. Munyenyembe & F. A. Bisby 689
Nesphostylis Verdc. 689, 690
—— *holosericea* (Baker) Verdc. 690, *691, 692
—— *junodii* (Harms) Munyenyembe & F. A. Bisby †690
Neurachne 94
Neyraudia Hook. f. 98
Nigella indica Roxb. ex Fleming 530
Nigeria: Brachystelma bracteolata (Asclepiadaceae), a new species in Nigeria, U. Meve 711
Northeast Africa: New species of Vernonia (Compositae-Vernonieae) from Northeast Africa, Mesfin Tadesse 575
Nosema Prain 258, 260, 261, 263, 270, 272
—— *capitatum* Prain 285
—— *clausum* (Merr.) H. Keng 285
—— *cochinchinense* (Lour.) Merr. 260, 261, 265, 268, 269, 272, 285
—— *holocheilum* (Hance) Kudô 285
—— *prunelloides* Prain 285
—— *tonkinense* C. B. Clarke 285
Nyctaginaceae 926
Nymphaea rubra Roxb. 530

Ochlandra Thwaites 593, 701
—— *setifera* Gamble 701
Ochna L. 114 – 116
—— *multiflora* DC. 113
Ochnaceae 111, 113 – 119, 925
—— *sensu lato* 117, 119
—— subfam. *Ochnoideae* 114 – 116
—— subfam. *Sauvagesioideae* 114 – 118
Ochthocosmus 115
—— sp. 113
Ocimum 270
—— group 263
—— *flaccidum* Rich. 277
—— *hildebrandtii* Vatke 275
—— *kontianense* A. Chev. 287
—— *menthoides* L. 274
—— *paludosum* (Baker) Roberty 287

Ocimum

Ocimum tenellum Benth. 261, 263 – 265, 267 – 271, 274
—— *tenuiflorum* 263, 265, 268, 269
—— *tuberosum* Roxb. 530
Octomeron Robyns 258, 259, 262 – 265, 267 – 272, 276
—— *montanum* Robyns 262, 272, 276
Odina wodier Roxb. 530
Ogisu, Mikinori, Tamura, Minoru N. & Xu, Jie-Mei: Heteropolygonatum, a new genus of the tribe Polygonateae (Convallariaceae) 949
Olacaceae 926
Olax scandens Roxb. 530
Oldenlandia alata J. König ex Roxb. 530
Olea 883
—— *dioica* Roxb. 530
Oleaceae: A revision of the pinnate-leaved species of Jasminum. Studies in the genus Jasminum (Oleaceae):XV, P. S. Green 933
Oleaceae 941, 946
Oleoxylon alatum 526
Onana, Jean-Michel, Cheek, Martin *Reviewer*: Guide de la Végétation de la Réserve de la Lopé, by Lee White & Kate Abernethy 764
Operculina Silva Manso 164
Ophrestia: A new species of Ophrestia H. M. L. Forbes (Leguminosae-Phaseoleae) from Zambia, B. Verdcourt 495
Ophrestia 495, 496
—— *breviracemosa* Verdc. †495, 496, *497
—— *radicosa* (A. Rich.) Verdc. 495, 496
—— *torrei* Verdc. 495, 496
—— *unicostata* (F. J. Herm.) Verdc. 495, 496
—— *unifoliolata* (Baker f.) Verdc. 495, 496
Orchidaceae: A synopsis of the genus Cribbia Senghas (Orchidaceae) with two new species from São Tomé, P. Cribb & I. la Croix 743
Orchidaceae: Zygostates leptosepala a new species of subtribe Ornithocephalinae (Orchidaceae) from Brazil, A. L. V. Toscano de Brito & Ludowick Kollman 249
Orchidaceae 1001
—— subtribe *Ornithocephalinae* 239
Orchids: Two new orchids from the Flora Zambesiaca area, P. J. Cribb & I. la Croix 1001
Orfilea 480
—— *ankafinensis* (Baill.) Radcl.-Sm. & Govaerts †480
Ornithogalum 121, 125
—— *arcuatum* Steven 135
—— *armeniacum* Baker 135
—— *balansae* Boiss. 135
—— *comosum* L. 135
—— *fimbriatum* Willd. 135
—— *lanceolatum* Labill. 135
—— *luschanii* Stapf 125, 126, 136
—— *montanum* Ten. 136
—— *multifolium* Baker 136
—— *narbonense* 125, 136
—— *niveum* Aiton 136
—— *nutans* L. 136
—— *oligophyllum* E. D. Clarke 136
—— *orthophyllum* Ten. 136
—— *platyphyllum* Boiss. 136, 137
—— *pyrenaicum* L. 137
—— *reverchonii* Lange 137
—— *sigmoideum* Freyn & Sint. 137
—— *sphaerocarpum* A. Kern. 137
—— *ulophyllum* Hand.-Mazz. 137

Ornithogalum

Ornithogalum umbellatum L. 137
—— *wiedemanii* Boiss. 137
—— sp. 137
Ornithrophe glabra Roxb. 530
—— *repanda* Roxb. 530
—— *serrata* Roxb. 530
Orthilia 453
—— *secunda* 453
Orthosiphon 262, 270
—— subgen. *Orthosiphon* 263, 265, 267 – 269
—— group 263
Oryxis, a new genus in tribe Phaseoleae (Leguminosae: Papilionoideae) from Brazil, A. Delgado Salinas & G. P. Lewis 221
Oryxis A. Delgado & G. P. Lewis †221, 223
—— *monticola* (Mart. ex Benth.) A. Delgado & G. P. Lewis †221, *224
Oryza 94
Ossiculum aurantiacum P. J. Cribb & Laan 990
Ostryopsis davidii 962
Osyris 925, 928
—— *lanceolata* Hochst. & Steud. 926
—— *peltata* Roxb. 530
Ouratea Aubl. 112, 114 – 116
—— *duparquetiana* Baill. 113
Ovularia *452, 453
Ovularia-Ramularia complex 453
Ovularia alpina C. Massal. 453
—— *haplospora* (Speg.) Magnus 453
—— *schroeteri* (J. G. Kühn) Sacc. 453
Oxera 503
Oxyrhynchus 221
Oxytenanthera abyssinica 1002
—— *albociliata* 237

Pachycarpus: The status and generic position of Pachycarpus fulvus (N. E. Br.) Bullock (Asclepiadaceae), D. J. Goyder 247
Pachycarpus E. Mey. 247
—— *fulvus* (N. E. Br.) Bullock 247, 248
—— *viridiflorus* E. Mey. 247
Pachygone 985, 986
—— *loyaltiensis* Diels 985
—— *viellardii* Diels 985
—— *vitiensis* Diels 986
Paeonia: Notes on Paeonia decomposita Hand.-Mazz., De-yuan Hong 957
Paeonia decomposita Hand.-Mazz. †957, 958, *959, 960, 962
—— —— subsp. *decomposita* 958, 962
—— —— subsp. *rotundiloba* D. Y. Hong 958, *959, †961, 962
—— *delavayi* complex 958
—— *suffruticosa* complex 958
—— *szechuanica* W. P. Fang 957, 958
Paepalanthus schlecteri (Ruhland) J. F. Macbr. 86
—— *wahlbergii* Wikstr. ex Körn. 75
—— *welwitschii* Rendle 87
Palisota Rchb. ex Endl. 468, 469
—— *barteri* Hook. f. 468
—— *bracteosa* C. B. Clarke 468
—— *mannii* C. B. Clarke 468
Pancratium triflorum Roxb. 530
Pandanus foetidus Roxb. 530
Panicum barbatum Roxb. 530
—— *costatum* Roxb. 530
—— *cuspidatum* Roxb. 530

Panicum

Panicum frumentaceum Roxb. 530
—— *nervosum* Roxb. 530
—— *paludosum* Roxb. 530
—— *plicatum* Roxb. 530
—— *sarmentosum* Roxb. 530
—— *serrulatum* Roxb. 530
—— *uliginosum* Roxb. 530
Pannell, C. M.: A new cassowary-dispersed species of Aglaia (Meliaceae, section Amoora) from Papua New Guinea 715
Paracroton 189
—— *sterrhopodus* (Airy Shaw) Radcl.-Sm. & Govaerts †189
Paracryphia 118
Paracryphiaceae 111, 118
Paralepistemon Lejoly & Lisowski 164
Parinaria excelsa 745
Parris, B. S.: Themelium, a new genus of Grammitidaceae (Filicales) 737
Partamona sp. 623, 625, 626
—— group *cupira* 623, 626
Pasquet, R. S.: A new subspecies of Vigna unguiculata (Leguminosae-Papilionoideae) 840
Passiflora 115
—— *quadrangularis* L. 113
Passifloraceae 113, 115
Paton, Alan: Classification and species of Platostoma and its relationship with Haumaniastrum (Labiatae) 257
Paton, Alan: A revision of Haumaniastrum (Labiatae) 293
Pavetta tomentosa Roxb. ex Sm. 530
Payena: Five new species of Payena (Sapotaceae) and notes on the genus in Borneo, Joan T. Pereira 903
Payena A. DC. 903 – 905, 910, 919
—— *acuminata* (Blume) Pierre 903, 904, 917, 918
—— —— var. *acuminata* 917, 918
—— —— var. *pulchra* 917, 918
—— *endertii* H. J. Lam 903, 918 – 920
—— *ferruginea* Pierre 903, 904, †905, 906, *907, 908, 912, 920
—— *gigas* A. Bruggen 903, 904, 908, 910, 914
—— *glabra* H. J. Lam 906, 908, 920
—— *glutinosa* Pierre 920
—— *grandistipula* J. T. Pereira 903, 904, †908, *909, 910
—— *havilandii* King & Gamble 916
—— *kapitensis* J. T. Pereira 903, 904, †910, *911, 912
—— *khoonmengiana* J. T. Pereira 903, 904, †912, *913, 914
—— *kinabaluensis* J. T. Pereira 903, 904, †914, *915, 916
—— *lamii* A. Bruggen 903, 904
—— *leerii* 905, 918
—— *longipedicellata* Brace ex King & Gamble 905, 910, 916
—— *lowiana* Pierre 903, 906, 908, 920
—— *lucida* (Wall. ex G. Don) A. DC. 903, 905, 906, 908, 914, 918, 920
—— *microphylla* (de Vriese) Pierre 903, 904, 905, †918, 920
—— *obscura* Burck 905, 912, 914, 916, 918
—— —— var. *havilandii* (King & Gamble) J. T. Pereira †916
—— —— var. *obscura* 905, 916, 917
Pedicularis 456

Pedicularis

Pedicularis hirsutus 456
Peltophorum 429
Pennisetum 94, 745
Pentaloncha 990
Pentaptera alata glabra 530
—— *glabra* Roxb. 530
—— *tomentosa* Roxb. 530
Pentaschistis Stapf 98, 104
Pereira, Joan T.: Five new species of Payena (Sapotaceae) and notes on the genus in Borneo 903
Periploca esculenta Roxb. 530
Perissocarpa Steyerm. & Maguire 116
Petalidium 553
Pharnaceum pentagynum Roxb. 530
Phaseolus calcaratus Roxb. 530
—— *dolichoides* Roxb. 530
—— *glaber* Roxb. 530
—— *minimus* Roxb. 530
Phaulothamnus 923
Philacra Dwyer 116
Philenoptera 843
Philesiaceae 997
Philippia 447
Phillips, Sylvia M.: The Eriocaulon transvaalicum complex and some other species of Eriocaulon from Africa 51
Phillips, Sylvia M.: The genus Syngonanthus (Eriocaulaceae) in eastern and southern Africa 73
Philodendron: A new species of Philodendron (Araceae) from Central Brazil, Eduardo G. Gonçalves 499
Philodendron: Three new species of Philodendron (Araceae) from South-eastern Brazil, C. M. Sakuragui & S. J. Mayo 673
Philodendron Schott 499
—— subgen. *Philodendron* sect. *Calostigma* (Schott) Pfeiff. 673, 678
—— subgen. —— sect. —— subsect. *Macrobelium* (Schott.) Engl. 500
—— *apparicioi* G. M. Barroso 499, 500
—— *biribiriense* Sakuragui & Mayo †673, 674, *675, 676
—— *cipoense* Sakuragui & Mayo 673, †674, 676, *677
—— *guaraense* E. G. Gonç. †499, 500, *501
—— *pachyphyllum* K. Krause 674, 676
—— *rhizomatosum* Sakuragui & Mayo 673, †676, 678, *679
—— *rotundatum* Engl. 676, 678
Phlomis calycina Roxb. 530
—— *cephalotis* J. Kõnig ex Roxb. 530
—— *moluccana* Roxb. 530
—— *montana* J. Kõnig ex Roxb. 530
—— *pilosa* Roxb. 531
Phoma saginae Rostr. 456
Phoradendron 925, 928
—— *serotinum* (Raf.) M. C. Johnst. 926
Phormiaceae 997
Phragmites Adans. 91, 93, 94, 96, 97
—— *australis* 95
Phyllanthus L. 115, 173
—— *capillipes* S. F. Blake 174
—— *liebmannianus* Müll. Arg. 113
—— *patens* Roxb. 531
—— *strictus* Roxb. 531
—— *virosus* Roxb. ex Willd. 531
Phyllostomus 7

Phylloxylon

Phylloxylon Baill. 841 – 844, 851, 852, *862, †*863, 865, 866, 874, 878
—— *perrieri* Drake 847, 863, 878
—— *xylophylloides* (Baker) Du Puy, Labat & Schrire 847, *862, *863, *864, 878
Phylogeny and evolution in the Crinipes group of grasses (Arundinoideae: Poaceae), H. P. Linder, G. A. Verboom & N. P. Barker 91
Physalospora arctostaphyli B. Erikss. *452, †455
Physena 925, 928
—— sp. 926
Physenaceae 926, 928
Phytocrene loheri Merr. 984
Phytolacca 928
—— *americana* L. 926
Phytolaccaceae 923, 924, 926
Pichi Sermolli, Rodolfo E. G.: Authors of Scientific names in Pteridophyta (Notice) 509
Pierardia sapida Roxb. 531
Pinus 40
Piper arborescens Roxb. 531
—— *lanceolatum* Roxb. 531
Piptophyllum C. E. Hubb. 92, 97 – 100
—— *welwitschii* 95, *105, *106
Pistacia 892
Platostoma: Classification and species of Platostoma and its relationship with Haumaniastrum (Labiatae), Alan Paton 257
Platostoma P. Beauv. 258, 261 – 264, 270, 271, †272, 277, 293
—— subgen. *Acrocephalus* (Benth.) A. J. Paton 271, †272
—— subgen. —— sect. *Acrocephalus* (Benth.) A. J. Paton 271, †273
—— subgen. —— sect. *Heterodonta* (Briq.) A. J. Paton 271, †274
—— subgen. *Octomeron* (Robyns) A. J. Paton 271, †276
—— subgen. *Platostoma* 271, †276
—— subgen. —— sect. *Ceratanthus* (G. Taylor) A. J. Paton 271, †279, 280
—— subgen. —— sect. *Limniboza* (R. E. Fr.) A. J. Paton 271, 272, †286, 295
—— subgen. —— sect. —— subsect. *Limniboza* (R. E. Fr.) A. J. Paton 271, 272, †286
—— subgen. —— sect. —— subsect. *Rotundifolia* A. J. Paton 271, 272, †286
—— subgen. —— sect. *Mesona* (Blume) A. J. Paton 271, 272, †281
—— subgen. —— sect. *Platostoma* 271, 272, †276, 279, 280
—— group 262, 267, 270, 271
—— *africanum* P. Beauv. *259, 261, 263, 265, 267 – 271, 276, †277, 279
—— *annamense* (G. Taylor) A. J. Paton †280
—— *axillare* (Benth.) A. J. Paton 273, †274
—— *becquerellii* (Doan) A. J. Paton †280
—— *buettnerianum* Briq. 277
—— *calcaratum* (Hemsl.) A. J. Paton †281
—— *cambodgense* (Doan) A. J. Paton †285
—— *chinense* (Benth.) A. J. Paton †282
—— *clausum* (Merr.) A. J. Paton †285
—— *cochinchinense* (Lour.) A. J. Paton 285
—— *coeruleum* (R. E. Fr.) A. J. Paton †286
—— *coloratum* (D. Don) A. J. Paton *259, †274
—— *denticulatum* Robyns 263, 264, †279
—— *dilungense* (Lisowski & Mielcarek) A. J. Paton 286, 295, 296

Platostoma

Platostoma djalonense A. Chev. 277
—— *elongatum* (L.) A. J. Paton 273, †274
—— *fastigiatum* A. J. Paton & Hedge 261, †275
—— *fimbriatum* A. J. Paton 261, *283, †284
—— *flaccidum* (Rich.) Benth. 277
—— *gabonense* A. J. Paton 261, †277, *278, 279
—— *garrettii* (Craib) A. J. Paton †281
—— *glomerulatum* A. J. Paton & Hedge 261, †276
—— *grandiflorum* (Doan) A. J. Paton †286
—— *hildebrandtii* (Vatke) A. J. Paton †275
—— *hispidum* (L.) A. J. Paton *259, 272, †273
—— *intermedium* A. J. Paton 262, 265, 268 – 270, *278, †279
—— *kerrii* (Doan) A. J. Paton †281
—— *lanceolatum* (Chermsir. ex Murata) A. J. Paton †275
—— *laxiflorum* A. J. Paton & Hedge 261, 265, 268, 269, †275, 276
—— *leptochilon* Robyns †277
—— *lisowskianum* (Bamps) A. J. Paton 286
—— *longicorne* (F. Muell.) A. J. Paton 279, †280
—— *madagascariense* (Benth.) A. J. Paton & Hedge †275, 276
—— *menthoides* (L.) A. J. Paton 273, †274
—— *montanum* (Robyns) A. J. Paton †276
—— *ocimoides* (G. Taylor) A. J. Paton †281
—— *palniense* (Mukerjee) A. J. Paton †273
—— *palustre* (Blume) A. J. Paton †281, 282
—— *rotundifolium* (Briq.) A. J. Paton *259, 286, †287, 295, 296
—— *rubrum* (Doan) A. J. Paton †285
—— *siamense* (Murata) A. J. Paton †275
—— *stoloniferum* (G. Taylor) A. J. Paton †280
—— *strictum* (Hiern) A. J. Paton †287
—— *taylorii* (Doan) A. J. Paton †282, 284
—— *tectum* A. J. Paton 261, 265, 268, 269, †282, *283, 284, 285
—— *tenellum* (Benth.) A. J. Paton & Hedge †274
—— *thymiflorum* (Benth.) A. J. Paton †287, 295, 296
—— *verbenifolium* (Mukerjee) A. J. Paton †273
Plectranthus L'Hér. 262
—— *aromaticus* Roxb. 531
—— *calcaratus* Hemsl. 281
—— *coloratum* D. Don. 275
—— *garrettii* Craib 281
—— *longicornis* F. Muell. 280
—— *strobiliferus* Roxb. 531
Pleuroblepharis grandidieri Baill. 380, 400
Plinthanthesis 94
Plumbaginaceae 926 – 928
Plumbaginales 929
Plumbago 926, 928
—— *capensis* Thunb. 926
Poa diandra Roxb. 531
Poaceae 93
—— subfam. *Arundinoideae* 91, 92, 96, 98
—— subfam. *Chloridoideae* 93, 96
—— subfam. —— tribe *Eragrostideae* subtribe *Eleusininae* 98
—— subfam. *Eragrostoideae* 98
—— subfam. *Panicoideae* 93, 96
—— subfam. *Pooideae* 93
—— tribe *Aristideae* 93, 96
—— tribe *Arundineae* Renvoize 92
—— tribe —— *sensu* Clayton & Renvoize 91
—— tribe —— *sensu lato* 92, 96 – 98
—— tribe —— *sensu stricto* 91 – 93, 96, 97

Poaceae

Poaceae tribe *Arundineae sensu* Watson & Dallwitz 91
—— tribe —— subtribe *Crinipinae* Conert 97
—— tribe *Cortaderieae* 91
—— tribe *Danthonieae sensu* Watson & Dallwitz 91 – 93, 96
—— tribe *Eragrostideae* 96
—— subtribe *Moliniinae* Ohwi 97
Podocarpus 886
—— *latifolius* 732
Podostemaceae: A new species of Willisia (Podostemaceae) from the Silent Valley, India, G. R. Shivamurthy & K. B. Sadanand 243
Podostemaceae 243, 245
Poecilandra Tul. 116
Poecilocalyx 990
The pollen of Delonix (Leguminosae: Caesalpinioideae: Caesalpinieae), H. Banks 417
Polycarpon pusillum Roxb. ex Wight & Arn. 531
Polygonaceae 926 – 928
Polygonales 929
Polygonateae sensu stricto 949
Polygonatum 949, 950
—— *pendulum* Z. G. Liu & X. H. Hu 950, 951
Polygonum flaccidum Roxb. 531
—— *nutans* Roxb. 531
—— *pilosum* Roxb. 531
Polypodium sect. *Themelium* T. Moore 737, 738
—— *allocotum* Alderw. 740
—— *eximium* Brause 740
—— —— Kunze 740
—— *pulcherrimum* Copel. 739
—— *sertularioides* Baker 740
—— *tamiense* Brause 739
—— *taxodioides* Baker 739
—— —— var. *ericoides* Rosenst. 739
—— *tenuisectum* Blume 740
—— —— var. *paucisetosum* Rosenst. 740
—— *yoderi* Copel. 739, 740
—— —— var. *denudatum* Alderw. 739
—— —— var. *setulosum* Rosenst. 739
Polysphaeria 234
Polystachya johnstonii Rolfe 1002
—— —— var. *roseopurpurea* la Croix & P. J. Cribb †1002, 1004
Polythrix stenandrium Nees 380, 402
Polyxena ensifolia Schönl. 137
Pontederia plantaginea Roxb. 531
—— *sagittata* Roxb. 531
Porana paniculata Roxb. 531
Pothos gracilis Roxb. 531
—— *lasia* Roxb. 531
Poulsen, A. D. & Lock, J. M.: New species and new records of Zingiberaceae and Costaceae from Tropical East Africa 601
Pouteria pseudoracemosa (J. H. Hemsl.) Y. B. Harv. †672
Prance, G. T.: Additions to Neotropical Dichapetalum 213
Prance, Ghillean *Reviewer*: Hawaiian Florilegium, Botanical Portraits from Paradise, by Mary Grierson (Artist) & Peter S. Green (Author) 1016
Prance, Ghillean T., Fay, Michael F., Cameron, Kenneth M., Lledo, M. Dolores & Chase, Mark W.: Familial relationships of Rhabdodendron (Rhabdodendraceae): plastid rbcL sequences indicate a Caryophyllid placement 923
Premna cordifolia Roxb. 531

Premna

Premna latifolia Roxb. 531
—— *longifolia* Roxb. 531
—— *spinosa* Roxb. 531
Preston, C. D. & Croft, J. M.: Aquatic plants in Britain and Ireland (Rev.) 763
Preston, C. D.: Pondweeds of Great Britain and Ireland. BSBI Handbook No. 8 (Rev.) 251
Prionitis Oerst. 561
—— *hystrix* Miq. 561
Procris diversifolia Wall. 193
—— *elegans* Wall. 193
—— *monandra* Buch.-Ham. ex D. Don 193
Prosaptia C. Presl 737
Prosopis aculeata J. König ex Roxb. 531
—— *spicigera* Roxb. 522
Protea 159
Protoventuria alpina (Sacc.) M. E. Barr *452, †455
—— *major* (M. E. Barr) B. Erikss. *452, †455
Psammetes: The genera Bryodes Benth. and Psammetes Hepper (Scrophulariaceae) in Madagascar and West Africa, E. Fischer & F. N. Hepper 749
Psammetes Hepper 749, †750
—— *madagascariensis* (Bonati) Eb. Fisch. & Hepper 749, †750, *751
—— *nigerica* Hepper 749, 750
Pseudoblepharis 380
—— *grandidieri* (Baill.) Lindau 400
Pseudocoix A. Camus 599
Pseudomuscari coeleste (Fomin) 137
Pseudoprosopis 12
Psoralea obovata Roxb. 531
Pterocarpus dalbergioides Roxb. 531
—— *marsupium* Roxb. 531
Pterospermum canescens Roxb. 531
—— *semisagittatum* Buch.-Ham. ex Roxb. 531
Ptilotrigona lurida *621, 623, 625, 626, 628, 629, 631
Ptyssiglottis 970
Puccinellia 94
Puschkinia scilloides Adams 137
Pyrus 126
—— *cordata* Desv. 126, 138

Quercus 40
—— *cuneata* 531
—— *glomerata* Roxb. 531
—— *lucida* Roxb. 531
—— sp. 961, 962
Quiina 115, 117
—— *pteridophylla* (Radlk.) Pires 113
Quiinaceae 111, 113 – 115, 117 – 119, 925

Radcliffe-Smith, A.: Notes on African and Madagascan Euphorbiaceae 177
Radcliffe-Smith, A.: Notes on Madagascan Euphorbiaceae V. Jatropha 171
Radcliffe-Smith, A. *Reviewer*: Botany in India: History and Progress, by B. M. Johri (Ed.) 507
Radcliffe-Smith, A. *Reviewer*: Flora of Karnataka, Vol. 2 Podostemaceae to Apiaceae, by Cecil J. Saldanha 508
Radcliffe-Smith, A. & Govaerts, R.: New names and combinations in the Crotonoideae 183
Radcliffe-Smith, A. & Govaerts, R.: New names and new combinations in the Euphorbiaceae-Acalypheae 477
Ramularia obducens Thüm. 456

Randia

Randia andongensis Hiern 648
—— ? *caudata* Hiern 641
—— *dorothea* Wernham 648
—— *hockii* De Wild. 650
—— *leptactinoides* K. Schum. ex Hutch. & Dalziel 641
—— *oligoneura* K. Schum. 652
—— *pallens* Hiern 653
Rangaeris (Schltr.) Summerh. 743
—— sect. *Biglandulosa* Summerh. 743
—— *biglandulosa* Summerh. 744
—— *brachyceras* (Summerh.) Summerh. 743
Ranunculaceae 520
Ranunculus indicus Roxb. 531
Rapanea 887
Rauwolfia pulaparia Roxb. ex Sm. 531
Reinwardtia 115
—— *indica* Dumort. 113
Renealmia L. f. 615
—— *bracteata* De Wild. & T. Durand *612, †615
—— sp. A *sensu* Lock 615
Rhabdodendraceae 924, 926, 928, 929
Rhabdodendron: Familial relationships of Rhabdodendron (Rhabdodendraceae): plastid rbcL sequences indicate a Caryophyllid placement, Michael F. Fay, Kenneth M. Cameron, Ghillean T. Prance, M. Dolores Lledo & Mark W. Chase 923
Rhabdodendron Gilg. & Pilg. 923 – 925, 927 – 929
—— *amazonicum* (Spruce ex Benth.) Huber 924, 926, 927
—— *macrophyllum* 923, 924, 927
Rhabdophyllum Tiegh. 116
Rhamnaceae 117
Rhamnus incana Roxb. 531
—— *prinoides* 732
—— *virgata* Roxb. 531
—— sp. 961, 962
Rheum 926, 928
—— × *cultorum* Thorsrud & Rersaeter 926
Rhus parviflora Roxb. 531
Rhynchotropis Harms 841 – 844, 850, 851, *857, *861, 863, *864, †865, 866, 874, 876, 878
—— *marginata* (N. E. Br.) J. B. Gillett 865
—— *poggei* (Taub.) Harms 847, *857, *861, 865, 878
Rhytidanthera Tiegh. 116, 117
Ribes sp. 962
Ricinodendron 177, 234
—— *mahafalensis* Jum. & H. Perrier 178
Ricinus dicoccus Roxb. 531
—— *dioicus* 531
Riocreuxia 1011, 1012
—— *nepalensis* A. R. Sm. 1011, 1012
Rivea Choisy 164, 166
Robbrecht, Elmar, Stoffelen, Piet, Cheek, Martin & Bridson, Diane: A new species of Coffea (Rubiaceae) and notes on Mount Kupe (Cameroon) 989
Roberts, Peter: Aldridgea (Fungi: Boletales) a synonym of Coniophora 505
Robinia candida Roxb. 531
—— *suberosa* Roxb. 531
Rondeletia exserta Roxb. 531
—— *paniculata* Roxb. 531
—— *tinctoria* Roxb. 531
Roque, N.: A reassessment of Actinoseris polymorpha (Less.) Cabrera (Compositae: Mutiseae) with a new combination 197

Rosa

Rosa glandulifera Roxb. 531
—— *involucrata* Roxb. 531
—— *multibracteata* 962
—— *willmottiae* 961
Rosaceae 138
Rosales 924
Rosidae 114
Rosiflorae 924
Rothmannia leptactinoides (K. Schum. ex Hutch. & Dalziel) Fagerl. 641
Rottboellia glabra Roxb. 531
—— *perforata* Roxb. 531
Rottlera alba Roxb. 531
—— *dicocca* Roxb. 531
—— *hexandria* Roxb. 531
—— *tinctoria* Roxb. 531
Roxburgh, William: Notes concerning the typification of names of William Roxburgh's species of Phanerogams, L. L. Forman 513
Rubiaceae: A new species of Coffea (Rubiaceae) and notes on Mount Kupe (Cameroon), Piet Stoffelen, Martin Cheek, Diane Bridson & Elmar Robbrecht 989
Rubiaceae: A revision of Aulacocalyx (Rubiaceae-Gardenieae), E. Figueiredo 637
Rubiaceae tribe *Alberteae* 637
—— tribe *Aulacocalyceae* 637
—— tribe *Gardenieae* 637
Rubus albescens Roxb. 531
—— *gowreephul* Roxb. 531
—— *Gowry-phul* 531
—— *gracilis* Roxb. 531
—— *paniculatus* Roxb. 532
Rudall, P. J., Conran, J. G. & Chase, M. W.: Two new monocotyledon families: Anemarrhenaceae and Behniaceae (Lilianae: Asparagales) 995
Rudall, Paula J., Chase, Mark W. & Conran, John G.: Validation of the family name Boryaceae 416
Ruellia L. 381, 405, 429, 535, 553
—— *bracteata* Roxb. 532
—— *dependens* Roxb. 532
—— *flagelliformis* Roxb. 532
—— *hirsuta* Roxb. 532
—— *intrusa* Forssk. 965, 966, 969
—— *latebrosa* Roxb. 532
—— *racemosa* Roxb. 532
—— *ringens* Roxb. 532
Ruellioideae 568
Ruscaceae 997
Rutaceae 923, 924, 927
Rytidosperma 94

Saccardoella 456
—— *kanderana* Matthiassen 458
—— *montellica* Speg. 458
—— *transylvanica* 458
—— cf. —— (Rehm) Berl. †456, 457
Saccharum fuscum Roxb. 532
—— *munja* Roxb. 532
—— *procerum* Roxb. 532
—— *sara* Roxb. 532
—— *semidecumbens* Roxb. 532
Sadanand, K. B. & Shivamurthy, G. R.: A new species of Willisia (Podostemaceae) from the Silent Valley, India 243
Sagina procumbens 456
Sagittaria cordifolia Roxb. 532

Sakuragui

Sakuragui, C. M. & Mayo, S. J.: Three new species of Philodendron (Araceae) from South-eastern Brazil 673
Salacia 234
Saldanha, Cecil J.: Flora of Karnataka, Vol. 2 Podostemaceae to Apiaceae (Rev.) 508
Salix 458
—— *myrsinites* 456
—— *tetrasperma* Roxb. 532
Salvia bengalensis J. König ex Roxb. 532
—— *brachiata* Roxb. 532
Samara polygama Roxb. 532
Santalaceae 926
Sapindaceae: A new genus Haplocoelopsis (Sapindaceae) from East and Central Africa, F. G. Davies 231
Sapindaceae 231
—— tribe *Cupanieae* 231
—— tribe *Schleichereae* 231
Sapindus detergens Roxb. 532
—— *fruticosus* Roxb. 532
—— *rubiginosus* Roxb. 532
—— *serratus* Roxb. 532
—— *squamosus* Roxb. 532
Saponaria perfoliata Roxb. 532
Sapotaceae: Five new species of Payena (Sapotaceae) and notes on the genus in Borneo, Joan T. Pereira 903
Sapotaceae: A new combination in the Sapotaceae from East Africa, Y. B. Harvey 672
Sapotaceae 672
Sarcostemma: New species of Sarcostemma (Asclepiadaceae) from northern Madagascar, Ulrich Meve & Sigrid Liede 491
Sarcostemma R. Br. 491, 492, 494
—— *antsiranense* Meve & Liede 491, 492, *493, 494
—— *decorsei* Constantin & Gall. 492
—— *elachistemmoides* Liede & Meve 492
—— *membranaceum* Liede & Meve 492
—— *mulanjense* Liede & Meve 492
—— *viminale* 491
—— —— complex 492
—— —— subsp. *odontolepis* (Balf.) Meve & Liede 492
—— —— subsp. *viminale* 492
Sasidharan, N. & Sivarajan, V. V.: Flowering Plants of Thrissur Forest (Western Ghats, Kerala, India) (Notice) 1020
Sauvagesia L. 112, 114 – 117
—— *calophylla* (Boerl.) M. C. E. Amaral 113
Sauvagesiaceae Dumort. 116 – 118
Scarabaeidae-Dynastinae 500
Scheffl era 883
—— *abyssinica* 745
Schizostachyum 700
—— *scandens* (Bor) H. B. Naithani & Bennet 700
Schlumbergera 928
—— *truncata* (Haw.) Moran 926
Schoepfia 925, 928
—— *schreberi* J. F. Gmel. 926
Schrankia 460
Schrire, B. D. & Sims, J. R.: A re-evaluation of pollen morphology and taxonomy in the tribe Indigofereae (Leguminosae-Papilionoideae) 841
Schrire, Brian D.: Notes relating to the genus Indigofera (Leguminosae-Papilionoideae) for Flora Zambesiaca: 1. Section Psiloceratiae (J. B. Gillett) Schrire 153

Schuurmansia

Schuurmansia Blume 116, 117
Schuurmansiella Hallier f. 116
Scilla autumnalis L. 137
—— *bifolia* L. 137
—— *cilicia* Siehe 137
—— *revoluta* Baker 137
Scirpodendron: A new species of Scirpodendron (Cyperaceae) with a discussion of the inflorescence in the genus, S. S. Hooper & D. A. Simpson 683
Scirpodendron 684, 686
—— *bogneri* S. S. Hooper †683, 684, *685, 686
—— *ghaeri* (Gaertn.) Merr. 683, 684, 686
Scirpus bispicatus J. König ex Roxb. 532
—— *incurvatus* Roxb. 532
—— *pentagonus* Roxb. 532
—— *strobilinus* Roxb. 532
—— *subarticulatus* Roxb. 532
Scleria biflora Roxb. 532
Sclerochiton preussii (Lindau) C. B. Clarke 990
Sclerolobium 429
Scorodophloeus 234
Scotland: Some microfungi on Scottish alpine plants, R. W. G. Dennis 451
Scrophulariaceae: The genera Bryodes Benth. and Psammetes Hepper (Scrophulariaceae) in Madagascar and West Africa, E. Fischer & F. N. Hepper 749
Scrophulariaceae 749, 752
Scytopetalaceae 114, 118
Sebsebe Demissew & Austin, Daniel F.: Unique fruits and generic status of Stictocardia (Convolvulaceae) 161
Sebsebe Demissew & Brummitt, R. K.: Lectotypification of the name Calystegia hederacea Wall. (Convolvulaceae), with a note on the occurrence of the species in Ethiopia 1005
Sebsebe Demissew & Gilbert, M. G.: Further notes on the genus Aloe in Ethiopia and Eritraea 139
Selwynia F. Muell. 981
—— *laurina* F. Muell. 983
Senecio emilioides Sch. Bip. 208
Senna speciosa Roxb. 532
—— *tenella* Roxb. 532
—— *toroides* Roxb. 532
Seris Less. 197
Serratula carthamoides Buch.-Ham. ex Roxb. 532
Setaria 900
Shimizu, T. & Utami, N.: Three new species of Impatiens (Balsaminaceae) added to Flora Malesiana 435
Shivamurthy, G. R. & Sadanand, K. B.: A new species of Willisia (Podostemaceae) from the Silent Valley, India 243
Shorea longisperma Roxb. 532
—— *tumbugaia* Roxb. 532
Sida graveolens Roxb. ex Hornem. 532
—— *polyandra* Roxb. 532
—— *rhomboidea* Roxb. ex Flem. 532
Sigesbeckia brachiata Roxb. 532
Silene indica Roxb. 532
—— *inflata* 455
Sileshi Nemomissa : A new species of Swertia (Gentianaceae) from tropical East-Africa — Tanzania 487
Simethis planifolia (L.) Gren. & Godr. 129
Simmondsia 928
—— *chinensis* C. K. Schneid. 926

Simmondsiaceae

Simmondsiaceae 926, 928
Simpson, D. A. *Reviewer.* Aquatic plants in Britain and Ireland, by C. D. Preston & J. M. Croft 763
Simpson, D. A. *Reviewer.* Hawaiian Biogeography. Evolution on a Hot Spot Archipelago, by Warren L. Wagner & V. A. Funk (Eds.) 252
Simpson, D. A. *Reviewer.* Pondweeds of Great Britain and Ireland. BSBI Handbook No. 8, by C. D. Preston 251
Simpson, D. A. & Hooper, S. S.: A new species of Scirpodendron (Cyperaceae) with a discussion of the inflorescence in the genus 683
Sims, J. R. & Schrire, B. D.: A re-evaluation of pollen morphology and taxonomy in the tribe Indigofereae (Leguminosae-Papilionoideae) 841
Sinapsis divaricata Roxb. 532
—— *ramosa* Roxb. ex Fleming 532
—— *rugosa* Roxb. 532
Sinia Diels 116
Sinocalamus McClure 483
—— *copelandii* (Brandis) Raizada 484
Smilacaceae 997
Smilacina Desf. 949
Smithia aspera Roxb. 532
Solanaceae: Two new species of Solanum (Solanaceae) from Mozambique, A. E. Gonçalves 703
Solanum L. 703
—— subgen. *Leptostemonum* Bitter 703
—— sect. *Oliganthes* Bitter 703
—— group *anguivi* Wallen 703
—— *capense* L. 706, 707
—— *decendentatum* Roxb. 532
—— *diffusum* Roxb. 532
—— *litoraneum* A. E. Gonç. †703, *705
—— *longum* Roxb. 532
—— *rigescens* L. 703, 706
—— *torreanum* A. E. Gonç. 703, †706, 707, *708
Somalia Oliv. 563
Sorghum 87, 94
South America: Nomenclatural notes on South American Mimosa, D. Glazier & B. Mackinder 459
Spartochloa C. E. Hubb. 91, 96
Spermacoce costata Roxb. 532
—— *glabra* Roxb. 532
—— *semierecta* Roxb. 532
—— *teres* Roxb. 532
Spermadictyon suaveolens Roxb. 532
Sphaerella pedicularis P. Karst. 456
—— *septorioides* Peck 454
—— *tingens* Niessl 454
Sphaeria isariophora Desm. 454
—— *pyrolae* Fr. 453
Sphenostylis E. Mey. 689
Spinacia 928
—— *oleracea* L. 926
Spiraea corymbosa Roxb. 532
—— sp. 962
Spjut, Richard W.: Niebla and Vermilacina (Ramalinaceae) from California and Baja California. Sida Botanical Miscellany 14 (Notice) 1020
Stapelia adscendens Roxb. 533
Stapelieae sensu stricto 1012
Stapleton, C. M. A., Li, D. Z. & Xue, J.-R.: A new combination in Cephalostachyum with notes on names in Neomicrocalamus (Gramineae: Bambusoideae) 699

Stapleton

Stapleton, C. M. A. & Xia, N. H.: A new combination in Bambusa (Gramineae-Bambusoideae) 235
Stapleton, C. M. A. & Xia, N. H.: A new combination in Dendrocalamus (Gramineae-Bambusoideae) 483
Stapleton, C. M. A. & Xia, N. H.: Typification of Bambusa bambos (L.) Voss (Gramineae: Bambusoideae) 693
Staurogyne bicolor (Mildbr.) Champl. 990
Stearn, W. T.: Four new Chinese species of Epimedium (Berberidaceae) 659
Stegnospermum 928
—— *halimifolium* Benth. 926
Stellaria holostea 454
Stemodia viscosa Roxb. 533
Stemona 997
Stemonaceae 997
Sterculia coccinea Roxb. 533
—— *colorata* Roxb. 533
—— *urens* Roxb. 533
—— *villosa* Roxb. 533
Stereospermum 575
Stictocardia: Unique fruits and generic status of Stictocardia (Convolvulaceae), Daniel F. Austin & Sebsebe Demissew 161
Stictocardia Hallier f. 161, 162, 164 – 166
—— *beraviensis* (Vatke) Hallier f. 166, 167
—— *cordatosepala* Ooststr. 166, 167
—— *discolor* Ooststr. 166, 167
—— *incomta* Hallier f. 162, *163, 166, 167
—— *jucunda* (Thwaites) C. R. Gunn 165 – 167
—— *laxiflora* (Baker) Hallier f. 166
—— *lutambensis* (Schulze-Menz) Verdc. 166, 167
—— *macalusoi* (Mattei) Verdc. 165 – 167
—— *neglecta* Ooststr. 166, 167
—— *tiliifolia* (Desr.) Hallier f. 161, 162, *163, 166, 167
—— *woodii* (N. E. Br.) Hallier f. 166
Stilago diandra Roxb. 533
Stipagrostis 94
Stirton, C. H. & Bridgewater, S. G. M.: A morphological and biogeographic study of the Acosmium dasycarpum complex (Leguminosae: Papilionoideae: Sophoreae) 471
Stoffelen, Piet, Cheek, Martin, Bridson, Diane & Robbrecht, Elmar: A new species of Coffea (Rubiaceae) and notes on Mount Kupe (Cameroon) 989
Strasburgeria Baill. 116, 118
Strasburgeriaceae Engl. & Gilg 116 – 118
Stuppy, Wolfgang *Reviewer.* Genus Matucana — Biology and Systematics of fascinating Peruvian cacti, by Rob Bregman 756
Sturnia 7
Styppeiochloa De Winter 92 – 94, 96 – 99
—— *gynoglossa* 95, *105, *106
—— *hitchcockii* 95, *105
Sweetia dasycarpa (Vogel) Benth. 472
—— —— var. *glabrata* Benth. 472, 475
—— —— var. *glabrifolia* 473
—— —— var. *toria* Malme 472
—— *elegans* (Vogel) Benth. 475
—— *glabrifolia* (Tul.) Benth. 472
—— *handroi* Mohlenbr. 472
Swensen, Susan M., Fay, Michael F. & Chase, Mark W.: Taxonomic affinities of Medusagyne oppositifolia (Medusagynaceae) 111

Swertia: A new species of Swertia (Gentianaceae) from tropical East-Africa — Tanzania, Sileshi Nemomissa 487
Swertia 487, 488
—— *adolfi-friderici* Mildbr. & Gilg. 487, 488
—— *fimbriata* (Hochst.) Cufod. 487, 488
—— *kilimandscharica* Engl. 487, 488
—— *squamigera* Sileshi †487, 488, *489
Swietenia chloroxylon Roxb. 533
—— *febrifuga* Roxb. 533
Symphonia globulifera L. f. 619
Symphytum 126
—— × "Hidcote Blue" 129
—— *bulbosum* Schimp. 126, 129
—— *ibericum* Stev. ex Bieb. 129
Symplocos racemosa Roxb. 533
Syngonanthus: The genus Syngonanthus (Eriocaulaceae) in eastern and southern Africa, Sylvia M. Phillips 73
Syngonanthus Ruhland 73, 74, 76, 81, 83, 86, 88, 89
—— *angolensis* H. Hess 62, 71, 74, 77, *78, †79, 80, 88
—— *bianoensis* 74
—— *chevalieri* Lecomte 75
—— *exilis* S. M. Phillips 74, 75, *82, *84, †85, 89
—— *lisowskii* 74
—— *longibracteatus* Kimpouni 74, 75, *78, 80, †83, 85, 86, 88
—— *manikaensis* 74
—— *mwinilungensis* S. M. Phillips 75, †81, *82, 83, *84
—— *ngoweensis* 74
—— *poggeanus* 74, 77, *78, †79, 80, 88
—— *robinsonii* Moldenke 74, 75, †81, *82, 83, 89
—— *schlecteri* Ruhland 74– 76, *78, †86, 87, 88
—— *schlecteri* subsp. *appendiculata* Kimpouni 87
—— *schlecteri* × *wahlbergii* 73
—— *teuszii* Ruhland 80
—— *upembaensis* 74
—— *wahlbergii* (Wikstr. ex Körn.) Ruhland 74, †75, 77, 79, 85 – 88
—— —— var. *sinkabolensis* S. M. Phillips 74, †76, *77
—— —— var. *wahlbergii* 74, 76, *77
—— *welwitschii* (Rendle) Ruhland 74, 75, *78, 86, †87, 88
Syringa vulgaris 456
Syzygium: A new name for an East African species of Syzygium (Myrtaceae), B. Verdcourt 682
Syzygium: A new species of Syzygium Gaertn. (Myrtaceae) from N Borneo: Syzygium velutinum, A. P. Davis 719
Syzygium 575, 682, 719
—— *creaghii* (Ridl.) Merr. & L. M. Perry 719, 720, †722
—— *hirtum* (Korth.) Merr. & L. M. Perry 719
—— *micklethwaitii* Verdc. †682
—— *sclerophyllum* Brenan 682
—— —— Thwaites 682
—— *staudtii* 745
—— *velutinum* A. P. Davis 719, †720, *721

Tabernaemontana crispa Roxb. 533
—— *dichotoma* Roxb. 533
—— *erythrophthalma* K. Schum. 785
Tachigali 429
Tamaricaceae 926, 928
Tamarix 928
—— *dioica* Roxb. 533

Tamarix pentandra Hampe ex Bunge 926
Tamura, Minoru N., Ogisu, Mikinori & Xu, Jie-Mei: Heteropolygonatum, a new genus of the tribe Polygonateae (Convallariaceae) 949
Tanzania: A new species of Swertia (Gentianaceae) from tropical East-Africa — Tanzania, Sileshi Nemomissa 487
Tanzania: A new species of Zehneria Endl. (Cucurbitaceae) from Tanzania, B. Verdcourt 729
Tarchonanthus 581
Tenaris 712, 1012
—— *filifolia* Schltr. 712
Terauchia Nakai 996
Terminalia 575, 884, 900
—— *belerica* Roxb. 533
—— *chebula* L. 519
—— *procera* Roxb. 533
—— *tomentosa* 530
Ternstroemiaceae 111
Terpsichore 737
Testulea Pellegr. 116
Tetracera trigyna Roxb. 533
Tetralocularia O'Donell 164
Tetrameristaceae 114
Tetranthera apetala Roxb. 533
—— *monopetala* Roxb. 533
Tetronchidium 189
—— *duckei* Radcl.-Sm. & Govaerts †189
—— *minus* (Ducke) Ducke 189
—— —— (Prain) Pax & K. Hoffm. 189
Teucrium stoloniferum Roxb. 533
Thalesia Mart. 472
Thalictrum alpinum 454
—— *dioicum* 454
—— *simplex* 454
Theaceae 114
Thelephora 505
—— *crustacea* 505
Thelypteridaceae 737
Themeda 900
Themelium, a new genus of Grammitidaceae (Filicales), B. S. Parris 737
Themelium (T. Moore) Parris †737, 738
—— *allocotum* (Alderw.) Parris 738, †740
—— *eximium* (Copel.) Parris 738, †740
—— *taxodioides* (Baker) Parris 738, †739
—— *tenuisectum* (Blume) Parris 737, 738, †740
—— *yoderi* (Copel.) Parris 738, †739
Theobroma cacao L. 990
Thunbergia fragrans Roxb. 533
Thyrsostachys Gamble 483
Thysanolaena Nees 93, 94
Tiliacora funifera Oliv. 986
Timandra dichotoma Klotzsch 188
—— *erythroxyloides* Klotzsch 188
Tomentella Pat. 505
Toscano de Brito, A. L. V. & Kollman, Ludowick: Zygostates leptosepala a new species of subtribe Ornithocephalinae (Orchidaceae) from Brazil 249
Touroulia 115, 117
—— *guianensis* Aubl. 113
Tradescantia tuberosa Roxb. 533
Tragia hastata (Klotzsch) Müll. Arg. 480
—— *jonesii* Radcl.-Sm. & Govaerts †480
—— *lassia* Radcl.-Sm. & Govaerts 480
—— *leptorrhachis* Radcl.-Sm. & Govaerts †480

Tragia

Tragia scandens (Baill.) Müll. Arg. 480
—— —— M. E. Jones 480
Trianthema obcordatum Roxb. 533
Tricalysia trilocularis (S. Elliott) Hutch. & Dalziel 657
Trichocline Cass. 197
—— *arenaria* Baker 197 – 199
Tridens Roem. & Schult. 98
Trigona (Pissania) cf. *ciliges* 625
Trigona *619, 623, 624, 626, 631, 632
—— cf. *branneri* 629
—— *fulvicentris* 624, 629
—— *williana* 623, 624, 626, 629
—— *sp.* 628
Trigonini 623 – 626, 628, 629, 631, 632
Triosteum hirsutum Roxb. 533
Triphyophyllum 928
—— *peltatum* (Hutch. & Dalziel) Airy Shaw 926
Triraphis R. Br. 98
Tristachya 94
Triticum 94
Triuridaceae 990
Tropical East Africa: New species and new records of Zingiberaceae and Costaceae from Tropical East Africa, A. D. Poulsen & J. M. Lock 601
Tulipa armena Boiss. 138
—— sp. 138
Tunga diandra Roxb. 533
Turbina Raf. 162, 164
Turnera 115
—— *ulmifolia* L. 113
Turneraceae 113, 115
Tyleria Gleason 116, 117

Uapaca 159, 310, 313, 316, 353, 496
Ulmus 456
—— *integrifolia* Roxb. 533
Umamaheswari, P., Muthukumar, S. A. & Daniel, P.: Acrachne sundarajii — a new grass from coastal Tamil Nadu, India 1007
Uncaria pedicellata Roxb. 533
Urceola elastica Roxb. 533
Uroderma 7
Urtica bicolor Roxb. 533
—— *decumana* Roxb. 533
—— *involucrata* Roxb. 533
—— *paniculata* Roxb. 533
—— *pentandra* Roxb. 533
—— *tenacissima* Roxb. 533
Urticaceae: New combinations in Elatostema J. R. & G. Forst. (Urticaceae), S. K. Murti 191
Utami, N. & Shimizu, T.: Three new species of Impatiens (Balsaminaceae) added to Flora Malesiana 435
Utricularia fasciculata Roxb. 533
Uvaria grandiflora Roxb. ex Hornem. 533
—— *nitida* Roxb. 533
—— *odoratissima* Roxb. 533
—— *opthalmica* Roxb. ex G. Don. 533
—— *pilosa* Roxb. 533
—— *suberosa* Roxb. 533
—— *ventricosa* Roxb. 533
—— *villosa* Roxb. 533
Uvariopsis 990
Vantanea 115
—— *guianensis* Poir. 113
Vaughania S. Moore 841 – 844, 850 – 853, *857, *862, *863, *864, †865, 866, 874, 876, 878

Vaughania

Vaughania cloiselii Du Puy, Labat & Schrire 847, 865, 878
—— *longidentata* Du Puy, Labat & Schrire 847, 857, *864, 865, 878
—— *mahafalensis* Du Puy, Labat & Schrire 847, *862, *863, *864, 865, 878
Venturia alpina Sacc. 455
Verbenaceae: Two new species of Callicarpa (Verbenaceae) from Borneo, Sandy Atkins 227
Verbenaceae 227
Verbesina sativa Roxb. ex Sims 533
Verboom, G. A., Linder, H. P. & Barker, N. P.: Phylogeny and evolution in the Crinipes group of grasses (Arundinoideae: Poaceae) 91
Verdcourt, B.: A new name for an East African species of Syzygium (Myrtaceae) 682
Verdcourt, B.: A new species of Ophrestia H. M. L. Forbes (Leguminosae-Phaseoleae) from Zambia 495
Verdcourt, B.: A new species of Zehneria Endl. (Cucurbitaceae) from Tanzania 729
Vernonia: New species of Vernonia (Compositae-Vernonieae) from Northeast Africa, Mesfin Tadesse 575
Vernonia 575 – 577, 585
—— sect. *Stengelia* Steetz 584
—— group 2 subgroup B C. Jeffrey 585
—— group 2 subgroup C C. Jeffrey 579, 580, 583
—— group 2 subgroup D C. Jeffrey 582
—— group 3 subgroup B C. Jeffrey 577
—— group 4 C. Jeffrey 584
—— group 5 C. Jeffrey 581
—— *adoensis* 577, 587
—— *albocinerascens* C. Jeffrey 579
—— *ambigua* 587
—— *amygdalina* 588
—— *arabica* 590
—— *aschersonii* 577, 591
—— *auriculifera* 589
—— *biafrae* 589
—— *bipontinii* 590
—— *brachycalyx* 590
—— *buchingeri* 587
—— *bulo-burtiensis* Mesfin †579, 580, 587
—— *chapmanii* C. D. Adams 576
—— *cinerascens* Sch. Bip. 579, 580, 588
—— *cinerea* 587
—— *congolensis* 588
—— —— subsp. *vernonioides* (Sch. Bip. ex Walp.) C. Jeffrey 577
—— *cryptocephala* 591
—— *cylindrica* 590
—— *dalettiensis* Mesfin †579, 589
—— *didessana* Mesfin †584, 587
—— *filigera* 588
—— *filipendula* Hiern 584
—— *galamensis* 585
—— *gilbertii* Mesfin †575, 576, 577, *578, 588
—— *hildebrandtii* 590
—— *hochstetteri* Sch. Bip. ex Walp. 581 – 583, 589
—— *holstii* O. Hoffm. 583 – 585
—— *homilantha* S. Moore 579, 589
—— *hymenolepis* 588
—— *ischnophylla* 588
—— *ituriensis* 587
—— *kamerunensis* Mattf. 575 – 577
—— *karaguensis* Oliv. & Hiern 582, 583, 590

Vernonia

Vernonia lanata Mesfin †580, 581, 587
—— *lasiopus* 577, 588
—— *leopoldii* 590
—— *mogadoxensis* 590
—— *myriantha* 589
—— *perrottetii* 587
—— *petersii* 577
—— *phillipsiae* 590, 591
—— *plumbaginifolia* 590
—— *popeana* C. Jeffrey 581, 589, 591
—— *poskeana* 577
—— *printzioides* 587
—— *purpurea* 589
—— *rueppellii* 588
—— *schimperi* 587, 589
—— *smithiana* 591
—— *spathulata* 589, 591
—— *tewoldei* Mesfin †581, 582, 583, 588
—— *theophrastifolia* 588
—— *thomsoniana* 589
—— *thulinii* Mesfin †582, 583, 590
—— *turbinata* 591
—— *uncinata* Oliv. & Hiern 580, 581, 591
—— *unionis* 591
—— *urticifolia* 588
—— *wakefieldii* 585
—— *wollastonii* 589
—— *yabelloana* Mesfin †584, 585, *586, 589
Vernonieae 575, 576
Veronica 456
—— *fruticans* 456
Vicia 121
—— *lathyroides* L. 138
—— *qatmensis* Gomb. 138
—— *sativa* L. 138
—— —— subsp. *cordata* (Wulfen ex Hoppe) Asch. & Graebn. 138
—— —— subsp. *incisa* (M. Bieb) Acang. 138
—— —— subsp. *nigra* var. *nigra* (L.) Ehrh. 138
—— —— subsp. —— var. *segetalis* (Thuill.) Ser. ex DC. 138
Vietnamosasa 701
—— *ciliata* (A. Camus) T. Q. Nguyen 701
—— *pusilla* (A. Chev. & A. Camus) T. Q. Nguyen 701
Vigna: A new subspecies of Vigna unguiculata (Leguminosae: Papilionoideae), R. S. Pasquet 840
Vigna Savi 689
—— group "*mensensis*" 834
—— *junodii* Harms 689, 690
—— *mensensis* Schweinf. 834
—— *unguiculata* (L.) Walp. †840
—— —— subsp. *aduensis* Pasquet †834
—— —— subsp. *burundinensis* Pasquet 834
—— —— subsp. *dekindtiana* (Harms) Verdc. var. *mensensis sensu* Maréchal *et al.* 834
—— —— subsp. *mensensis sensu* Verdc. 834
—— —— subsp. *pawekiae* Pasquet 834
Vilbouchevitchia A. Chev. 770
—— *atro-purpurea* A. Chev. 770, 813, 814
Viola 115
—— *sororia* Willd. 113
Violaceae 113 – 115
Viscaceae 926
Vitaceae 926
Vitex alata Roxb. 533
—— *arborea* Roxb. 533
Vitis 925, 928

Vitis

Vitis aestivalis Michx. 926
—— *lanata* Roxb. 533
Volkameria obovata Roxb. 533
Vollesen, K. & Kiew, R.: Asystasia (Acanthaceae) in Malaysia 965
Vollesen, Kaj: Synopsis of the genus Crossandra (Acanthaceae) in Madagascar 379
Voss, Edward G.: Michigan Flora. A guide to the identification and occurrence of the native and naturalized seed-plants of the state. Part III Dicots (Pyrolaceae-Compositae). (Notice) 1021

Wagner, Warren L. & Funk, V. A. (Eds.): Hawaiian Biogeography. Evolution on a Hot Spot Archipelago (Rev.) 252
Wahabia Fenzl 555
Wallacea Spruce ex Hook. 116
Wallaceaceae Tiegh. 116 – 118
West Africa: The genera Bryodes Benth. and Psammetes Hepper (Scrophulariaceae) in Madagascar and West Africa, E. Fischer & F. N. Hepper 749
White, Lee & Abernethy, Kate: Guide de la Végétation de la Réserve de la Lopé (Rev.) 764
Widdringtonia 157
Willisia: A new species of Willisia (Podostemaceae) from the Silent Valley, India, G. R. Shivamurthy & K. B. Sadanand 243
Willisia arekaliana Shivamurthy & Sadanand †243, *244
—— *selaginoides* (Bedd.) Warm. ex Willis 243, 245
Woodland, Dennis W.: Contemporary Plant Systematics, 2nd Edition (Rev.) 1018
Wrightia stuhlmannii K. Schum. 794, 798
Wu, Zheng-yi & Raven, Peter H. (eds.): Flora of China Volume 15, Myrsinaceae through Loganiaceae (Rev.) 765

Xanthochymus pictorius Roxb. 533
Xerophyta 1002
Xia, N. H. & Stapleton, C. M. A.: A new combination in Bambusa (Gramineae-Bambusoideae) 235
Xia, N. H. & Stapleton, C. M. A.: A new combination in Dendrocalamus (Gramineae-Bambusoideae) 483
Xia, N. H. & Stapleton, C. M. A.: Typification of Bambusa bambos (L.) Voss (Gramineae: Bambusoideae) 693
Xiphopteris Kaulf. 737
Xu, Jie-Mei, Tamura, Minoru N. & Ogisu, Mikinori: Heteropolygonatum, a new genus of the tribe Polygonateae (Convallariaceae) 949
Xue, J.-R., Stapleton, C. M. A. & Li, D. Z.: A new combination in Cephalostachyum with notes on names in Neomicrocalamus (Gramineae: Bambusoideae) 699
Xylia 12, 13
Xysmalobium viridiflorum (E. Mey.) D. Dietr. 247

Yucca 979

Zambia: A new species of Ophrestia H. M. L. Forbes (Leguminosa-Phaseoleae) from Zambia, B. Verdcourt 495
Zanthoxylum alatum Roxb. 533
Zapoteca 3, 5, 6, 12, 13
Zea 94

Zehneria

Zehneria: A new species of Zehneria Endl. (Cucurbitaceae) from Tanzania, B. Verdcourt 729
Zehneria Endl. 729
—— subgen. *Pseudokedrostis* (Harms) C. Jeffrey 729
—— *baueriana* Endl. 729
—— *minutiflora* 732
—— *ridens* Verdc. †729, *730, *731
—— *scabra* (L. f.) Sond. 729, 732
Zenkeria Trin. 92, 97 – 99
—— *elegans* 95
—— *stapfii* 95, *105, *106
Zignoella macrasca Sacc. 456
Zimmermannia Pax 173, 174
—— *acuminata* Verdc. 174
—— *capillipes* Pax 174
—— *decaryi* (Leandri) G. L. Webster 173
—— —— var. *occidentalis* (Leandri) M. M. Poole 174
—— *grandiflora* Verdc. 174
—— *nguruensis* Radcl.-Sm. 174
—— *ovata* E. A. Bruce 174
—— *stipularis* Radcl.-Sm. 175

Zimmermanniopsis

Zimmermanniopsis Radcl.-Sm. 173, 175
—— *uzungwaënsis* Radcl.-Sm. 175
Zingiberaceae: New species and new records of Zingiberaceae and Costaceae from Tropical East Africa, A. D. Poulsen & J. M. Lock 601
Zingiberaceae 601
Zizania 94
Zizyphus albens Roxb. 533
—— *caracutta* Buch.-Ham. ex Roxb. 533
—— *latifolia* Roxb. 533
—— *nitida* Roxb. 533
—— *trinervia* Roxb. 533
Zygophlebia 737
Zygostates leptosepala a new species of subtribe Ornithocephalinae (Orchidaceae) from Brazil, A. L. V. Toscano de Brito & Ludowick Kollman 249
Zygostates 239
—— *alleniana* Kraenzl. 239, 240, 242
—— *leptosepala* Toscano & L. Kollman †239, 240, *241, 242
—— *multiflora* (Rolfe) Schltr. 239, 240, 242